




	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
ACME							
AL 480 65 - 70 - 75			0155	A	155x114x3,9	14x17x4	6
FE 80 - 82 - 88			0155	A	155x114x3,9	14x17x4	6
Motocoltivatore			4033	A	140x96x2,5	21x25,5x4	10
ADRIATICA MACCHINE							
845 Trattorino			3606	A	216x152x3,2	20x23x ev	20
Majormac Motoagricola			1325	A	184x127x3,2	20x23x ev	20
Master Minimec Trattorino			0050	A	140x96x3,2	15x17,5x ev	20
Mastermec L2 - A2 - S2 - L30			1325	A	184x127x3,2	20x23x ev	20
Supermec	R 18 HP		1324	A	155x114x4	15x17x ev	20
Supermec	14 HP		0050	A	140x96x3,2	15x17,5x ev	20
AEBI							
AM 30 - AM 41 - AM 80			3970	A	160x110x2,5	18x23x3	10
T 40/40			3657	A	225x150x3,5	36x40x ev	20
TP 1000			3970	A	160x110x2,5	18x23x3	10
TP 20	Chass. -> 6999		0824	A	181x124x3,5	18x23x3	10
TT 40 Teratrac			4144	A	184x127x3,2	31x35x ev	18
			4543	B 2	184x127x3,2	17x20x ev	12
TT 77			3657	A	225x150x3,5	36x40x ev	20
TT 80 Teratrac			4189	A	216x152x3,5	31x35x ev	18
			4483	A	216x150x3,3	31x35x ev	18
			3606	A	216x152x3,2	20x23x ev	20
A.E.C.							
Dump Truck 690	BDK6 RAB	65 ->	1288	A	400x220x5	36x45x7	10
AECHERLI							
MA 60 Motormaher			3970	A	160x110x2,5	18x23x3	10
Traktor			1009	ALI	200x130x3,5	21x26x3	10
AGRIA							
1900	DL 660	66	0984	AL	181x127x3,2	22,5x25x ev	14
1900			4449	A	181x124x3,5	22x25x ev	14
2500 Motozappa - Motor hoe			4449	A	181x124x3,5	22x25x ev	14
2700	Ruggerini RD 901	71	0812	A	184x127x3,3	18x22x3,5	10
2700			4449	A	181x124x3,5	22x25x ev	14
2800 - 3800			0984	AL	181x127x3,2	22,5x25x ev	14
2800 - 3800			4449	A	181x124x3,5	22x25x ev	14
3800	Ruggerini CRD 100P	71 ->	0812	A	184x127x3,3	18x22x3,5	10
4700			0984	AL	181x127x3,2	22,5x25x ev	14
4700	Lamborghini LA 490		0812	A	184x127x3,3	18x22x3,5	10
4700			4449	A	181x124x3,5	22x25x ev	14
4800	CRD 100P - RP 170	-> 71	0984	AL	181x127x3,2	22,5x25x ev	14
4800	Ruggerini CRD 100P	71 ->	0812	A	184x127x3,3	18x22x3,5	10
4800	HATZ E 785		0984	AL	181x127x3,2	22,5x25x ev	14
4800			4449	A	181x124x3,5	22x25x ev	14
4900 - 5700			0984	AL	181x127x3,2	22,5x25x ev	14
5700	Ruggerini CRD 100P	81 ->	0812	A	184x127x3,3	18x22x3,5	10
5700			4449	A	181x124x3,5	22x25x ev	14
6700	Ruggerini RD 90/2	71 ->	0812	A	184x127x3,3	18x22x3,5	10
6700			4449	A	181x124x3,5	22x25x ev	14
6700 - 6900			0984	AL	181x127x3,2	22,5x25x ev	14


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
6900				4449	A	181x124x3,5	22x25x ev	14
8000 - 9000	Motozappa - Motor hoe			1346	A	140x96x3,2	13x16x3,5	6
AGRIFULL - TOSELLI								
DE LUXE								
65		Main clutch		4120	B 18	280x165x3,8	35x40x ev	14
		Main clutch		1389	B 18	280x165x3,5	35x40x ev	14
		Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
70 - 80 - 90		Main clutch		3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
DERBY								
60 / 80	602 (RM 418) - Main clutch	76 ->		3939	A	280x165x3,2	35x40x ev	14
	602 (RM 418) - P.T.O.	76 ->		1069	A	280x165x3,5	22x25x ev	10
	Main clutch	76 ->		4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	Main clutch	76 ->		4226	BL 2	280x165x4,5	35x40x ev	14
	P.T.O. - Valeo Version	76 ->		4095	A	280x165x3	22x25x ev	10
		Brake Disc			3028	DF	130x70x3,8	36x40x ev
EURO								
EURO				0828	ALI	225x150x3,5	23x29x4	10
EURO 60				0923	AL	325x200x4	38x41,5x ev	25
				1336	A	280x165x3,5	26x32x4	10
GRISO								
70 / 75	Main clutch	76 ->		3939	A	280x165x3,2	35x40x ev	14
	P.T.O.	76 ->		1069	A	280x165x3,5	22x25x ev	10
	Main clutch	76 ->		4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	Main clutch	76 ->		4226	BL 2	280x165x4,5	35x40x ev	14
	P.T.O. - Valeo Version	76 ->		4095	A	280x165x3	22x25x ev	10
		Brake Disc			3028	DF	130x70x3,8	36x40x ev
JOLLY								
45 / 345	Main clutch	75 ->		4049	A	225x150x3,5	31x35x ev	18
				4298	A - CX	Ø 225 6+6 pads 37x67x3,5	31x35x ev	18
	P.T.O.	75 ->		3736	A	225x150x3,5	19x22,5x ev	13
JOLLY 50								
Jolly 50	Main clutch	76 ->		4226	BL 2	280x165x4,5	35x40x ev	14
	P.T.O. - Valeo Version	76 ->		4095	A	280x165x3	22x25x ev	10
	Main clutch	76 ->		4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	P.T.O. - Valeo Version	76 ->		4095	A	280x165x3	22x25x ev	10
		Brake Disc			3028	DF	130x70x3,8	36x40x ev
PONY 253								
Pony 253	22 KW - Main clutch	75 ->		4049	A	225x150x3,5	31x35x ev	18
				4298	A - CX	Ø 225 6+6 pads 37x67x3,5	31x35x ev	18
	22 KW - P.T.O.	75 ->		3736	A	225x150x3,5	19x22,5x ev	13
RODEO								
90 / 95		Main clutch	76 ->	4226	BL 2	280x165x4,5	35x40x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
	P.T.O. - Valeo Version	76 ->	4095	A	280x165x3	22x25x ev	10	
		Brake Disc	3029	DF	178x102x4,7	36x40x ev	20	
90 / 95 Turbo	Main clutch		3789	B 18 - CX	Ø 280 6+6 pads 52x36x3,5	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
SPRINT 345								
345	33 KW - Main clutch	75 ->	4049	A	225x150x3,5	31x35x ev	18	
			4298	A - CX	Ø 225 6+6 pads 37x67x3,5	31x35x ev	18	
	33 KW - P.T.O.	75 ->	3736	A	225x150x3,5	19x22,5x ev	13	
350		Main clutch	3404	AL	280x165x3,4	35x40x ev	14	
		P.T.O.	4233	A	280x165x3,5	19x22x ev	10	
		High performance	4400	A	280x165x3	19x22x ev	10	
		Brake Disc	3028	DF	130x70x3,8	36x40x ev	20	
TORNADO 80								
Tornado 80	602 (RM 418) - Main clutch	76 ->	3939	A	280x165x3,2	35x40x ev	14	
	602 (RM 418) - P.T.O.	76 ->	1069	A	280x165x3,5	22x25x ev	10	
	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
	Main clutch	76 ->	4226	BL 2	280x165x4,5	35x40x ev	14	
		P.T.O. - Valeo Version	76 ->	4095	A	280x165x3	22x25x ev	10
		Brake Disc		3029	DF	178x102x4,7	36x40x ev	20
TOSELLI								
60 / 70 / 85	Main clutch	76 ->	3939	A	280x165x3,2	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
60 / 70	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
	Main clutch	76 ->	4226	BL 2	280x165x4,5	35x40x ev	14	
		P.T.O. - Valeo Version	76 ->	4095	A	280x165x3	22x25x ev	10
TOSELLI 85								
85	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
	Main clutch	76 ->	4226	BL 2	280x165x4,5	35x40x ev	14	
		P.T.O. - Valeo Version	76 ->	4095	A	280x165x3	22x25x ev	10
VIGNETO								
235	22 KW - Main clutch	75 ->	4049	A	225x150x3,5	31x35x ev	18	
			4298	A - CX	Ø 225 6+6 pads 37x67x3,5	31x35x ev	18	
	22 KW - P.T.O.	75 ->	3736	A	225x150x3,5	19x22,5x ev	13	
		Brake Disc		3028	DF	130x70x3,8	36x40x ev	20
335		Brake Disc	3028	DF	130x70x3,8	36x40x ev	20	
345	33 KW - Main clutch	75 ->	4049	A	225x150x3,5	31x35x ev	18	
	33 KW - P.T.O.	75 ->	3736	A	225x150x3,5	19x22,5x ev	13	
		Brake Disc		3028	DF	130x70x3,8	36x40x ev	20
30 - 45								
30		Main clutch	1068	A	216x152x3,2	22,5x25x ev	10	
40 - 40 DT		Main clutch	4458	A	254x165x3,8	35x40x ev	14	
		P.T.O.	3584	A	254x165x3,5	19x22x ev	10	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
45 - 45 DT		Main clutch	3404	AL	280x165x3,4	35x40x ev	14	
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
		Main clutch	4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10	
		Dampered	Main clutch	4223	B 18 - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14
		Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
50 - 110								
50 - 50 DT - 55 V F/FDT	High performance	Main clutch	4172	B 14	250x155x4	31x35x ev	18	
	Main clutch		4173	B 14	250x155x3,8	31x35x ev	18	
		P.T.O.	4179	A	250x155x3,5	19x22,5x ev	13	
55-46 / 55-66 / 65-45	Main clutch	85 ->	4226	BL 2	280x165x4,5	35x40x ev	14	
	P.T.O. - Valeo Version	85 ->	4095	A	280x165x3	22x25x ev	10	
55 - 55 DT - 65 - 65 DT		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14	
		Main clutch	4223	B 18 - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14	
		P.T.O. - Valeo Version		4095	A	280x165x3	22x25x ev	10
55 - 60		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14	
		Main clutch	4223	B 18 - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14	
		P.T.O. - Valeo Version		4095	A	280x165x3	22x25x ev	10
60 E/EDT/LDT/F/FDT - 70 FDT/LDT		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14	
		Main clutch	4223	B 18 - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14	
		P.T.O. - Valeo Version		4095	A	280x165x3	22x25x ev	10
60 - 70 - 80 II F / DT		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
		P.T.O. - Valeo Version	4095	A	280x165x3	22x25x ev	10	
80.46 E - 56 - 56 E - 66 - 66 E - 76 - 76 E		Main clutch	3404	AL	280x165x3,4	35x40x ev	14	
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
		Main clutch	3802	A	280x172x4,7	44x48x ev	23	
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
		P.T.O. - Valeo Version		4095	A	280x165x3	22x25x ev	10
80.50		Brake Disc	3028	DF	130x70x3,8	36x40x ev	20	
80.60 V F - 80.70 - 80.70 F		Main clutch	3404	AL	280x165x3,4	35x40x ev	14	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		P.T.O. - Valeo Version	4095	A	280x165x3	22x25x ev	10
80.85 - 80.95 - 80.105		Main clutch	4118	AL - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
		P.T.O.	4192	A	310x190x3	24x28x ev	10
85		Main clutch	3789	B 18 - CX	Ø 280 6+6 pads 52x36x3,5	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
90 - 100 - 110 - DT/E/EDT		Main clutch	4118	AL - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
			4192	A	310x190x3	24x28x ev	10
8045 - 80105							
8045 - 8050 - 8055 - 8060		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
		P.T.O. - Valeo Version	4095	A	280x165x3	22x25x ev	10
8065		Main clutch	4054	AL	280x165x4	35x40x ev	14
		P.T.O. - Valeo Version	4095	A	280x165x3	22x25x ev	10
8075 - 8090 - 8090 DT		Main clutch	4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
		P.T.O. - Valeo Version	4095	A	280x165x3	22x25x ev	10
8085 - 8095 - 80105		Main clutch	4118	AL - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
		P.T.O.	4192	A	310x190x3	24x28x ev	10
8085 - 8095 - 80105		Main clutch	4213	B 19 - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
		P.T.O.	4192	A	310x190x3	24x28x ev	10
Series							
Trattore Serie 68			0812	A	184x127x3,3	18x22x3,5	10
Trattore Serie 68 - 78			1089	A	216x152x3,2	21x26x4	10
Trattori Serie 226 - 226 S - 228 - 233		P.T.O.	0995	ELI	250x155x4	26x32x4	10
		Optional	0826	A	250x155x3,5	26x32x4	10
Trattore Serie 230 - 230 L			3938	A	200x142x3,3	21x26x4	10
Trattori Serie 340 - 350		P.T.O.	0995	ELI	250x155x4	26x32x4	10
		Optional	0826	A	250x155x3,5	26x32x4	10
Trattore Serie CF 350 L			0923	AL	325x200x4	38x41,5x ev	25
			1336	A	280x165x3,5	26x32x4	10
AKTIV FISCHER							
S 830			1209	A	200x130x3,2	26x32x4	10
Snow Trac - Trac Master			0496	BL 3	200x130x3,5	18,3x20,7x ev	24
ALBION							
RE 229 T - AV505 - eng. D245	Concrete mix 10 speeds	69 -> 72	3020	BL 8	380x200x4,8	36x45x7	10
ALLIS CHALMERS							
Gleaner Self A" Propelled	Combine Harvester	63	0998	AL	279x171x3,5	29x35x5,5	10
Shovel	D250 Diesel 3 Cyl.		3013	A	380x200x8	36x45x7	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
United Tractor			0832	A	300x170x4	31x38x6	10
A							
AC	4 Cyl.	60 -> 73	0762	A	250x155x3,5	29x35x5,5	10
AC 35/40/45/50/55	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
B							
B Tractor	Perkins P3 Diesel	65	0854	A	228x150x3,5	23x29x4,5	10
BM 50			3043	AL	250x155x3,5	23x29x4	10
BM 500			1004	A	250x155x3,5	23x29x4	10
C							
C 35/40/45/50/55	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
CP 20/25/30	4 Cyl.	60 -> 73	0762	A	250x155x3,5	29x35x5,5	10
D							
D 175	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
D 175 - FDX 30 / 40 / 50	4 Cyl.		0997	A	279x171x3,5	29x35x5,5	10
D 270		56 -> 59	0854	A	228x150x3,5	23x29x4,5	10
D 272		59 -> 62	0854	A	228x150x3,5	23x29x4,5	10
E							
ED 40 Tractor		61 -> 62	1330	A	250x155x3,5	23x29x4,5	10
ETP 20/24	4 Cyl.	60 -> 73	0762	A	250x155x3,5	29x35x5,5	10
F							
F 30/24 - 40/24 - 50/24	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
F 70/24 - 80/24 - 100/24		60 -> 68	0798	AL	302x191x4	29x35x5,5	10
FB 4		-> 62	3043	AL	250x155x3,5	23x29x4	10
FB 4			3670	A	228x150x3,5	46x50x9	8
FC 133	4 Cyl.	60 -> 73	0762	A	250x155x3,5	29x35x5,5	10
FD 3			0963	A	228x150x3,5	23x29x4	10
FD 3			3669	A	200x130x3,5	46x50x9	8
FD 5			3974	A	280x165x3,5	23x29x4	10
FDPX 40/50	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
FP 20/24	4 Cyl.	60 -> 73	0762	A	250x155x3,5	29x35x5,5	10
FP 60/24 - 70/24 - 80/24		60 -> 68	0798	AL	302x191x4	29x35x5,5	10
FS 60/24 - 70/24 - 80/24		60 -> 68	0798	AL	302x191x4	29x35x5,5	10
FT 20/24 - 25	4 Cyl.	60 -> 73	0762	A	250x155x3,5	29x35x5,5	10
FT 30/24	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
	4 Cyl.	60 -> 73	0762	A	250x155x3,5	29x35x5,5	10
FT 40/18 - 40/24	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
FT 50/24	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
		60 -> 68	0798	AL	302x191x4	29x35x5,5	10
FT 60/24 - 70/24 - 80/24		60 -> 68	0798	AL	302x191x4	29x35x5,5	10
FTB 30/15 - 30/24	4 Cyl.	60 -> 73	0762	A	250x155x3,5	29x35x5,5	10
FTB 50/24	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
FTP 30/24	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
FTP 60/24		60 -> 68	0798	AL	302x191x4	29x35x5,5	10
FTS 60/24		60 -> 68	0798	AL	302x191x4	29x35x5,5	10
G							
G - G			2231	A	310x175x3,5	28x35x4	10
			3975	A	280x165x3,5	23x29x4	10
G 153	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
H							
H D5 - H D6	Main clutch	67 ->	4036	A	350x216x5	36x45x7	10
H D5 - H D6 - H D7	Main clutch	-> 67	0866	A	350x196x4	36x45x7	10
H D9 - H D10 - H D11		Main clutch	0865	A	380x200x4,8	36x45x7	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
I							
IU Tractor		Main clutch	0832	A	300x170x4	31x38x6	10
P							
P 40/50	4 Cyl.	60 -> 73	0997	A	279x171x3,5	29x35x5,5	10
S							
S - SO		Main clutch	0865	A	380x200x4,8	36x45x7	10
T							
TW		Main clutch	0865	A	380x200x4,8	36x45x7	10
U							
U - UC			0832	A	300x170x4	31x38x6	10
U 42 Special Petrol			0832	A	300x170x4	31x38x6	10
UM Tractor - Grader			0832	A	300x170x4	31x38x6	10
ALLISON ITALIANA							
Forklift Truck		60	0998	AL	279x171x3,5	29x35x5,5	10
ANSALDO-FOSSATI							
AF 6	50 HP		0799	A	380x200x5	36x45x5	10
FB 4 R		Main clutch	0856	A	280x165x3,5	28x35x4	10
ANTONELLI							
Transporter Agri	18 HP		0053	B 2	184x127x3,2	20x23x ev	20
Transporter Agrella			0629	B 2	215x152x3,2	20x22,5x ev	20
ARBOS BUBBA							
125 Pantera - Lince - Giaguaro			3395	A - CX	Ø 280 6+6 pads 57x64x3,5	29x35x5,5	10
	Mietitrebbia	Combine Harvester	3640	A	280x165x3,5	29x35x5,5	10
165 Tigre	Mietitrebbia	Combine Harvester	3640	A	280x165x3,5	29x35x5,5	10
	Mietitrebbia	Combine Harvester	3395	A - CX	Ø 280 6+6 pads 57x64x3,5	29x35x5,5	10
1000 Mayor	VM		0803	A	250x155x3,5	29x35x5,5	10
	VM		3395	A - CX	Ø 280 6+6 pads 57x64x3,5	29x35x5,5	10
1000 Super	Mietitrebbia	Combine Harvester	0803	A	250x155x3,5	29x35x5,5	10
MT 780 Rekord	Chass. -> 28893		0828	ALI	225x150x3,5	23x29x4	10
Rekord - Super Rekord 1220 -120	Mietitrebbia	Combine Harvester	3395	A - CX	Ø 280 6+6 pads 57x64x3,5	29x35x5,5	10
	Mietitrebbia	Combine Harvester	3640	A	280x165x3,5	29x35x5,5	10
Tutti i modelli - All models		Brake Disc	3580	DF	178x102x4,7	61x64x ev	49
ARCHIBALD LOWE							
Coles Crane	7 Ton.	71 ->	0638	A	352x216x4,8	33,5x41,5x6,5	10
ARONA							
Giunto Navale			1443	B 22	Ø 187 - n° 8 molle/springs	32x34,5x ev	26
Giunto Navale			1444	B 22	Ø 187 - n° 8 molle/springs	23x29x4	10
ASTRA							
BE 8440 F	Fiat 8210		1951	B 17	420x220x3,5	36x45x7°	10
Betoniera			1606	B 17	380x200x3,5	36x45x7	10
Betoniera			1366	B 17	380x200x3,5	36x45x5	10
Betoniera			0887	A	350x187x5	31x38x6	10
Betoniera 20 257			1366	B 17	380x200x3,5	36x45x5	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Betoniera BM 2-4x4 BM 2-6x4			1058	A	352x216x4,8	31x38x6	10
BM 12			1058	A	352x216x4,8	31x38x6	10
BM 12-4x4 Reversibile e cabinato		Dumper	1058	A	352x216x4,8	31x38x6	10
BM 19 - BM 20 - BM 21 1° Serie			3467	A - CX	Ø 280 6+6 pads 69x77x4	45x36x5	10
BM 19 - BM 20 - BM 21 1° Serie			1366	B 17	380x200x3,5	36x45x5	10
BM 21 F 6x4	Fiat 8210		1951	B 17	420x220x3,5	36x45x7°	10
BM 2S (1°Serie)			4039	A	350x210x5	33,5x41,6x6,5	10
BM 2S (2°Serie)			1326	A	350x185x5	33,5x41,6x6,5	10
BM 304 F/FP/M/MP			2449	B 16	420x220x3,5	41x51x8	10
BM 304 F/M/C/P/F			1925	B 16	420x220x3,5	36x45x7°	10
ATA - ATTIM							
2500 B	Trattore	Tractor	1329	B 2	182x127x3,3	20x23x ev	20
8500 T	Trattore	Tractor	0734	BL 8	302x191x3,5	31x38x6	10
8500 S	Trattore - Tractor	2° Serie	1159	B 2	279x171x3,5	29x35x5,5	10
Leprotto AD 1 - A 1 - A 20 - GT 25	Trattore	Tractor	0200	B 2	184x127x3,2	18x22,5x3,5	10
TIS 18 - TIS 25		1° Serie	1327	B 2	216x152x3,2	21x26x4	10
	Trattore - Tractor	1° Serie	0402	B 2	216x152x3,2	18x22x3,5	10
		2° Serie	1327	B 2	216x152x3,2	21x26x4	10
TIS 50	Trattore - Tractor	1° Serie	1254	B 23	250x155x3,5	29x35x5,5	10
	Trattore - Tractor	2° Serie	1159	B 2	279x171x3,5	29x35x5,5	10
TIS 70 - TIS 5500			1254	B 23	250x155x3,5	29x35x5,5	10
AVELING-BARFORD							
AB 690 Dump Truck	AV690/691	70 ->	2570	BL 8	406x230x7,9	36x45x7	10
LG 1 Grader	Ford S 90	62	1058	A	352x216x4,8	31x38x6	10
LG Grader	DORMAN 3 LB	60 -> 62	1058	A	352x216x4,8	31x38x6	10
MG 1170 - MG 1175	Without Torque Converter		1168	BL 8	406x230x7	41x50,8x7,9	10
SR Dumptruck		65 -> 68	1168	BL 8	406x230x7	41x50,8x7,9	10
SW 2	Gearbox end disc - Rear	73	3021	BL 8	380x200x4,8	36x45x7	10
SW 2	Engine end disc - Front	73	3022	BL 8	380x200x4,8	36x45x7	10
AZZOLINI							
A 520 - 525 - 530 - 615	Forklift		0947	B 22	250x155x3,5	21x25,4x4	10
R 1/E 10	Forklift		1150	A	184x127x3	18x22,5x3,5	10
R 1/E 15 - AC 10	Forklift		0402	B 2	216x152x3,2	18x22x3,5	10
BALDONI							
Locomotore		Main clutch	3787	A	340x195x4	36x42x7	8
Locomotore		P.T.O.	3788	A	340x195x4	36x42x7	8
BAMFORD							
Loadall 65	Fordson		0805	A	325x200x4	29x35x5,5	10
Loadall 65	Fordson		1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
BARALDI							
B4	Motocoltivatore	Motocultivator	0812	A	184x127x3,3	18x22x3,5	10
B4	Motocoltivatore	Motocultivator	0200	B 2	184x127x3,2	18x22,5x3,5	10
Ercolino 2RI 114		Trattorino	0200	B 2	184x127x3,2	18x22,5x3,5	10
Ercolino Nafta		Trattorino	0812	A	184x127x3,3	18x22x3,5	10
F B5 - FB4 Benzina	Motocoltivatore	Motocultivator	0155	A	155x114x3,9	14x17x4	6
FB 20R	Trattore	Tractor	0200	B 2	184x127x3,2	18x22,5x3,5	10
FB 2502		Trattorino	0812	A	184x127x3,3	18x22x3,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
FB 550/3			0402	B 2	216x152x3,2	18x22x3,5	10
Super Puglia F B5	Motocoltivatore	Motocultivator	0200	B 2	184x127x3,2	18x22,5x3,5	10
Super Vantana		Motoagricola	0200	B 2	184x127x3,2	18x22,5x3,5	10
BARBIERI							
FB Serie 1800			0857	A	184x127x3,2	15,5x19x3	10
FB Serie 210			3019	A	110x58x1	12x15x ev	8
FB Serie 3500	2 - 4 RM		3607	A	181x127x3,2	19x22x ev	13
FB Serie 3500	4 RM		3612	A	216x152x3,2	19x23x ev	13
Furia			3607	A	181x127x3,2	19x22x ev	13
Furia			3612	A	216x152x3,2	19x23x ev	13
Panther - Delfino			0857	A	184x127x3,2	15,5x19x3	10
Pioneer - Leopard	Motocoltivatore	Motocultivator	1224	A	160x110x3	15x19x3	10
			4459	A	160x110x4	15,5x19x3	10
Trattorino			4459	A	160x110x4	15,5x19x3	10
Zebra			3019	A	110x58x1	12x15x ev	8
BARBER - GREENE							
SA - SB 60	P.T.O.	52 -> 73	0957	A	250x155x3,5	39x45x7	10
SB 500 - TA 30 - TA 50	Wheeled		0997	A	279x171x3,5	29x35x5,5	10
BARFORD AGRICULTURAL							
15 Dumper - 75 Dumper - 150 4WD Dumper			0870	A	200x130x3,2	21x26x4	10
Bison Dumper	Petters PH2		0989	A	228x150x3,3	21x26x4	10
Pressa		P.T.O.	0957	A	250x155x3,5	39x45x7	10
BAUTZ							
AL							
122 - 180			0863	A	181x124x3,5	23x29x4	10
240			0822	ALI	200x130x3,5	23x29x4	10
AS							
120 - 122			0863	A	181x124x3,5	23x29x4	10
170 - 171 - 220			0822	ALI	200x130x3,5	23x29x4	10
240			0828	ALI	225x150x3,5	23x29x4	10
AW							
120 - 180 - 200			0863	A	181x124x3,5	23x29x4	10
240			0822	ALI	200x130x3,5	23x29x4	10
300			0863	A	181x124x3,5	23x29x4	10
D							
24 - 26			0828	ALI	225x150x3,5	23x29x4	10
BCS							
622	Motofalciatrice	Motor-mower	1409	A	178x133x2	20x25x ev	15
705	Motocoltivatore	Motocultivator	1345	A	155x114x3,9	13x16x3,5	6
715	Motofalciatrice	Motor-mower	1409	A	178x133x2	20x25x ev	15
735	Motocoltivatore	Motocultivator	1409	A	178x133x2	20x25x ev	15
615 - 620 - 720 - 740			4538	A	178x133x2	20,5x24,7x ev	15
Coupling		Giunto	4365	B 14	Ø 225	27x30x ev	16
BEDOGNI							
Colibrì	Motocoltivatore	Motocultivator	3019	A	110x58x1	12x15x ev	8
GEO 4RM	Trattore	Tractor	1150	A	184x127x3	18x22,5x3,5	10
OLYMPIA	Motofalciatrice	Motor-mower	1463	A	178x133x2	18x23x3	10
BELARUS							
50/52		Rigid	1126	A	328x196x4,2	30x35x ev	12


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			4326	B 20 - CX	Ø 325 6+6 pads 57x64x4,2	30x35x ev	12
		Dampered	1339	B 20	328x196x4,2	30x35x ev	12
70 CV			3961	A	315x156x3,8	31x38x6	10
MTZ 50 - 52 - 65 - 70 - 80			1339	B 20	328x196x4,2	30x35x ev	12
			4326	B 20 - CX	Ø 325 6+6 pads 57x64x4,2	30x35x ev	12
			1126	A	328x196x4,2	30x35x ev	12
MTZ 50 - 52 - 80 - 82		Brake Disc	3613	DF	178x102x4,7	44x50x ev	16
			3614	A	302x191x4	23x29x4,5	10
Tractor	D=3 - 40	Main clutch	4097	B 20	340x196x4	30x35x ev	12
		Main clutch	4327	B 20 - CX	Ø 340 6+6 pads 69x77x4,5	30x35x ev	12
		Brake Disc	3581	DF	190x100x4,5	58x68x ev	16
Tractor		Brake Disc	4325	DF	200x120x4,8	44x50x ev	16
UMZ - 6M			3915	A	316x156x4,2	31x38x6	10
BENASSI							
Motozappatrice RL 95			3019	A	110x58x1	12x15x ev	8
BENATI							
BEN Super 50 - 55/1	Perkins 3.152	67 ->	3640	A	280x165x3,5	29x35x5,5	10
BEN - FRA			4069	A	302x191x3,5	36x45x5	10
PALA BEN			4068	A - CX	Ø 310 9+9 pads 52x36x3,5	29x35x5,5	10
PALA BEN Super 50			2051	A - CX	Ø 280 6+6 pads 57x64x4	29x35x5,5	10
BENEVELLI							
Cambio			1064	A	155x114x3,9	16x19x3	10
CB 360			1330	A	250x155x3,5	23x29x4,5	10
CB 25 - CB 25/30			0812	A	184x127x3,3	18x22x3,5	10
CB 40 - CB 40/35			1089	A	216x152x3,2	21x26x4	10
BENFORD							
Dumpers							
3 Ton. Byron		75 ->	1176	A	250x155x3,5	29x35x5,5	10
3 Ton. Euro Dumper			0402	B 2	216x152x3,2	18x22x3,5	10
DB - DC 15 cwt.		70 ->	0870	A	200x130x3,2	21x26x4	10
OA - OE - OB - OF - OY 30 cwt.		70 ->	0870	A	200x130x3,2	21x26x4	10
OG - OM 35 cwt.		70 ->	0870	A	200x130x3,2	21x26x4	10
OH 20 cwt. - OL 27 cwt.		70 ->	0870	A	200x130x3,2	21x26x4	10
S - ST 22,5 cwt. - SB - SM 23 cwt.		70 ->	0870	A	200x130x3,2	21x26x4	10
TA - TT 2 40 cwt.		70 ->	0870	A	200x130x3,2	21x26x4	10
TS 15 - TS 25	Petters & Lister		0870	A	200x130x3,2	21x26x4	10
TS 40 4WD	Petters & Lister		0989	A	228x150x3,3	21x26x4	10
TT 2 - 2P	Petters	74 ->	0989	A	228x150x3,3	21x26x4	10
TT 3 1/2 F	Ford	70 ->	1175	AL	279x171x3,5	29x35x5,5	10
TT 3" 1/2 Dumper Lister		70 ->	0789	A	302x191x4	29x35x5,5	10
TT 3000 4WD			0803	A	250x155x3,5	29x35x5,5	10
TT 3000 4WD			3442	A - CX	Ø 280 12+12 pads 52x36x3,5	29x35x5,5	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Forklift Truck							
MA 2000	Lister ST3		0989	A	228x150x3,3	21x26x4	10
BERTOLINI							
124 - 125 - 126	Motocoltivatore	Motocultivator	3904	A	178x133x2	21x26x3	10
300 Series	Motocoltivatore	Motocultivator	3656	A	80x60x1,5	17x20x ev	12
305 - 307	Motocoltivatore	Motocultivator	3019	A	110x58x1	12x15x ev	8
310 - 310S - 310 T	Motocoltivatore	Motocultivator	3609	A	160x110x3	19x22x ev	13
310 - 310S - 310 T	Trattorino	Tractor	3611	A	160x110x3	20x23x ev	20
315	Motocoltivatore	Motocultivator	0050	A	140x96x3,2	15x17,5x ev	20
320	Motocoltivatore	Motocultivator	3610	A	181x127x3,2	19x22x ev	13
324	Motocultivator	2° Serie	3609	A	160x110x3	19x22x ev	13
330	Trattorino	Tractor	3610	A	181x127x3,2	19x22x ev	13
345	Motocoltivatore	Motocultivator	0050	A	140x96x3,2	15x17,5x ev	20
421 - 424 - 428 - 431 - 432			0977	A	181x127x3,2	20x23x ev	20
440			1141	A	144x102x3,2	21x26,5x3	10
450	Diesel 3 Cyl.		0977	A	181x127x3,2	20x23x ev	20
510	Trattorino	Tractor	3609	A	160x110x3	19x22x ev	13
510	Trattorino	Tractor	3611	A	160x110x3	20x23x ev	20
530	Trattorino	Tractor	3612	A	216x152x3,2	19x23x ev	13
B							
B 310 - 430 - BRF 58			1141	A	144x102x3,2	21x26,5x3	10
BM 10 - 310 - 324	Motocoltivatore - Motocultivator	1° Serie	1028	A	155x114x3,5	18x22x3,5	10
BM 12	Motocoltivatore	Motocultivator	0812	A	184x127x3,3	18x22x3,5	10
T							
T/412	Trattore	Tractor	0812	A	184x127x3,3	18x22x3,5	10
BERZOINI							
BVS 15	Forklift Truck	1° Serie	0948	A	250x155x3,5	21x26x4	10
BVS 15	Forklift Truck	2° Serie	1331	A	280x165x3,5	29x35x5,5	10
BWS 10	Forklift Truck		0225	A	216x152x3,2	18x22x3,5	10
BWS 20	Forklift Truck	1° Serie	0948	A	250x155x3,5	21x26x4	10
BWS 20 - 25 - 35 - 40	Forklift Truck	2° Serie	1331	A	280x165x3,5	29x35x5,5	10
BKS (YALE)							
VDP 30 - 40			1330	A	250x155x3,5	23x29x4,5	10
VDP 40			0773	ALI	280x165x3,5	26x32x5	10
BLAW - KNOX							
BK - FIHY Excavator		58	1058	A	352x216x4,8	31x38x6	10
LC Grader	Dorman 3LB		1058	A	352x216x4,8	31x38x6	10
LG 123		60 -> 62	1058	A	352x216x4,8	31x38x6	10
Motomixer 1.5 M3		60 ->	0998	AL	279x171x3,5	29x35x5,5	10
Motomixer 2cv		57	0249	BL 1	232x156x3,5	26x32x5	10
PF 20 Paver Finisher	Perkins 3.152 D.	68	0798	AL	302x191x4	29x35x5,5	10
PM 42 Sweeper		71 ->	0085	AL	160x110x3,2	18x22,5x3,5	10
BMC SANAYI VE TICARET							
1800 Tractor		52 -> 87	0989	A	228x150x3,3	21x26x4	10
BMW							
Motozappa			3019	A	110x58x1	12x15x ev	8
BODINI							
Falcia Carica Foraggi 200			0880	A	187x130x4	18x22x5	6
Motoagricola "Grillo"			0155	A	155x114x3,9	14x17x4	6


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
BONSER							
26 L3 - 26 L49			3015	A - CX	Ø 350 4+4 pads 57x64x3,5	36x45x7	10
4 T - 90 D - 100 D	Forklift Truck		4110	A	250x155x3,5	36x45x7	10
LS 2500 K	Forklift Truck	65	3015	A - CX	Ø 350 4+4 pads 57x64x3,5	36x45x7	10
LS 55	Forklift Truck		4110	A	250x155x3,5	36x45x7	10
BOYDELL							
Cardinal	Fordson		1060	A	325x191x5,5	29x35x5,5	10
BOYLES							
BB7 - 12R Pump. Lister SR1	40M2 Gear. - Lister SR 1	68 ->	0870	A	200x130x3,2	21x26x4	10
BRAUD & FAUCHEUX							
Manitou 25/25		76 ->	3594	BL 2	280x172x5	23x29x4,5	10
BRAY							
BL RANGE							
BL Range Loader DL 400	Fordson		1060	A	325x191x5,5	29x35x5,5	10
BRAY FOUR RANGE							
10/60 Tractor BMC			0850	AL	279x171x3,5	29x35x5,5	10
Bray Four 4/65 Tractor	2.8 - 3.8 Diesel	67 ->	1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
Nuffield 10/42 & 10/60 Tractor	P.T.O.	64 ->	0859	A	280x165x3,5	36x45x7	10
	Main clutch	64 ->	1011	A	280x165x3,5	23x29x4,5	10
BREMACH							
Motocarro			0402	B 2	216x152x3,2	18x22x3,5	10
Transporter GR 35			0532	BL 2	241x162x3,8	23x29x4,5	10
BRISTOL AGRICULTURAL - TRACTORS							
Crawler Tractor	Perkins P3/144	65 ->	0910	ELI	250x155x3,2	26x32x5	10
Crawler Tractor Taurus MK I e II		65 ->	0997	A	279x171x3,5	29x35x5,5	10
Crawler Tractor 22		54 -> 60	0249	BL 1	232x156x3,5	26x32x5	10
Tracklayer	Perkins P3/144	64	0801	A	280x165x3,5	31x38x6	10
BRISTOW							
Industrial	Lister	67 ->	0870	A	200x130x3,2	21x26x4	10
BRITISH CRANE & EXCAVATOR							
Challenger		64	0805	A	325x200x4	29x35x5,5	10
Coles Speedcrane Mk. IV		70 ->	1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
Neal Unit Mobile Machines Nu 1621S - 1720S		65 ->	0475	BL 8	352x216x4,8	31x38x6	10
Victor		64	0805	A	325x200x4	29x35x5,5	10
BRITISH CRANE & HOIST							
Iron Fairy Crane		70 ->	0805	A	325x200x4	29x35x5,5	10
Lewin Mechanical	Orderly		1179	BL 1	232x156x3,5	23x29x4,5	10
Lewin Mechanical	Road Sweeper	57 -> 60	0249	BL 1	232x156x3,5	26x32x5	10
BRITISH JEFFREY DIAMOND							
Wake Field 603 - Road Grader	Perkins 4.270	64 ->	1109	A	302x191x3,5	31x38x6	10
Wake Field 613 - Road Grader	Perkins 4.236-GS100	68 ->	1109	A	302x191x3,5	31x38x6	10
BUBBA ARTEMIO							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Falcia caricatrice erba semovente			0209	A	216x152x3,2	18x22x3,5	10
Mietitrebbia		Combine Harvester	0308	A	250x155x3,5	29x35x5,5	10
BUBBA							
Farm Tractor	Perkins P4	58	0798	AL	302x191x4	29x35x5,5	10
BUBBA ULISSE							
Mietitrebbia		Combine Harvester	0308	A	250x155x3,5	29x35x5,5	10
BUKH							
Agricultural Tractor	Main clutch	60	1011	A	280x165x3,5	23x29x4,5	10
Agricultural Tractor	P.T.O. - 2 e 3 Cyl.	60	0859	A	280x165x3,5	36x45x7	10
Agricultural Tractor D 302	P.T.O.	66	0859	A	280x165x3,5	36x45x7	10
	Main clutch	66	1011	A	280x165x3,5	23x29x4,5	10
Tractor 403 - 404	Main clutch	64	1011	A	280x165x3,5	23x29x4,5	10
	P.T.O.	64	0859	A	280x165x3,5	36x45x7	10
BUMAR							
Carrello elevatore			4453	BL 1	225x147x3,2	29x35x5,5	10
BUSCH							
BS 1201			0863	A	181x124x3,5	23x29x4	10
BS 1501			0822	ALI	200x130x3,5	23x29x4	10
DFG 1505 - 2005 - 2505			0828	ALI	225x150x3,5	23x29x4	10
DS 1202			0863	A	181x124x3,5	23x29x4	10
DS 1502			0822	ALI	200x130x3,5	23x29x4	10
CAB							
Motocoltivatore "Ringo" e "Ranger"			3970	A	160x110x2,5	18x23x3	10
Motocoltivatore L5			0824	A	181x124x3,5	18x23x3	10
Motocoltivatore M10	1° Serie		4033	A	140x96x2,5	21x25,5x4	10
Motocoltivatore M10	2° Serie		1052	A	140x96x2,5	16x21x2,5	10
Motocoltivatore M12			1094	A	160x110x3	21x25,5x4	10
CALOR EQUIPMENT							
Calor Ranger B.M.C.	1098 cc.	73 ->	0161	A	181x133x2,8	49x53x ev	32
CARRARO ANTONIO							
3200 - 3800 - 4000 - 4200			4463	A	200x130x3,2	31x35x ev	18
5200 - 5500			4047	B 7	215x145x3,2	31x35x ev	18
7000 - 8008			4232	A	250x155x3,5	31x35x ev	18
Carrarino			3019	A	110x58x1	12x15x ev	8
Carrarino " Serie Super "		Double disc	3019	A	110x58x1	12x15x ev	8
Motori	VM 298 SV		3997	B 5	200x137x3,2	27x30x ev	16
Motori	MS 33 AX		3998	B 7	215x145x3,2	27x30x ev	16
Scarabeo	Motocoltivatore	Motocultivator	1030	A	160x110x2,5	18x22x4	10
CARGO							
Cargo 30 - 35 - 80 - 90			4232	A	250x155x3,5	31x35x ev	18
SERIES ...							
Serie 15 - 17 - 18 - 19 - 30		Rigid version	4153	A	181x127x3	15x17x ev	20
		Dampened	2629	B 10	181x127x3,2	15x17,5x ev	20
Serie 22 Super Tigre			4232	A	250x155x3,5	31x35x ev	18
Serie 22 Tigrone			4232	A	250x155x3,5	31x35x ev	18
Serie 700	Modelli vari		1486	A	215x145x3,2	18x22x3,5	10
SUPER TIGRE							
Super Tigre 620 - 625 - 635			1127	A	181x127x3,2	18x22x3,5	10
Super Tigre 620 - 625 - 635 200 R - 40 B		2° Serie	1183	A	200x130x3,2	18x22x3,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
Super Tigre 3400 - 3600			1127	A	181x127x3,2	18x22x3,5	10	
Super Tigre 4000			1183	A	200x130x3,2	18x22x3,5	10	
Super Tigre 4800			1486	A	215x145x3,2	18x22x3,5	10	
Super Tigre 5500 - 5600 - 7500			4232	A	250x155x3,5	31x35x ev	18	
TIGRE								
Tigre 2800			1418	A	160x110x3	14x17x ev	20	
Tigre RS - Trans			0736	B 3	160x110x3,0	15x17,5x ev	20	
Tigre Trattorino			1030	A	160x110x2,5	18x22x4	10	
TIGRONE								
Tigrone 3400 - 3600			1127	A	181x127x3,2	18x22x3,5	10	
Tigrone 4000			1183	A	200x130x3,2	18x22x3,5	10	
Tigrone 4800			1486	A	215x145x3,2	18x22x3,5	10	
Tigrone 7000		Rigid version	4019	A	250x155x3,5	27x30x ev	16	
Tigrone 7000			4048	B 18	250x155x3,5	27x30x ev	16	
Tigrone King			4045	B 14	250x172x3,2	31x35x ev	18	
Tigrone King 6000			1486	A	215x145x3,2	18x22x3,5	10	
TIGROTTO								
Tigrotto RS - Trans			0736	B 3	160x110x3,0	15x17,5x ev	20	
BRAKE DISC								
Brake disc			4208	DF	102x51x4,3	31x39x ev	28	
CARRARO Spa								
48.2 - 48.4 - 48.2FV - 48.4 FV	OMG 10"	P.T.O.	3741	A	262x156x3,5	39x45x ev	14	
	OMG 10"	Main clutch	3740	A	262x156x3,5	25x30x ev	10	
		Brake Disc	4209	DF	152x79x4,8	66x72x ev	27	
58.2 - 58.4		P.T.O.	3741	A	262x156x3,5	39x45x ev	14	
		Main clutch	3740	A	262x156x3,5	25x30x ev	10	
		Brake Disc	4209	DF	152x79x4,8	66x72x ev	27	
58.2 V - 58.4 - 58.2 FV - 58.4 FV	OMG 10"	Main clutch	3740	A	262x156x3,5	25x30x ev	10	
	OMG 10"	P.T.O.	3741	A	262x156x3,5	39x45x ev	14	
		Brake Disc	4209	DF	152x79x4,8	66x72x ev	27	
68.2 - 68.4 - 78.2 - 78.4 - 88.2 - 88.4		Brake Disc	3409	DF	178x102x4,7	44x48x ev	23	
		Main clutch	4065	AL	262x156x3,5	25x30x ev	10	
		P.T.O.	3741	A	262x156x3,5	39x45x ev	14	
		Main clutch	3742	A	280x165x3,5	25x30x ev	10	
		P.T.O.	3743	A	280x165x3,5	39x45x ev	14	
				4230	A - CX	Ø 260 6+6 pads 57x64x3,5	25x30x ev	10
				3574	A - CX	Ø 280 6+6 pads 57x64x4	25x30x ev	10
98.2 - 98.4		Main clutch	4025	A - CX	Ø 310 6+6 pads 57x64x3,5	25x30x ev	10	
		Main clutch	4026	B 19 - CX	Ø 310 6+6 pads 57x64x4	25x30x ev	10	
		Main clutch	4231	A	310x175x3,5	25x30x ev	10	
		P.T.O.	4044	A	310x175x3,5	42x48x ev	13	
230		Main clutch	0791	A	250x155x3,5	23x28x6	6	
		P.T.O.	4028	A	216x130x3,5	42x48x8	8	
250			0960	A	216x152x3,3	26x30x ev	10	
300			4037	A	216x152x3,2	28x22x6	6	
			0960	A	216x152x3,3	26x30x ev	10	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
200 R - 40 B	100 CV		1146	BL 8	352x216x4,8	49x55x ev	17
230 - 250			0960	A	216x152x3,3	26x30x ev	10
285 - 315			1446	A	250x155x3,5	34x38x ev	12
285 - 315 - 430			1447	A	280x172x4	34x38x ev	12
300 - 350		2° Serie	0960	A	216x152x3,3	26x30x ev	10
335 - 400 - 445 - 500		Main clutch	0791	A	250x155x3,5	23x28x6	6
		P.T.O.	4028	A	216x130x3,5	42x48x8	8
450 E - 450 M		Main clutch	0690	A	250x155x3,5	26x30x ev	10
		P.T.O.	0970	A	216x130x3,5	42,5x48,5x ev	13
500 B - 600		Main clutch	0967	A	279x171x3,5	23x28x6	6
		P.T.O.	0849	A	280x165x3,5	42x48x8	8
502 - 504		Main clutch	0690	A	250x155x3,5	26x30x ev	10
		P.T.O.	0970	A	216x130x3,5	42,5x48,5x ev	13
520.2 - 520.2 V - 520.4 - 520.4 V		Brake Disc	4209	DF	152x79x4,8	66x72x ev	27
		Main clutch	4065	AL	262x156x3,5	25x30x ev	10
		P.T.O.	3741	A	262x156x3,5	39x45x ev	14
		Main clutch	3742	A	280x165x3,5	25x30x ev	10
		P.T.O.	3743	A	280x165x3,5	39x45x ev	14
			4230	A - CX	Ø 260 6+6 pads 57x64x3,5	25x30x ev	10
			3574	A - CX	Ø 280 6+6 pads 57x64x4	25x30x ev	10
550 - 650		Main clutch	0848	A	280x180x3,5	26x32x ev	10
		P.T.O.	0849	A	280x165x3,5	42x48x8	8
552 - 554 - 602 - 604 - 702 - 704	Main clutch	77 -> 80	3574	A - CX	Ø 280 6+6 pads 57x64x4	25x30x ev	10
552/54 - 602/04/52/54 - 702 /04/32/34		P.T.O.	1450	A	280x165x3,5	42x48x ev	13
		Main clutch	3742	A	280x165x3,5	25x30x ev	10
620.2 - 620.2 F - 620.3 V - 620.4 - 620.4 F - 620.4 V		Brake Disc	4209	DF	152x79x4,8	66x72x ev	27
		Main clutch	4065	AL	262x156x3,5	25x30x ev	10
		P.T.O.	3741	A	262x156x3,5	39x45x ev	14
		Main clutch	3742	A	280x165x3,5	25x30x ev	10
		P.T.O.	3743	A	280x165x3,5	39x45x ev	14
			4230	A - CX	Ø 260 6+6 pads 57x64x3,5	25x30x ev	10
			3574	A - CX	Ø 280 6+6 pads 57x64x4	25x30x ev	10
720.2 - 720.2 F - 720.2 V - 720.4 - 720.4 F - 720.4 V		Brake Disc	4209	DF	152x79x4,8	66x72x ev	27
		Main clutch	4065	AL	262x156x3,5	25x30x ev	10
		P.T.O.	3741	A	262x156x3,5	39x45x ev	14
		Main clutch	3742	A	280x165x3,5	25x30x ev	10
		P.T.O.	3743	A	280x165x3,5	39x45x ev	14
			4230	A - CX	Ø 260 6+6 pads 57x64x3,5	25x30x ev	10
			3574	A - CX	Ø 280 6+6 pads 57x64x4	25x30x ev	10
720.5 N - M		P.T.O.	4233	A	280x165x3,5	19x22x ev	10
		High performance	4400	A	280x165x3	19x22x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	3081	A - CX	Ø 280 6+6 pads 57x64x3,5	35x40x ev	14
820.2 - 820.4 - 920.2 - 920.4		Brake Disc	4061	DF	178x102x4,7	50x55,5x ev	20
		Main clutch	3574	A - CX	Ø 280 6+6 pads 57x64x4	25x30x ev	10
		P.T.O.	3743	A	280x165x3,5	39x45x ev	14
820.4 V		Brake Disc	4209	DF	152x79x4,8	66x72x ev	27
		Main clutch	4065	AL	262x156x3,5	25x30x ev	10
		P.T.O.	3741	A	262x156x3,5	39x45x ev	14
		Main clutch	3742	A	280x165x3,5	25x30x ev	10
		P.T.O.	3743	A	280x165x3,5	39x45x ev	14
			4230	A - CX	Ø 260 6+6 pads 57x64x3,5	25x30x ev	10
			3574	A - CX	Ø 280 6+6 pads 57x64x4	25x30x ev	10
820.5 N - M	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
			3760	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
920.5 Turbo	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
			3760	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
952 - 954		Main clutch	1425	A	352x216x4,8	49x54x ev	17
1020.2 - 1020.4		Main clutch	4025	A - CX	Ø 310 6+6 pads 57x64x3,5	25x30x ev	10
		Main clutch	4026	B 19 - CX	Ø 310 6+6 pads 57x64x4	25x30x ev	10
		Main clutch	4231	A	310x175x3,5	25x30x ev	10
		P.T.O.	4044	A	310x175x3,5	42x48x ev	13
3500			0960	A	216x152x3,3	26x30x ev	10
4500 - 5000			0960	A	216x152x3,3	26x30x ev	10
			0969	AL	279x171x3,5	26x30x ev	10
3500 C - 4500 C			0690	A	250x155x3,5	26x30x ev	10
5500		Main clutch	1442	A	280x165x3,5	26x30x ev	10
6000		Brake Disc	4209	DF	152x79x4,8	66x72x ev	27
		Main clutch	3742	A	280x165x3,5	25x30x ev	10
		P.T.O.	1450	A	280x165x3,5	42x48x ev	13
6500 - 7000		Main clutch	0969	AL	279x171x3,5	26x30x ev	10
		P.T.O.	0968	AL	279x171x3,5	42,5x48,5x ev	13
7500		Main clutch	1448	A	325x185x4	26x30x ev	10
		P.T.O.	1449	A	310x175x4	42x48x ev	13
Carro 230 - 300 - 335 - 400 - 445 - 500			0791	A	250x155x3,5	23x28x6	6
Carro 230 - 300 - 350			0209	A	216x152x3,2	18x22x3,5	10
Carro Motore 505 - 575		Main clutch	1424	A	350x215x4,5	42x48x ev	13
Motore 195			1445	A	216x152x3,5	34x38x ev	12
Trattore		Tractor	4216	B 14	280x165x3,5	34x40x ev	12
		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
Trattore		Tractor	4222	BL 1 - CX	Ø 280 5+5 pads 57x64x3,5	34x40x ev	12
		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Trattorino 3800/45			4049	A	225x150x3,5	31x35x ev	18
CASE - DAVID BROWN - INTERNATIONAL HARVESTER							
AVJ 55 - 60 - 70		Main clutch	4054	AL	280x165x4	35x40x ev	14
	P.T.O. - Valeo Version		4095	A	280x165x3	22x25x ev	10
B250			4423	B14 - CX	Ø 302 6+6 pads 57x64x4	23x29x4,5	10
B250 - B275		P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	3594	BL 2	280x172x5	23x29x4,5	10
B276 6 mm. spacer on pressing		Main clutch	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
		Main clutch	4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
C 50 - 60 - 70			4497	B14 - CX	Ø 302 5+5 pads 57x64x4	23x29x4,5	10
C DL 80 - 90 - 100			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
			4499	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
CS 78 - 86 - 94	DBD0055001 ->		4309	B14 - CX	Ø 330 7+7 pads 57x64x4	28x32x ev	17
CS 80 - 90 - 100	82 - 89 - 72 kW	06 ->	4487	B 14	330x196x4,7	28x32x ev	17
CS 86 - 94	Chass. -> DBD0010601	Main clutch	4310	B 14	330x196x4	28x32x ev	17
CX 50 - 60 - 70			4497	B14 - CX	Ø 302 5+5 pads 57x64x4	23x29x4,5	10
CX 80 - 90 - 100			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
		98 ->	4499	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
D 212 F - 214 S - 217 F S - 219		56 ->	1232	ALI	200x130x3,5	23x29x4,5	10
D 320 - 324	3 Zyl	56	4312	ALI	225x150x3,5	26x32x5	10
D 320 S - 322 - 324 S - 326		56	4125	B 18	225x150x3,5	26x32x5	10
D 430 S	4 Zyl	56	1088	B 18	250x155x4	26x32x5	10
DED	Main clutch	-> 56	1096	ALI	280x165x3,5	26x32x4	10
DLD	2 Cyl.	56	1232	ALI	200x130x3,5	23x29x4,5	10
DU 66 - 74 - 66 D			1232	ALI	200x130x3,5	23x29x4,5	10
DU 99 D			4312	ALI	225x150x3,5	26x32x5	10
JX							
1060 C - V	43 kW	03 ->	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
1070 C - N - V	53 kW	03 ->	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
1075 C - N - V	56 kW	03 ->	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
VJ							
VJ 60 - 70		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
		P.T.O. - Valeo Version	4095	A	280x165x3	22x25x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
VJ 80		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
200 - 400							
206			4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
238 B - 248 - 258 - 268 - 268 B			4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
258 - 268 - 268 B			4423	B14 - CX	Ø 302 6+6 pads 57x64x4	23x29x4,5	10
275 - 276	P.T.O.	59 -> 69	0953	A	228x150x3,5	39x45x7	10
		68 -> 71	3594	BL 2	280x172x5	23x29x4,5	10
276		Main clutch	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
278 - 278L - 284L	Chass. -> 809 - 1335		4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
	Chass. -> 809 - 1335		4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
			4423	B14 - CX	Ø 302 6+6 pads 57x64x4	23x29x4,5	10
278L - 284L	Chass. 810 - 1336 ->	With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
288L			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
			4423	B14 - CX	Ø 302 6+6 pads 57x64x4	23x29x4,5	10
322 - 326			4125	B 18	225x150x3,5	26x32x5	10
323			4124	B 18	225x150x3,5	21,5x25x ev	13
323			3750	B 18	250x155x3,5	21,5x25x ev	13
			3663	A	250x155x3,5	26x32x4	10
353			3874	A	230x150x3,5	42x45x ev	25
			3750	B 18	250x155x3,5	21,5x25x ev	13
			3863	B 18 - CX	Ø 250 6+6 pads 37x67x3,5	21x25x ev	13


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			3632	B14 - CX	Ø 250 6+6 pads 36x67x3,5	21,4x25x ev	13
			3600	B 14	250x155x3,2	21x25x ev	13
354 - 374	P.T.O.	71 -> 77	0953	A	228x150x3,5	39x45x7	10
			3594	BL 2	280x172x5	23x29x4,5	10
374	P.T.O.	77 ->	0953	A	228x150x3,5	39x45x7	10
			1275	BL 2	280x172x5	23,5x29x4,5	10
383			3632	B14 - CX	Ø 250 6+6 pads 36x67x3,5	21,4x25x ev	13
			3600	B 14	250x155x3,2	21x25x ev	13
			3874	A	230x150x3,5	42x45x ev	25
			3750	B 18	250x155x3,5	21,5x25x ev	13
			3863	B 18 - CX	Ø 250 6+6 pads 37x67x3,5	21x25x ev	13
			3600	B 14	250x155x3,2	21x25x ev	13
384		P.T.O.	0953	A	228x150x3,5	39x45x7	10
			3594	BL 2	280x172x5	23x29x4,5	10
			1275	BL 2	280x172x5	23,5x29x4,5	10
385			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4423	B14 - CX	Ø 302 6+6 pads 57x64x4	23x29x4,5	10
			4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
395			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
		90 -> 94	4423	B14 - CX	Ø 302 6+6 pads 57x64x4	23x29x4,5	10
			4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
414		P.T.O.	0953	A	228x150x3,5	39x45x7	10
			3594	BL 2	280x172x5	23x29x4,5	10
			1275	BL 2	280x172x5	23,5x29x4,5	10
423			3874	A	230x150x3,5	42x45x ev	25
			3863	B 18 - CX	Ø 250 6+6 pads 37x67x3,5	21x25x ev	13
			3750	B 18	250x155x3,5	21,5x25x ev	13
			3632	B14 - CX	Ø 250 6+6 pads 36x67x3,5	21,4x25x ev	13
			3600	B 14	250x155x3,2	21x25x ev	13
430 - 432		56 ->	1088	B 18	250x155x4	26x32x5	10
433		P.T.O.	3874	A	230x150x3,5	42x45x ev	25


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			3863	B 18 - CX	Ø 250 6+6 pads 37x67x3,5	21x25x ev	13
		Brake Disc	4548	DF	178x102x4,7	36x41,3x ev	10
		Optional	3600	B 14	250x155x3,2	21x25x ev	13
			3632	B14 - CX	Ø 250 6+6 pads 36x67x3,5	21,4x25x ev	13
434	P.T.O.	66 -> 71	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1275	BL 2	280x172x5	23,5x29x4,5	10
			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
			3594	BL 2	280x172x5	23x29x4,5	10
436 - 439 - 440			1088	B 18	250x155x4	26x32x5	10
440		P.T.O.	3874	A	230x150x3,5	42x45x ev	25
		Brake Disc	4548	DF	178x102x4,7	36x41,3x ev	10
		Main clutch	3750	B 18	250x155x3,5	21,5x25x ev	13
444	P.T.O.	72 -> 77	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1275	BL 2	280x172x5	23,5x29x4,5	10
			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
			3594	BL 2	280x172x5	23x29x4,5	10
453			3632	B14 - CX	Ø 250 6+6 pads 36x67x3,5	21,4x25x ev	13
		P.T.O.	3874	A	230x150x3,5	42x45x ev	25
			3750	B 18	250x155x3,5	21,5x25x ev	13
454 - 464		71 -> 73	4423	B14 - CX	Ø 302 6+6 pads 57x64x4	23x29x4,5	10
454 - 474 - 475		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
		70 -> 77	4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
		72 -> 77	4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
			4167	B 18	276x165x4	23x29x4,5	10
484 - 485L - 485XL - 495			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
	Chass. -> 703 - 8250		4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
			4167	B 18	276x165x4	23x29x4,5	10
484 - 485L - 485XL - 495	Chass. 704 - 8251 ->	With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
500 - 600							
523	Chass. -> 20469		1045	B 18	280x165x3,5	26x32x5	10
	Chass. 20470 ->		3033	B 18	280x165x4	23x29x4,5	10
			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
533			4021	B 14	280x165x3,5	21x25x ev	13
533 A			3874	A	230x150x3,5	42x45x ev	25
		Brake Disc	4548	DF	178x102x4,7	36x41,3x ev	10
			3750	B 18	250x155x3,5	21,5x25x ev	13
		Main clutch	3663	A	250x155x3,5	26x32x4	10
		Optional	3600	B 14	250x155x3,2	21x25x ev	13
533 /A - 540			3874	A	230x150x3,5	42x45x ev	25
		Brake Disc	4548	DF	178x102x4,7	36x41,3x ev	10
			3750	B 18	250x155x3,5	21,5x25x ev	13
			4114	B 18	290x146x3,5	21,5x25x ev	13
535 - 525 Industrial			4225	A - CX	Ø 250 6+6 pads 37x67x3,5	36x45x7	10
545			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
553	Chass. -> 20469		1045	B 18	280x165x3,5	26x32x5	10
553	Chass. 20470 ->		3033	B 18	280x165x4	23x29x4,5	10
553 -554 - 564			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
574 - 584 - 585 - 585XL - 595			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
			4167	B 18	276x165x4	23x29x4,5	10
574 - 584 - 585 - 585XL - 595		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
624	Chass. -> 20469		1045	B 18	280x165x3,5	26x32x5	10
	Chass. 20470 ->		3033	B 18	280x165x4	23x29x4,5	10
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
633 - 640 A / XE / XF			3874	A	230x150x3,5	42x45x ev	25
			4114	B 18	290x146x3,5	21,5x25x ev	13
			4236	B 18 - CX	Ø 290 6+6 pads 57x64x4	21,5x25x ev	13


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
644 - 654			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
654	Chass. -> 20469		1045	B 18	280x165x3,5	26x32x5	10
	Chass. 20470 ->		3033	B 18	280x165x4	23x29x4,5	10
674 - 684	P.T.O.	72 -> 77	4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
	Main clutch	72 -> 77	4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
	Main clutch	77 -> 81	4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
685 L - 685 XL - 695 - 695 XL	Chass. -> 3234 - 12349		4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
685 L - 685 XL - 695 - 695 XL	Chass. 3235 - 12350 ->	With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
700							
724	Chass. -> 20469		1045	B 18	280x165x3,5	26x32x5	10
	Chass. 20470 ->		3033	B 18	280x165x4	23x29x4,5	10
724 XL - XLA			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
733/A		78 ->	3874	A	230x150x3,5	42x45x ev	25
			4114	B 18	290x146x3,5	21,5x25x ev	13
			4236	B 18 - CX	Ø 290 6+6 pads 57x64x4	21,5x25x ev	13
734 XL - XLA			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
740			3874	A	230x150x3,5	42x45x ev	25
			4114	B 18	290x146x3,5	21,5x25x ev	13
			4236	B 18 - CX	Ø 290 6+6 pads 57x64x4	21,5x25x ev	13


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
743 - 744 - 745 XL - XLA			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
754			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
770			0911	AL	250x171x3,5	36x45x7	10
	P.T.O.	65 -> 70	1008	A	250x155x3,5	23x29x4,5	10
			0249	BL 1	232x156x3,5	26x32x5	10
775 - 780 - 784		Main clutch	0911	AL	250x171x3,5	36x45x7	10
		P.T.O.	1008	A	250x155x3,5	23x29x4,5	10
			0910	ELI	250x155x3,2	26x32x5	10
		Industrial	4110	A	250x155x3,5	36x45x7	10
		Industrial	4225	A - CX	Ø 250 6+6 pads 37x67x3,5	36x45x7	10
784		77 -> 81	4441	B21 - CX	Ø 280 6+6 pads 57x64x4	23x29x4,5	10
784 - 785 L - 785 XL - 795 L - 795 XL			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
784 - 785 L - 785 XL - 795 L - 795 XL		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
800 - 900							
824 - S - XL - XLA			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
833 A - E - H - V			4114	B 18	290x146x3,5	21,5x25x ev	13
			4236	B 18 - CX	Ø 290 6+6 pads 57x64x4	21,5x25x ev	13
834 - S - XL - XLA			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
840			4114	B 18	290x146x3,5	21,5x25x ev	13
			4236	B 18 - CX	Ø 290 6+6 pads 57x64x4	21,5x25x ev	13
844 - 845 XL			4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
			4238	B 14	295x172x4	23x29x4,5	10
850 A - B - C - D		Main clutch	0911	AL	250x171x3,5	36x45x7	10
		P.T.O.	1008	A	250x155x3,5	23x29x4,5	10
856 XL		P.T.O.	4239	A - CX	Ø 310 6+6 pads 69x77x4	41x45x ev	22
		Main clutch	4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
880 - 885 Syncro Mesh		Main clutch	0911	AL	250x171x3,5	36x45x7	10
		P.T.O.	1008	A	250x155x3,5	23x29x4,5	10
			0910	ELI	250x155x3,2	26x32x5	10
		Industrial	4110	A	250x155x3,5	36x45x7	10
		Industrial	4225	A - CX	Ø 250 6+6 pads 37x67x3,5	36x45x7	10
884 - 885 L - 885 XL			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
		77 -> 81	4441	B21 - CX	Ø 280 6+6 pads 57x64x4	23x29x4,5	10
			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
884 - 885 L - 885 XL - 895		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
900		P.T.O.	1197	A	280x165x3,5	23x29x4,5	10
	With sequential clutch	Gearbox side	3795	AL	279x171x3,5	36x45x7	10
			0910	ELI	250x155x3,2	26x32x5	10
	Industrial	Engine side	4225	A - CX	Ø 250 6+6 pads 37x67x3,5	36x45x7	10
933 - 940		P.T.O.	4114	B 18	290x146x3,5	21,5x25x ev	13
		Main clutch	4236	B 18 - CX	Ø 290 6+6 pads 57x64x4	21,5x25x ev	13
946			4240	B 18	280x165x4,5	44x48x ev	23
			4241	A	280x165x3,5	27x30x ev	16
950			0911	AL	250x171x3,5	36x45x7	10
			1008	A	250x155x3,5	23x29x4,5	10
			0910	ELI	250x155x3,2	26x32x5	10
		Industrial	4110	A	250x155x3,5	36x45x7	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Industrial	4225	A - CX	Ø 250 6+6 pads 37x67x3,5	36x45x7	10
955 - 956 - XL XLA			4239	A - CX	Ø 310 6+6 pads 69x77x4	41x45x ev	22
			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
970			4426	B 14	295x172x4	28x32x ev	17
985			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
990 - 995		61 -> 81	0818	A	280x165x3,5	26x32x5	10
	With sequential clutch	Gearbox side	3795	AL	279x171x3,5	36x45x7	10
		P.T.O.	1197	A	280x165x3,5	23x29x4,5	10
			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
	Industrial		4225	A - CX	Ø 250 6+6 pads 37x67x3,5	36x45x7	10
996		Main clutch	4023	AL	279x171x3,5	36x45x7	10
		P.T.O.	1197	A	280x165x3,5	23x29x4,5	10
			0859	A	280x165x3,5	36x45x7	10
1000							
1046		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
			4241	A	280x165x3,5	27x30x ev	16
1055 - 1056 X - XL - XLA			4239	A - CX	Ø 310 6+6 pads 69x77x4	41x45x ev	22
			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
1190 - 1194	Main clutch	76 -> 80	3749	AL	302x191x4	38x45x7	10
	P.T.O.	76 -> 80	3748	A	302x191x4	23x29x4,5	10
			0911	AL	250x171x3,5	36x45x7	10
			1008	A	250x155x3,5	23x29x4,5	10
1200 - 1210 - 1212	Chass. -> 1154230	Main clutch	0859	A	280x165x3,5	36x45x7	10
		P.T.O.	1197	A	280x165x3,5	23x29x4,5	10
1210	Chass. 1154231 ->	Main clutch	3749	AL	302x191x4	38x45x7	10
		P.T.O.	3748	A	302x191x4	23x29x4,5	10
1210 4WD		Main clutch	3886	A - CX	Ø 300 6+6 pads 57x64x4	39x45x7	10
		Sintered	4457	A - CX	302x191x4	38,4x45x7	10
		P.T.O.	3748	A	302x191x4	23x29x4,5	10
1246			3988	ELI - CX	Ø 310 6+6 pads 57x64x3,5	44x48x ev	23
			4245	A - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
1255 XL			3987	B 17 - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
			4242	AL - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			4243	A - CX	Ø 350 9+9 pads 57x64x4	27x30x ev	16
1290 - 1294	Main clutch	80 -> 84	3795	AL	279x171x3,5	36x45x7	10
	Chass. -> 11059299	P.T.O.	1197	A	280x165x3,5	23x29x4,5	10
	Chass. -> 11059299	Main clutch	0859	A	280x165x3,5	36x45x7	10
	Chass. 11059300 ->	Main clutch	3886	A - CX	Ø 300 6+6 pads 57x64x4	39x45x7	10
	Chass. 11059300 ->	Main clutch	3749	AL	302x191x4	38x45x7	10
	Chass. 11059300 ->	P.T.O.	3748	A	302x191x4	23x29x4,5	10
		Sintered		4457	A - CX	302x191x4	38,4x45x7
1390	Main clutch	80 -> 84	3795	AL	279x171x3,5	36x45x7	10
	P.T.O.	80 -> 84	1197	A	280x165x3,5	23x29x4,5	10
			0859	A	280x165x3,5	36x45x7	10
1394		Main clutch	3886	A - CX	Ø 300 6+6 pads 57x64x4	39x45x7	10
		P.T.O.	3748	A	302x191x4	23x29x4,5	10
		Main clutch - Sintered	80 ->	4457	A - CX	302x191x4	38,4x45x7
1394 - 1410 - 1412	Main clutch	74 -> 80	3749	AL	302x191x4	38x45x7	10
		P.T.O.	3748	A	302x191x4	23x29x4,5	10
		Main clutch - Sintered	80 -> 81	4457	A - CX	302x191x4	38,4x45x7
1410 4WD - 1412 4WD		Main clutch	3886	A - CX	Ø 300 6+6 pads 57x64x4	39x45x7	10
		P.T.O.	3748	A	302x191x4	23x29x4,5	10
1455 XL			3987	B 17 - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
			4242	AL - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
			4243	A - CX	Ø 350 9+9 pads 57x64x4	27x30x ev	16
1490 - 1494	Main clutch	80 -> 84	3749	AL	302x191x4	38x45x7	10
		P.T.O.	3748	A	302x191x4	23x29x4,5	10
		Main clutch - Sintered	80 -> 84	4457	A - CX	302x191x4	38,4x45x7
1490 4WD - 1494 4WD		Main clutch	3886	A - CX	Ø 300 6+6 pads 57x64x4	39x45x7	10
		P.T.O.	3748	A	302x191x4	23x29x4,5	10
1594 - 1690/T - 1694	Main clutch	83 ->	3885	A - CX	Ø 300 6+6 pads 57x64x4	40x46x ev	17
	P.T.O.	83 ->	4244	A - CX	Ø 300 6+6 pads 57x64x3,8	26x32x5	10
	Main clutch	80 -> 90	4052	AL	302x194x4,2	40x46x ev	17
	P.T.O.	80 -> 90	4182	A	300x195x4	26x32x5	10
2000							
2123 - 2130 - 2140 - 2150			4462	A	280x165x3,5	34,2x40x ev	12
			4461	A	280x165x3,5	19,2x22,3x ev	13
2275 - 2276			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
2300	P.T.O.	70 ->	0953	A	228x150x3,5	39x45x7	10
			3594	BL 2	280x172x5	23x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
2350	P.T.O.	70 ->	0953	A	228x150x3,5	39x45x7	10
			1275	BL 2	280x172x5	23,5x29x4,5	10
2400 - 2500		70 ->	4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
2520 CL - 2525 C - 2530 C			3594	BL 2	280x172x5	23x29x4,5	10
3000 - 4000							
3210 - 3220 - 3230			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
3400		72 ->	4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
3434 A - B Industrial			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
		With Rockford - clutch	3971	ELI - CX	Ø 310 6+6 pads 57x64x4,3	23x29x4,5	10
3434		12 mm. spacer on pressing	4167	B 18	276x165x4	23x29x4,5	10
		6 mm. spacer on pressing	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
3500			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
3654 Industrial			4108	B 14	310x191x3.8	23x29x4,5	10
4210 - 4220 - 4230 - 4240			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
4520 C - 4525 C			3594	BL 2	280x172x5	23x29x4,5	10
MAXXUM MXM							
MXM 120 - 130 - 140		02 ->	4509	BL8 - CX	Ø 330 5+5 pads 69x77x3,5	45x50x ev	16
MIETITREBBIA - HARVESTER							
E 841 - F 841		74 ->	4123	A - CX	Ø 250 6+6 pads 37x67x3,5	26x30x ev	10
		Optional	4159	A	250x155x3,5	26x30x ev	10
321 - 431 - 871 - 891		74 ->	4123	A - CX	Ø 250 6+6 pads 37x67x3,5	26x30x ev	10
		Optional	4159	A	250x155x3,5	26x30x ev	10
531	Chass. 1151 ->		4123	A - CX	Ø 250 6+6 pads 37x67x3,5	26x30x ev	10
		Optional	4159	A	250x155x3,5	26x30x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
DAVID BROWN							
30 D Tractor cropmaster		48 -> 59	0910	ELI	250x155x3,2	26x32x5	10
50 TD - 50 ITD	Crawler	55 ->	0801	A	280x165x3,5	31x38x6	10
770	No live drive		3814	A	232x156x3,5	26x32x5	10
	No live drive	65 -> 70	0249	BL 1	232x156x3,5	26x32x5	10
775 - 780 - 880 - 885 - 900 - 950	Industrial	56 ->	0819	A	275x165x3,5	36x45x7	10
	No live drive	56 ->	0910	ELI	250x155x3,2	26x32x5	10
885 Loader - Landscaper	Main clutch	75 ->	0911	AL	250x171x3,5	36x45x7	10
		P.T.O.	1008	A	250x155x3,5	23x29x4,5	10
990 Implematic & Selectmatic	Main clutch	61 -> 65	0859	A	280x165x3,5	36x45x7	10
		P.T.O.	1008	A	250x155x3,5	23x29x4,5	10
1410 - 1414		79	3886	A - CX	Ø 300 6+6 pads 57x64x4	39x45x7	10
1690		79 -> 80	3885	A - CX	Ø 300 6+6 pads 57x64x4	40x46x ev	17
Crawler Tractor		57 -> 60	0965	A	302x200x3,5	31x38x6	10
Heavy Tractor	Wheeled	55 -> 56	0801	A	280x165x3,5	31x38x6	10
Super Taskmaster Tractor		55 -> 56	1171	A	250x155x3,5	29x35x5,5	10
TAD 30 TD Agricultural	Fitted Blawkno bulldozing eq.	51 -> 58	0910	ELI	250x155x3,2	26x32x5	10
Tractor 990 III - 1200 II		Main clutch	1198	A	250x165x3,5	26x32x5	10
VID - VIG - IH - R - 2 Tractor		52 -> 59	0910	ELI	250x155x3,2	26x32x5	10
INTERNATIONAL HARVESTER							
276			1275	BL 2	280x172x5	23,5x29x4,5	10
278 - 385 - 395			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
434		61 -> 66	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
444		76 ->	3594	BL 2	280x172x5	23x29x4,5	10
		P.T.O.	0953	A	228x150x3,5	39x45x7	10
485 - 584			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
			4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
			4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
634		68 -> 72	4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
734		P.T.O.	4235	A - CX	Ø 280 6+6 pads 57x64x3,5	41x45x ev	22
		Main clutch	4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10
B 64 Harvester			0833	A	225x150x3,2	26x32x5	10
B 250 Tractor		55 -> 59	0308	A	250x155x3,5	29x35x5,5	10
		59 -> 60	1330	A	250x155x3,5	23x29x4,5	10
		P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1275	BL 2	280x172x5	23,5x29x4,5	10
		Main clutch	0966	BL 2	250x171x3,8	23,5x29x4,5	10
B 270 Tractor		Main clutch	0966	BL 2	250x171x3,8	23,5x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
B 276 Tractor		P.T.O.	0953	A	228x150x3,5	39x45x7	10
B 614 Tractor	281	65 -> 68	3759	A - CX	Ø 325 4+4 pads 57x64x3,5	31x38x6	10
	BD 281	65 -> 68	4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
B 634	BD 281	68 -> 72	0823	A	325x200x4	31x38x6	10
B 2215		Main clutch	1275	BL 2	280x172x5	23,5x29x4,5	10
		P.T.O.	0953	A	228x150x3,5	39x45x7	10
B 2275 / 114 - 836			1197	A	280x165x3,5	23x29x4,5	10
BTD 5	Main clutch	65	1275	BL 2	280x172x5	23,5x29x4,5	10
	P.T.O.	65	0953	A	228x150x3,5	39x45x7	10
	Perkins 6.354	65 ->	0800	A	330x185x5	36x44,5x7	10
		63 ->	3954	BL 8	302x190x3,5	29x35x5,5	10
BTD 6			1197	A	280x165x3,5	23x29x4,5	10
	Chass. -> 2399		0832	A	300x170x4	31x38x6	10
BTD S	Chass. 2400 ->		0800	A	330x185x5	36x44,5x7	10
	154	63 ->	1275	BL 2	280x172x5	23,5x29x4,5	10
CS 86 - 94	154	63 ->	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
			4310	B 14	330x196x4	28x32x ev	17
D 6		Main clutch	1090	A	280x165x3,5	31x38x6	10
D 85 - D 85 B			1088	B 18	250x155x4	26x32x5	10
D 432 - D 436 - D 439 - D 440			1088	B 18	250x155x4	26x32x5	10
DGD	4 Cyl.		3095	A	250x155x3,5	26x32x5	10
DTB 5 B			1088	B 18	250x155x4	26x32x5	10
DU 132 D			3095	A	250x155x3,5	26x32x5	10
Escavatrice		Grader 6 Cyl.	3846	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	31x38x6	10
Farmall BWD 6		Main clutch	0965	A	302x200x3,5	31x38x6	10
Farmall M			1090	A	280x165x3,5	31x38x6	10
H - HV - I4 - ID4 - O4 - OS4 - U4 - IU4 - W4		Main clutch	0831	A	250x155x3,5	26x32x5	10
Harvester 946			3771	B 18 - CX	Ø 280 6+6 pads 57x64x4,3	44x48x ev	23
Harvester 955 - 1055	331 0075 20 WK		3917	B 18 - CX	Ø 280 6+6 pads 57x64x4	23x29x4,5	10
I 6 - ID 6 - M - MD - MDV - MV		Main clutch	1090	A	280x165x3,5	31x38x6	10
N 12 - N 150			0800	A	330x185x5	36x44,5x7	10
OS 6 - OD 6 - ODS 6		Main clutch	1090	A	280x165x3,5	31x38x6	10
Power units VC 211			1233	BL 8	302x190x3,5	29x35x5,5	10
SCOUT			3896	B 21	280x165x3,5	26x32x5	10
Super W 6		Main clutch	0965	A	302x200x3,5	31x38x6	10
T 6 - T 62 - TD 61 - TD 62			0832	A	300x170x4	31x38x6	10
T 9 - TD 9 - TD 91			0800	A	330x185x5	36x44,5x7	10
TD 6 Pala			0800	A	330x185x5	36x44,5x7	10
US		Main clutch	1090	A	280x165x3,5	31x38x6	10
UC 163 - UD 236 - UD 282			1233	BL 8	302x190x3,5	29x35x5,5	10
WD 6			1090	A	280x165x3,5	31x38x6	10
		Main clutch	0965	A	302x200x3,5	31x38x6	10


CHAVTRAC SPRAYERS


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Chaviot	VW		2780	B 11	200x137x3,2	18,3x20,7x ev	24
Chaviot	VW		2823	B 11	210x145x3,5	18,3x20,7x ev	24
Chaviot 2000	TDI		2654	BL 2	241x162x3,8	23x26x ev	23
Spray Coupè	Vw TD		2823	B 11	210x145x3,5	18,3x20,7x ev	24
CLAAS							
COLUMBUS - COMET			0863	A	181x124x3,5	23x29x4	10
COMPACT 25 - 30	Chass. 73001150 ->		0984	AL	181x127x3,2	22,5x25x ev	14
COMPACT 25 - 30	Chass. 73001150 ->		4449	A	181x124x3,5	22x25x ev	14
CONSUL	Chass. 55008435 -> 55010802	Claas	1487	ALI	250x155x3,5	36x42x7	8
CONSUL 620	Chass. -> 55008434	ZF	0828	ALI	225x150x3,5	23x29x4	10
CONSUL 622	Chass. 55010803 ->	Claas	3170	ALI	250x155x3,5	38x42x ev	21
CORSAR - COSMOS			0863	A	181x124x3,5	23x29x4	10
DOMINATOR			4249	A	310x175x3,5	38x42x ev	21
DOMINATOR 56/ 66/ 68/ 76 /78 S		73	3171	ALI	280x165x3,5	38x42x ev	21
DOMINATOR 80	Chass. -> 86002434		1487	ALI	250x155x3,5	36x42x7	8
DOMINATOR 80/85 - 88	Chass. 86002435 ->		3171	ALI	280x165x3,5	38x42x ev	21
EUROPA			0863	A	181x124x3,5	23x29x4	10
GIGANT 630 - 640			1487	ALI	250x155x3,5	36x42x7	8
HUCKEPACK	E 89F		0788	A	160x110x2,5	16x20x3,5	10
HUCKEPACK	MWM AKD 9		0863	A	181x124x3,5	23x29x4	10
JAGUAR 60 SF /70 SF			3170	ALI	250x155x3,5	38x42x ev	21
MATADOR			1487	ALI	250x155x3,5	36x42x7	8
MERCATOR 50	Chass. -> 57006849		1487	ALI	250x155x3,5	36x42x7	8
MERCATOR 50	Chass. 57006850 ->		3170	ALI	250x155x3,5	38x42x ev	21
MERCATOR 60	Chass. -> 65002970		1487	ALI	250x155x3,5	36x42x7	8
MERCATOR 60	Chass. 65002971 ->		3170	ALI	250x155x3,5	38x42x ev	21
MERCATOR 66 - 70	Chass. -> 67002411		1487	ALI	250x155x3,5	36x42x7	8
MERCATOR 70	Chass. 67002412 ->		3170	ALI	250x155x3,5	38x42x ev	21
MERCATOR 75 - 75 R			1487	ALI	250x155x3,5	36x42x7	8
MERCATOR S			1487	ALI	250x155x3,5	36x42x7	8
MERCUR			0863	A	181x124x3,5	23x29x4	10
PROTECTOR			1487	ALI	250x155x3,5	36x42x7	8
SELBSTFAHRER MATADOR		55 ->	1487	ALI	250x155x3,5	36x42x7	8
SENATOR 630/640			1487	ALI	250x155x3,5	36x42x7	8
STANDART SF			1487	ALI	250x155x3,5	36x42x7	8
SUPER JUNIOR			0863	A	181x124x3,5	23x29x4	10
CLARK - FORK LIFT TRUCKS							
2 PR 20 R	Industrial Tractor		3663	A	250x155x3,5	26x32x4	10
30 RS		56 -> 59	1489	A	250x155x3,2	29x35x5,5	10
Carloader		43 -> 51	1011	A	280x165x3,5	23x29x4,5	10
Forklift Truck	Peugeot		3875	A	215x145x3,2	26x30x ev	10
Model C	Lift Truck	69 -> 70	1491	A	280x165x3,5	23x29x4,5	10
Planeloader		47 -> 51	0801	A	280x165x3,5	31x38x6	10
Utily Truck 6025 - 7025			1185	A	302x175x3,5	31x38x6	10
B							
BCE 20			1330	A	250x155x3,5	23x29x4,5	10
C							
C 500	Lift Truck	74	1491	A	280x165x3,5	23x29x4,5	10
CF 20 - CT 30			1330	A	250x155x3,5	23x29x4,5	10
CFY 150 - 165 - 180 - 200 - 260		63	0823	A	325x200x4	31x38x6	10
CFY 40 B - CL		60	0801	A	280x165x3,5	31x38x6	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
CFY 60 - CFY 80	Lift Truck	60 -> 70	1488	A	300x170x4	23x29x4,5	10
CL 4015 - CL 4024 - CL 5016 - CL3015	Car Loader	52 -> 59	0801	A	280x165x3,5	31x38x6	10
CR 40 - CF 60 B			1185	A	302x175x3,5	31x38x6	10
CR 40B - CRB 60B			1185	A	302x175x3,5	31x38x6	10
CT 30			0773	ALI	280x165x3,5	26x32x5	10
D							
D 420 - DF 20 - DCE 2024			1330	A	250x155x3,5	23x29x4,5	10
DCC	Car Loader	51 -> 54	0801	A	280x165x3,5	31x38x6	10
DVY 70			1488	A	300x170x4	23x29x4,5	10
F							
F 227	Lift Truck	74	1491	A	280x165x3,5	23x29x4,5	10
F 245	6 Cyl.		1185	A	302x175x3,5	31x38x6	10
I							
IT 40			3664	A	280x165x4	31x38x6	10
R							
R 40 - 60		59	1185	A	302x175x3,5	31x38x6	10
T							
T 24 3/4 YD		55 -> 60	1172	A	380x200x4	36x45x7	10
T 24		55 -> 60	1490	ALI	380x200x4	36x45x7	10
U							
UT 60 - 70			0773	ALI	280x165x3,5	26x32x5	10
UTE 60 - 70 UTF		59	1185	A	302x175x3,5	31x38x6	10
Y							
Y 20 - Y 20B			1330	A	250x155x3,5	23x29x4,5	10
Y 40			1185	A	302x175x3,5	31x38x6	10
			1330	A	250x155x3,5	23x29x4,5	10
Y 60			0773	ALI	280x165x3,5	26x32x5	10
	Diesel		3667	A - CX	Ø 310 6+6 pads 57x64x3,5	36x45x5	10
			1330	A	250x155x3,5	23x29x4,5	10
Y 100			1185	A	302x175x3,5	31x38x6	10
Y 112	4 Cyl.		1330	A	250x155x3,5	23x29x4,5	10
Y 150 - Y 160			1330	A	250x155x3,5	23x29x4,5	10
Yard Lift 40 - 60 - 100		55 -> 59	1185	A	302x175x3,5	31x38x6	10
Yard Lift 60		54	0823	A	325x200x4	31x38x6	10
YL 20	Petrol		3665	A - CX	Ø 250 6+6 pads 37x64x3,5	28x35x4	10
YL 40	Petrol & Diesel		3666	A - CX	Ø 280 6+6 pads 57x64x3,5	32x40x5	10
CLAYSON - NEW HOLLAND							
135 - 140		Main clutch	1455	A - CX	Ø 280 16+16 pads 52x36x3,5	29x35x5,5	10
		Main clutch	0804	ALI	280x165x3,6	29x35x5,5	10
		Brake Disc	1408	DF	127x69x5	29x35x5,5	10
149		Brake Disc	1419	DF	165x89x4,7	36x41,5x ev	10
357 - 362		Brake Disc	1419	DF	165x89x4,7	36x41,5x ev	10
540	Mietitrebbia	Combine Harvester	0804	ALI	280x165x3,6	29x35x5,5	10
1450		Brake Disc	1399	DF	178x102x4	38x45x ev	13
1545 - 1550	Mozzo rinforzato	Reinforced hub	3903	A	250x155x3,8	29x35x5,5	10
	Mozzo rinforzato	Reinforced hub	3902	A	250x155x3,8	29x35x5,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			0940	A	250x155x3,5	29x35x5,5	10
		Long Hub	1406	A	250x155x3,5	35x29x5,5	10
		Short Hub	1407	A	250x155x3,5	29x35x5,5	10
			3437	A - CX	Ø 250 4+4 pads 57x64x3,5	29x35x5,5	10
		Brake Disc	1408	DF	127x69x5	29x35x5,5	10
		Brake Disc	1419	DF	165x89x4,7	36x41,5x ev	10
1550 Special			3426	A - CX	Ø 300 6+6 pads 57x64x3,5	29x35x5,5	10
TR 70			4157	ALI	302x180x4	28x32x ev	19
TR 85			3763	A - CX	Ø 300 6+6 pads 57x64x3,5	28x32x ev	19
			3869	A - CX	Ø 300 8+8 pads 57x64x3,5	28x32x ev	19
8060 - 8070 - 8009	Mietitrebbia	Combine Harvester	3434	ALI	310x175x3,5	29x35x5,5	10
8060 - 8070	Combine Harvester	Brake Disc	1399	DF	178x102x4	38x45x ev	13
Mietitrebbie - Combine Harvesters		Brake Disc	3580	DF	178x102x4,7	61x64x ev	49
CO.GE.MA. ROSSI							
40 SA - 50 SA			0931	A	280x165x3,5	29x35x5,5	10
50 A- 504 "50 Combinata"	Motocoltivatore	Motocultivator	0931	A	280x165x3,5	29x35x5,5	10
504 RM - 504 RMS			0931	A	280x165x3,5	29x35x5,5	10
COLES CRANES							
10/12 Ton. Crane	Bedford	74 ->	1692	BL 8	380x200x4,8	33,5x41,6x6,5	10
Hydra 13/17 4+4 Twin		74 ->	3950	BL 8	302x190x4	31x38x6	10
Hydra 18/20	Cummins V 8		3951	BL 8	380x206x5	31x38x6	10
Hydra 18/22 T G210	Cummins V 504		4002	A	300x190x4	36x45x7	10
Hydra 25/28	Cummins V555		3952	BL 8	380x206x5	36x45x7	10
Hydra Truck T 25/28	Cummins V 504 - Gear. Eaton 543	78 ->	3952	BL 8	380x206x5	36x45x7	10
Speedcrane Mk. IV		70 ->	1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
Transit 517	Cummins	81 ->	1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
Transit 517	Eng. Perkins - Gear. Eaton		3951	BL 8	380x206x5	31x38x6	10
COMET OPERA							
BIG 25			1011	A	280x165x3,5	23x29x4,5	10
COES-BIG	Gearbox HURT		0308	A	250x155x3,5	29x35x5,5	10
COES-DAVID COES-LAMBRUS			0209	A	216x152x3,2	18x22x3,5	10
COES-MARCUS			0812	A	184x127x3,3	18x22x3,5	10
COES-SUPREMO			0308	A	250x155x3,5	29x35x5,5	10
COES-SUPREMO - COES-BIG	Gearbox HURT		1330	A	250x155x3,5	23x29x4,5	10
Mc 252 - 254 - 352	Forklift Truck		1011	A	280x165x3,5	23x29x4,5	10
TAMBO			1011	A	280x165x3,5	23x29x4,5	10
COMPAIR HOLMAN							
FL 2000	Forklift Truck		0803	A	250x155x3,5	29x35x5,5	10
RJE 2000 - 2500		88 ->	0989	A	228x150x3,3	21x26x4	10
RJE 3000		88 ->	0803	A	250x155x3,5	29x35x5,5	10
CONNEL J.N.							
Hydracon Huntsman	Perkins T6.354.3	73 ->	3951	BL 8	380x206x5	31x38x6	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
CONSONDA							
Sonda			1089	A	216x152x3,2	21x26x4	10
Sonda			0812	A	184x127x3,3	18x22x3,5	10
CORGHI							
CD 15 Trattice			0812	A	184x127x3,3	18x22x3,5	10
CD 44 Trattice			0945	A	250x155x3,2	23x29x4	10
CD 123 Trattice CD 23			0209	A	216x152x3,2	18x22x3,5	10
CO.TIEMME MOTORI							
CA 300 - CA 200 - CA 150			0199	A	140x96x3,2	14x17x4	6
CA 300 - CA 200			1097	A	155x114x3	14x17x4	6
CA 150 - NILO - IDRO			0200	B 2	184x127x3,2	18x22,5x3,5	10
COVA							
140 A - 100 B	Mietitrebbia	Combine Harvester	3640	A	280x165x3,5	29x35x5,5	10
COUNTY COMMERCIAL							
654 - 754 - 854 - 944			0923	AL	325x200x4	38x41,5x ev	25
954 - 1004 - 1124 - 1164		65 ->	3005	BL 8	352x216x4,8	33,5x41,5x6,5	10
1164 - 1174 - 1184		79 ->	3877	BL 8	352x216x4,8	38x45x7	10
1454 - 1494			1430	B 8	325x191x3,5	38x45x7	10
Super Junior	VW122		0863	A	181x124x3,5	23x29x4	10
Super Six	4x4 Tractor	65 ->	3005	BL 8	352x216x4,8	33,5x41,5x6,5	10
Super Six			1060	A	325x191x5,5	29x35x5,5	10
COVENTRY CLIMAX							
30 - 40 DA - PA - GA - DC - PC - CC		73 ->	1493	BL 8	302x190x3,5	29x35x5,5	10
30 DA / PC - 40 GA - 50 DA / PC - 60 GA			4078	AL	308x191x3,5	28,5x35x5,5	10
50 - 60 DA - PA - GA - DC - PC - CC		73 ->	1493	BL 8	302x190x3,5	29x35x5,5	10
70 CA/T - CC - DA/S - DAM - DC		73 ->	1493	BL 8	302x190x3,5	29x35x5,5	10
70 GAS - PA/S - PC		73 ->	1493	BL 8	302x190x3,5	29x35x5,5	10
70 DA / PC - 80 DA / GC			4078	AL	308x191x3,5	28,5x35x5,5	10
80 DC - DA - PA - GA - PC - CC		73 ->	1493	BL 8	302x190x3,5	29x35x5,5	10
BULK Loader		56	1007	AL	302x191x3,5	29x35x5,5	10
CDFT - FDC - IGAD			1007	AL	302x191x3,5	29x35x5,5	10
FTF		49 -> 56	1492	BL 8	300x200x3,5	26x32x5	10
TMD - TSM			0833	A	225x150x3,2	26x32x5	10
Universal IGD - IGP	Coventry Climax	65 -> 70	1007	AL	302x191x3,5	29x35x5,5	10
Universal IGPT - IGPTA - IGDT - IGDTA	Series II	64 -> 70	1176	A	250x155x3,5	29x35x5,5	10
Universal TT 2.0 - TT 2.5 - TT 3.0		79 ->	3577	A - CX	Ø 330 6+6 pads 57x64x3,5	29x35x5,5	10
Universal IGVD	Chass. -> 621000		0805	A	325x200x4	29x35x5,5	10
	Chass. 621001 ->		1060	A	325x191x5,5	29x35x5,5	10
Universal IGVDA	Chass. -> 630249		0805	A	325x200x4	29x35x5,5	10
	Chass. 630250 ->		1060	A	325x191x5,5	29x35x5,5	10
UTF	Forklift Truck	58 -> 60	1007	AL	302x191x3,5	29x35x5,5	10
UNIVERSAL MAJOR TRUCKS							
MSD - MSDA - MSP - MSPA		65 -> 79	0805	A	325x200x4	29x35x5,5	10
MCD - MCDA - MCP - MCPA		65 -> 79	0805	A	325x200x4	29x35x5,5	10
MED - MEDA - MEP - MEPA		65 -> 79	0805	A	325x200x4	29x35x5,5	10
40 JDA - JGA		72 ->	1007	AL	302x191x3,5	29x35x5,5	10
Tough Terrain		81 ->	1135	BL 8	325x200x5	29x35x5,5	10
COVENTRY VICTOR							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Vixen Marine - BMG	D.C.C. Gearbox	68 ->	1494	B 10	203x146x3,2	23x29x4,5	10
CREDE							
DFG 1000 - 1500 - 2000 - 2511 - 2700			4101	A	225x155x3,5	26x32x4	10
DFG 2500			4311	ALI	250x155x3,5	26x32x4	10
DFG 3500			3000	BL 2	280x165x3,5	28x35x5	10
Lift Truck Ford 4			3001	B 14	310x170x4	32x40x5	10
CUMMINS							
Rc Power pack Heavy duty			1701	BL 8	352x216x4,8	31x38x6	10
Re-power pack Heavy Duty Optional		72 ->	1496	BL 8	352x216x4,8	31x38x6	10
V6/140		69 ->	1632	BL 8	325x200x4	29x35x5,5	10
V6/155		69 ->	1195	BL 8	352x216x4,8	29x35x5,5	10
V6/155		69 ->	3950	BL 8	302x190x4	31x38x6	10
V6/155 Heavy Duty		72 ->	1701	BL 8	352x216x4,8	31x38x6	10
V6/156		72 ->	1496	BL 8	352x216x4,8	31x38x6	10
V6/156 Heavy Duty Optional		72	1701	BL 8	352x216x4,8	31x38x6	10
V8/185		69 ->	1195	BL 8	352x216x4,8	29x35x5,5	10
V8/185		72 ->	1496	BL 8	352x216x4,8	31x38x6	10
V8/185 Marine		68	1195	BL 8	352x216x4,8	29x35x5,5	10
V8/185 Heavy Duty		72 ->	1701	BL 8	352x216x4,8	31x38x6	10
V8/210			3950	BL 8	302x190x4	31x38x6	10
DE ANTONI							
Carrello elevatore K 30			0931	A	280x165x3,5	29x35x5,5	10
Carrello elevatore KL 15 - KL 20			0308	A	250x155x3,5	29x35x5,5	10
Pala - Minicar 18			0209	A	216x152x3,2	18x22x3,5	10
DE CARLI							
Carrello elevatore "De Carli"			1089	A	216x152x3,2	21x26x4	10
Dumper "King"			0812	A	184x127x3,3	18x22x3,5	10
Motobetoniera "De Carli"			1089	A	216x152x3,2	21x26x4	10
DEMAG							
AKD 112 Z			4101	A	225x155x3,5	26x32x4	10
V 25 Mobilkran			0822	ALI	200x130x3,5	23x29x4	10
V 35 Mobilkran	MWM		4101	A	225x155x3,5	26x32x4	10
V 42			4311	ALI	250x155x3,5	26x32x4	10
SKG			0822	ALI	200x130x3,5	23x29x4	10
V 70 HL			0873	A	280x165x4	32x40x5	10
DE NARDI							
3800 - 4500		Trattorino	3840	A	127x70x4,6	36x40x ev	20
3500 - 3800 - 4500	Trattore	Tractor	1327	B 2	216x152x3,2	21x26x4	10
			4485	A	216x152x3,2	21x26x4	10
			1089	A	216x152x3,2	21x26x4	10
Vari modelli - Several types		Brake Disc	3030	DF	102x51x4,7	36x40x ev	20
3800 - 4500 DT			3655	A	216x152x3,2	18x22x3,5	10
	1° Serie - 2° Serie	Double disc	3612	A	216x152x3,2	19x23x ev	13
		1° - 2° Serie	4189	A	216x152x3,5	31x35x ev	18
			3620	A	216x152x3,2	31x35x4	10
DENNIS							
Motor-mower		62	0085	AL	160x110x3,2	18x22,5x3,5	10
Paragon Cutter Drive		65 ->	0085	AL	160x110x3,2	18x22,5x3,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
DEUTZ							
Brake disc			4150	DF	228x152x4,7	64,2x68,8x ev	32
Brake disc			4160	DF	228x152x4,7	71x75,6x ev	36
A							
A 2 L 514			4311	ALI	250x155x3,5	26x32x4	10
A 2 M 313			4312	ALI	225x150x3,5	26x32x5	10
AGRO							
AGROCOMPACT 3.30 - 3.50 - 3.70 - 3.90 F - S - V		Main clutch	4227	B 14	280x165x4	36x40x ev	20
		Main clutch	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4342	A	250x155x3,5	28x32x ev	17
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
AGROCOMPACT 70 F 3			4000	BL 2	279x171x3,5	36x41x ev	24
AGROCOMPACT 70 F 4 - F 80 - F 90			4100	B 14	310x191x3,8	36,5x41x ev	24
AGROKID 25 - 35 - 45		Engine side	4393	A	184x127x3,2	17x20x ev	12
		Gearbox side	4394	A	181x127x3,2	34x38x ev	19
AGROLUX 60 - F 60			4000	BL 2	279x171x3,5	36x41x ev	24
AGROLUX 70 - F 70 - F 80			4100	B 14	310x191x3,8	36,5x41x ev	24
AGROPLUS 60			4000	BL 2	279x171x3,5	36x41x ev	24
AGROPLUS 70 - 80			4100	B 14	310x191x3,8	36,5x41x ev	24
AGROPLUS 100			4409	B 14	352x216x3,8	36,5x41,2x ev	24
AGROPRIMA 3.65		Main clutch	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
AGROPRIMA 4.31 - 4.51 - 4.56 - 6.06 - 6.16		Main clutch	4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
		Main clutch	4344	A	310x191x4,5	41x45x ev	21
			4554	A	280x165x3,5	31x35x ev	16
AGROSTAR 4.61 - 4.71			4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
AGROSTAR 4.61 - 4.68 - 4.71 - 4.78			4516	B14 - CX	Ø 327 6+6 pads 69x77x4	44x48x ev	22
AGROSTAR 4.68 - 4.78	Without Power-matic		4162	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	41x45,3x ev	21
			4514	B14 - CX	Ø 327 6+6 pads 69x77x4	41x45,5x ev	21
AGROSTAR 6.08 - 6.11 - 6.21 - 6.28 - 6.31 - 6.38			4516	B14 - CX	Ø 327 6+6 pads 69x77x4	44x48x ev	22
			4514	B14 - CX	Ø 327 6+6 pads 69x77x4	41x45,5x ev	21
	Without Power-matic		4162	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	41x45,3x ev	21
AGROSTAR 6.61 - 6.71			4551	B14 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	21
			4550	B14 - CX	Ø 310 6+6 pads 57x64x3,8	44x48x ev	22


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	Without Power-matic		4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
AGROTON 80 - 85 - 90 - 100 - 106 - 110	Synchrosplit		4162	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	41x45,3x ev	21
AGROTRON 4.70 - 4.80 - 4.85 - 4.90 - 4.95 - 6.00 - 6.05 - 6.15 - 6.20	Synchrosplit		4162	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	41x45,3x ev	21
AGROXTRA 3.57 - 4.07		Main clutch	4227	B 14	280x165x4	36x40x ev	20
		P.T.O.	4342	A	250x155x3,5	28x32x ev	17
		Main clutch	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
AGROXTRA 4.17		Main clutch	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
AGROXTRA 4.47 - 4.57 - 6.07		Main clutch	4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
		P.T.O.	4556	A	310x175x3,5	31x35x ev	16
			4554	A	280x165x3,5	31x35x ev	16
		Main clutch	4344	A	310x191x4,5	41x45x ev	21
AGROXTRA 6.17			4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
		P.T.O.	4556	A	310x175x3,5	31x35x ev	16
			4554	A	280x165x3,5	31x35x ev	16
		Main clutch	4344	A	310x191x4,5	41x45x ev	21
D							
D 15	14 PS		0863	A	181x124x3,5	23x29x4	10
D 25 - 25/1 - 25/1 S			1209	A	200x130x3,2	26x32x4	10
D 25/2 - 30			1009	ALI	200x130x3,5	21x26x3	10
D 25 - 30		65 ->	1015	A	200x130x3,5	26x32x4	10
			1009	ALI	200x130x3,5	21x26x3	10
D 40			4034	ALI	250x155x3,5	26x32x4	10
D 40 UF - 40/1 S	F3L 712		0901	A	228x150x3,5	36x42x7	8
			4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
D 40 L - 40/2			4382	B 8	228x150x3,5	32x40x5	10
	P.T.O.	-> 68	3881	A - CX	Ø 225 6+6 pads 37x67x3,5	32x40x5	10
			3042	A	225x150x3,5	26x32x4	10
D 50 - 50 S - 50/1 S		P.T.O.	3969	A	250x155x3,5	36x42x7	8
		Main clutch	0839	A	280x165x3,5	23x29x4	10
D 50/2			3039	ALI	280x165x3,5	26x32x4	10
D 55			3696	A	250x155x3,5	36x42x7	8
			0839	A	280x165x3,5	23x29x4	10
D 270 H			4314	AL	250x155x3,5	23x29x4	10
D 2000			4311	ALI	250x155x3,5	26x32x4	10
D 2505			1015	A	200x130x3,5	26x32x4	10
			1009	ALI	200x130x3,5	21x26x3	10
D 2505 - 2506			1009	ALI	200x130x3,5	21x26x3	10
D 2807 F		Main clutch	4168	AL	225x150x3,5	36x40x ev	20


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	0989	A	228x150x3,3	21x26x4	10
D 3005			1015	A	200x130x3,5	26x32x4	10
			1009	ALI	200x130x3,5	21x26x3	10
			1009	ALI	200x130x3,5	21x26x3	10
D 3006			1014	A	228x150x3,5	32x40x5	10
			1201	A	228x150x3,5	21x26x3	10
D 3006 F - D 3007 F		Main clutch	4168	AL	225x150x3,5	36x40x ev	20
		P.T.O.	0989	A	228x150x3,3	21x26x4	10
D 3607			4168	AL	225x150x3,5	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
			4311	ALI	250x155x3,5	26x32x4	10
D 4005 - 4006		Main clutch	4382	B 8	228x150x3,5	32x40x5	10
		P.T.O.	3042	A	225x150x3,5	26x32x4	10
D 4006 U - 4007 U		Main clutch	4168	AL	225x150x3,5	36x40x ev	20
		P.T.O.	4161	A	225x150x3,5	28x32x ev	17
D 4006 F - 4007 F		Main clutch	4168	AL	225x150x3,5	36x40x ev	20
		P.T.O.	4161	A	225x150x3,5	28x32x ev	17
D 4007			4382	B 8	228x150x3,5	32x40x5	10
D 4505			3039	ALI	280x165x3,5	26x32x4	10
			1200	A	280x165x3,5	26x32x4	10
D 4506 F			4168	AL	225x150x3,5	36x40x ev	20
			4382	B 8	228x150x3,5	32x40x5	10
			4161	A	225x150x3,5	28x32x ev	17
D 4506 U - S			4168	AL	225x150x3,5	36x40x ev	20
			4382	B 8	228x150x3,5	32x40x5	10
			4161	A	225x150x3,5	28x32x ev	17
D 4507 - A - C			4168	AL	225x150x3,5	36x40x ev	20
	Chass. -> 7548/7814		4382	B 8	228x150x3,5	32x40x5	10
			4161	A	225x150x3,5	28x32x ev	17
	Chass. 7548/7815 ->		4227	B 14	280x165x4	36x40x ev	20
D 4507 F	Chass. -> 7548/7814		4168	AL	225x150x3,5	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
	Chass. 7548/7815 ->		1148	AL	280x165x4	36x40x ev	20
D 4807 A - C			4168	AL	225x150x3,5	36x40x ev	20
		P.T.O.	4342	A	250x155x3,5	28x32x ev	17
		Main clutch	4227	B 14	280x165x4	36x40x ev	20
D 4807 F			4168	AL	225x150x3,5	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
D 5005			3039	ALI	280x165x3,5	26x32x4	10
D 5005 - 5006			1800	A - CX	Ø 380 6+6 pads 69x77x4	36x45x5	10
D 5006 U - 5206 U - 5207 /A/C		Main clutch	4227	B 14	280x165x4	36x40x ev	20
		P.T.O.	4342	A	250x155x3,5	28x32x ev	17
D 5006 F - 5206 F		68 ->	1148	AL	280x165x4	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
D 5207 F			1148	AL	280x165x4	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
D 5505			3696	A	250x155x3,5	36x42x7	8
			0839	A	280x165x3,5	23x29x4	10
D 5506 F		Main clutch	1148	AL	280x165x4	36x40x ev	20


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		68 ->	3617	A - CX	Ø 280 6+6 pads 57x64x4	36x40x ev	20
		P.T.O.	4161	A	225x150x3,5	28x32x ev	17
D5506 U		Main clutch	4227	B 14	280x165x4	36x40x ev	20
			3617	A - CX	Ø 280 6+6 pads 57x64x4	36x40x ev	20
		P.T.O.	4342	A	250x155x3,5	28x32x ev	17
D 6005			1200	A	280x165x3,5	26x32x4	10
D 6006			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
		P.T.O.	3616	A	225x150x3,5	27x30x ev	16
D 6006 F			1202	AL	297x172x4	36x42x7	8
			1203	A	250x155x3,5	26x32x4	10
D 6006 U			1202	AL	297x172x4	36x42x7	8
			1203	A	250x155x3,5	26x32x4	10
D 6007 /A/C		Main clutch	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
D 6007 F			1148	AL	280x165x4	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
D 6206 U			4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
D 6206 F			1148	AL	280x165x4	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
D 6207 A/C - 6507 A/C			4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
D 6207 F - 6507 F			1148	AL	280x165x4	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
D 6806 F - 6807			1202	AL	297x172x4	36x42x7	8
			1203	A	250x155x3,5	26x32x4	10
D 6806 U - 6807 /A/C		-> 82	1202	AL	297x172x4	36x42x7	8
		-> 82	1203	A	250x155x3,5	26x32x4	10
D 6806 U - 6807 /A/C/CA		82 ->	4337	AL	310x175x4,5	36x42x7	8
		82 ->	4338	A	280x165x4	26x32x4	10
D 6907 /C		Main clutch	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
D 7006			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
		P.T.O.	3616	A	225x150x3,5	27x30x ev	16
D 7006 U - 7007 /A		-> 82	1202	AL	297x172x4	36x42x7	8
			1203	A	250x155x3,5	26x32x4	10
D 7006 U - 7007 A/C/CA		82 ->	4337	AL	310x175x4,5	36x42x7	8
		P.T.O.	4338	A	280x165x4	26x32x4	10
D 7006 F - 7007			1202	AL	297x172x4	36x42x7	8
			1203	A	250x155x3,5	26x32x4	10
D 7206 A/U - 7207 /A /C		-> 82	1202	AL	297x172x4	36x42x7	8


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			1203	A	250x155x3,5	26x32x4	10
D 7206 A/U - 7207 /A /C		82 ->	4337	AL	310x175x4,5	36x42x7	8
		P.T.O.	4338	A	280x165x4	26x32x4	10
D 7505 U - 7506 U			3931	A - CX	Ø 295 6+6 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
D 7505 F - 7506 F			3931	A - CX	Ø 295 6+6 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
D 7807 /A /C/CA		-> 82	1202	AL	297x172x4	36x42x7	8
			1203	A	250x155x3,5	26x32x4	10
D 7807 /A /C/CA		82 ->	4337	AL	310x175x4,5	36x42x7	8
		P.T.O.	4338	A	280x165x4	26x32x4	10
D 8005	Schlepper	Main clutch	1200	A	280x165x3,5	26x32x4	10
D 8006 F			3931	A - CX	Ø 295 6+6 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
D 8006 U - 9005 U - 9006 U			3931	A - CX	Ø 295 6+6 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
			3435	A - CX	Ø 325 8+8 pads 57x64x3,5	44x48x ev	23
D 9005 F - 9006 F - 10006 F			3931	A - CX	Ø 295 6+6 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
D10006 U			3931	A - CX	Ø 295 6+6 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
			3435	A - CX	Ø 325 8+8 pads 57x64x3,5	44x48x ev	23
D13006 U			3435	A - CX	Ø 325 8+8 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
DK							
DK 75 B/BF - DL 75			3700	A - CX	Ø 350 6+6 pads 57x64x3,5	36x42x7	8
	Raupe		3092	A	350x196x4	36x42x7	8
DK 90 - 100 B - DR 120			3618	A - CX	Ø 380 9+9 pads 57x64x3,5	36x42x7	8
DK 100			3619	A	380x200x4	36x42x7	8
DX							
DX 2.30 - 2.50 - 2.70			4168	AL	225x150x3,5	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
DX 3.10			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
		P.T.O.	3616	A	225x150x3,5	27x30x ev	16
DX 3.10 SC	Chass. ->7724/0069 - 7728/0026		4168	AL	225x150x3,5	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
DX 3.10 VC	Chass. ->7722/0517 -7726/0191		4168	AL	225x150x3,5	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
DX 3.10 VC - SC - V		Main clutch	4227	B 14	280x165x4	36x40x ev	20
		P.T.O.	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4342	A	250x155x3,5	28x32x ev	17
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
DX 3.30			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
		P.T.O.	3616	A	225x150x3,5	27x30x ev	16
DX 3.30 F/V - SC - VC		Main clutch	4227	B 14	280x165x4	36x40x ev	20
		P.T.O.	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4342	A	250x155x3,5	28x32x ev	17
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
DX 3.50			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
		P.T.O.	3616	A	225x150x3,5	27x30x ev	16
DX 3.50 F/V - S - SC - VC			4227	B 14	280x165x4	36x40x ev	20
			4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
DX 3.60			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
		P.T.O.	3616	A	225x150x3,5	27x30x ev	16
DX 3.60 SC - VC			4227	B 14	280x165x4	36x40x ev	20
			4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
DX 3.65 SC - VC		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
		Main clutch	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
DX 3.70			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
		P.T.O.	3616	A	225x150x3,5	27x30x ev	16
DX 3.70 SC - VC		Main clutch	4337	AL	310x175x4,5	36x42x7	8
		P.T.O.	4338	A	280x165x4	26x32x4	10
DX 3.70 V - F		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
			4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
DX 3.80		85 ->	4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
DX 3.90			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
		P.T.O.	3616	A	225x150x3,5	27x30x ev	16
DX 3.90 F - S			4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
		P.T.O.	4343	A	280x165x3,5	28x32x ev	17
DX 3.90 SC - VC			4337	AL	310x175x4,5	36x42x7	8


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			4338	A	280x165x4	26x32x4	10
DX 4.10 -4.30 -4.31/A -4.50 -4.51/A -4.70/A		Main clutch	4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
		Main clutch	4344	A	310x191x4,5	41x45x ev	21
			4554	A	280x165x3,5	31x35x ev	16
			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
DX 4.47/A		Main clutch	4227	B 14	280x165x4	36x40x ev	20
		P.T.O.	4342	A	250x155x3,5	28x32x ev	17
DX 5.10		Main clutch	4337	AL	310x175x4,5	36x42x7	8
			4554	A	280x165x3,5	31x35x ev	16
		P.T.O.	4338	A	280x165x4	26x32x4	10
DX 5.30 - 5.50 - 5.70 - 6.05			4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
			4554	A	280x165x3,5	31x35x ev	16
			4344	A	310x191x4,5	41x45x ev	21
DX 6.05			4437	A - CX	Ø 225 4+4 pads 37x67x3,5	27x30x ev	16
DX 6.10 - 6.30		Main clutch	4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
		P.T.O.	4556	A	310x175x3,5	31x35x ev	16
			4550	B14 - CX	Ø 310 6+6 pads 57x64x3,8	44x48x ev	22
		Main clutch	4344	A	310x191x4,5	41x45x ev	21
DX 6.50			4551	B14 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	21
			4550	B14 - CX	Ø 310 6+6 pads 57x64x3,8	44x48x ev	22
	Chass. 7440/0114 -> - 7439/0744 ->	Power matic	4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
	Chass. 7440/65-113 - 7441/358-743	Power matic	4215	AL - CX	Ø 350 7+7 pads 69x77x3,5	44x48x ev	22
DX 6.61	With Power-matic		4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
			4550	B14 - CX	Ø 310 6+6 pads 57x64x3,8	44x48x ev	22
			4551	B14 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	21
DX 7.10		-> 84	4521	B14 L - CX	Ø 350 7+7 pads 69x77x4	31,1x35,5x ev	16
			4552	B14 L - CX	Ø 310 6+6 pads 57x64x3,8	31x35x ev	16
DX 36 V/VA - 50 V/VA - 55 V		Main clutch	4049	A	225x150x3,5	31x35x ev	18
			4298	A - CX	Ø 225 6+6 pads 37x67x3,5	31x35x ev	18
		P.T.O.	3736	A	225x150x3,5	19x22,5x ev	13


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
DX 80		Main clutch	4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
			4554	A	280x165x3,5	31x35x ev	16
		Main clutch	4344	A	310x191x4,5	41x45x ev	21
DX 85	80 - 85 CV		4336	BL8 - CX	Ø 295 8+8 pads 37x67x4	41x45x ev	21
DX 85/A	Chass. 7816 / 0289 ->		4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
			4554	A	280x165x3,5	31x35x ev	16
	Chass. 7817 / 0084 ->		4344	A	310x191x4,5	41x45x ev	21
DX 86 - 90/A - 92	Chass. 7818 / 0200 ->		4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
			4554	A	280x165x3,5	31x35x ev	16
	Chass. 7818 / 0188 ->		4344	A	310x191x4,5	41x45x ev	21
DX 90			4336	BL8 - CX	Ø 295 8+8 pads 37x67x4	41x45x ev	21
DX 110			4551	B14 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	21
	P.T.O.		4556	A	310x175x3,5	31x35x ev	16
			4550	B14 - CX	Ø 310 6+6 pads 57x64x3,8	44x48x ev	22
DX 110 A - 120 A			4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
	P.T.O.		4556	A	310x175x3,5	31x35x ev	16
DX 140 A			4521	B14 L - CX	Ø 350 7+7 pads 69x77x4	31,1x35,5x ev	16
DX 145 A		85 ->	4221	B 19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
			4551	B14 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	21
	Chass. 7440/0080 -> and 7441/0606 ->	Power matic	4215	AL - CX	Ø 350 7+7 pads 69x77x3,5	44x48x ev	22
DX 160			4551	B14 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	21
			4550	B14 - CX	Ø 310 6+6 pads 57x64x3,8	44x48x ev	22
DX 160 A		-> 84	4521	B14 L - CX	Ø 350 7+7 pads 69x77x4	31,1x35,5x ev	16
			4552	B14 L - CX	Ø 310 6+6 pads 57x64x3,8	31x35x ev	16
eng. F							
FIL 514	15 PS		1015	A	200x130x3,5	26x32x4	10
FIL 514	15 HP		1209	A	200x130x3,2	26x32x4	10
FIL 612	11 PS		0863	A	181x124x3,5	23x29x4	10
FIL 712	11 PS	58 ->	0863	A	181x124x3,5	23x29x4	10
F2L 514			4311	ALI	250x155x3,5	26x32x4	10
F2L 514	30 PS		4314	AL	250x155x3,5	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
F2L 514/4/6	30 PS	55	0901	A	228x150x3,5	36x42x7	8
F2L 612	18 PS		1015	A	200x130x3,5	26x32x4	10
F2L 612/4/5	22 - 24 PS	54 ->	1015	A	200x130x3,5	26x32x4	10
F2L 612/6	18 CV		1209	A	200x130x3,2	26x32x4	10
F2L 912			3701	A	250x155x3,5	26x32x4	10
			4311	ALI	250x155x3,5	26x32x4	10
			3702	A	250x155x3,5	26x32x4	10
F2M 315			1090	A	280x165x3,5	31x38x6	10
F2M 414			4312	ALI	225x150x3,5	26x32x5	10
F2M 417M	30 HP		3037	A	280x165x3,5	28x35x4	10
F3L 514	50 PS		0873	A	280x165x4	32x40x5	10
			4427	AL	310x175x4	28x35x4	10
	45 CV		3035	A	310x175x4	28x35x4	10
			3037	A	280x165x3,5	28x35x4	10
F3L 514	60 - 65 PS	Schlepper	1006	A	310x175x3,5	32x40x5	10
F3L 514/4	45 PS		0873	A	280x165x4	32x40x5	10
F3L 514/6	45 CV		3038	A	280x165x3,5	32x40x5	10
			1006	A	310x175x3,5	32x40x5	10
F3L 712	38 PS	Schlepper	0901	A	228x150x3,5	36x42x7	8
F3L 812			4311	ALI	250x155x3,5	26x32x4	10
F3L 912			3701	A	250x155x3,5	26x32x4	10
			4311	ALI	250x155x3,5	26x32x4	10
			3702	A	250x155x3,5	26x32x4	10
F3M 417	30 HP		3031	A	280x165x3,5	31x38x7	10
F3M 417M			0873	A	280x165x4	32x40x5	10
F4L 514	70 CV		3032	A	310x175x4	36x42x7	8
	60 CV		3036	A	310x175x4	36x42x7	8
	60 - 65 PS	Schlepper	1006	A	310x175x3,5	32x40x5	10
	Raupe		3092	A	350x196x4	36x42x7	8
	60 - 65 CV		3040	A	310x175x4	32x40x5	10
	45 PS		1006	A	310x175x3,5	32x40x5	10
FGL 413R			3041	BL 8	352x196x4	32x40x5	10
HOPFEN							
4.17 H			4229	B14 - CX	Ø 280 6+6 pads 57x64x4	36x40 ev	20
4.57 H			4221	B19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
INTRAC							
6.05 - 6.30 - 6.60	Without Power-matic		4221	B19 - CX	Ø 310 8+8 pads 57x64x4	41x45x ev	21
			4550	B14 - CX	Ø 310 6+6 pads 57x64x3,8	44x48x ev	22
			4551	B14 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	21
2002 - 2003 - 2004			4227	B14	280x165x4	36x40x ev	20
			1148	AL	280x165x4	36x40x ev	20
			4161	A	225x150x3,5	28x32x ev	17
7440			4215	AL - CX	Ø 350 7+7 pads 69x77x3,5	44x48x ev	22
Harvesting Machine							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
M 60 - M 66 - M 88	Chass. -> 1403		0822	ALI	200x130x3,5	23x29x4	10
M 60 - M 66 - M 88	Chass. 1404 ->		0828	ALI	225x150x3,5	23x29x4	10
M 600 - M 650 - M 750			0822	ALI	200x130x3,5	23x29x4	10
M 660 - M 770 - M 900			1437	AL	181x127x3,2	23x29x4	10
M 909			0828	ALI	225x150x3,5	23x29x4	10
M 922 - M 1002	Gearbox 511/47		1437	AL	181x127x3,2	23x29x4	10
M 922 - M 980 - M 1002 - M1080			4530	A	241x30x3,8	27x30x ev	16
M 1000 - 1102 - 1200 - 1202 - 1300			3037	A	280x165x3,5	28x35x4	10
M 1300 - M 1600			1437	AL	181x127x3,2	23x29x4	10
M 1320 - M 2480 - M 2580 - M 2680			3037	A	280x165x3,5	28x35x4	10
M 3480 - M 3540 - M4030			4527	ALI	280x165x3,5	31x35x ev	18
Small Harvesting Machine							
Engine Porsche			0366	AL	181x124x3,8	18,3x20,7x ev	24
1 - 2							
I DA - 2 DA - 2 DN			0822	ALI	200x130x3,5	23x29x4	10
DEXHEIMER							
AL 232	MWM		1323	ALI	225x150x3,5	23x29x4,5	10
AL 240			1323	ALI	225x150x3,5	23x29x4,5	10
AL 240 - 345 - 350	MWM	Main clutch	3685	A	228x150x3,5	46x50x9	8
AL 350	MWM 327-3		3673	ALI	250x155x3,5	23x29x4,5	10
DIECI FRATELLI							
Autobetoniera DB 1000			0209	A	216x152x3,2	18x22x3,5	10
Autobetoniera 3000 - 4000	Gearbox HURT		1330	A	250x155x3,5	23x29x4,5	10
Autobetoniera DAB 1000	Gearbox HURT		1327	B 2	216x152x3,2	21x26x4	10
Autobetoniere 1500 - 2000	Gearbox "EME"		0948	A	250x155x3,5	21x26x4	10
	Gearbox HURT		1330	A	250x155x3,5	23x29x4,5	10
Dumper 1500 GD 900			1150	A	184x127x3	18x22,5x3,5	10
Dumper DP 900/800 DP 1200/900			1150	A	184x127x3	18x22,5x3,5	10
Dumper GD 1200 1600 2000			0209	A	216x152x3,2	18x22x3,5	10
			4485	A	216x152x3,2	21x26x4	10
			1327	B 2	216x152x3,2	21x26x4	10
		Gearbox HURT		1089	A	216x152x3,2	21x26x4
Dumper P 600 L			1150	A	184x127x3	18x22,5x3,5	10
DISALCAR							
Transporter 20 HP			1325	A	184x127x3,2	20x23x ev	20
Transporter 30 HP			0629	B 2	215x152x3,2	20x22,5x ev	20
			3606	A	216x152x3,2	20x23x ev	20
DORMAN							
6 YDAN - 64010		74 ->	1206	A	352x216x4,8	33,5x41,5x6,5	10
6 YDAN - 66 BHD		Power pack	1206	A	352x216x4,8	33,5x41,5x6,5	10
DOUGLAS							
DM 42 F	Perkins 6.354		1701	BL 8	352x216x4,8	31x38x6	10
Taskmaster			0818	A	280x165x3,5	26x32x5	10
Taskmaster Turbo		67	1171	A	250x155x3,5	29x35x5,5	10
Transporten	Perkins R6	Type DM4x4	1109	A	302x191x3,5	31x38x6	10
EATON							
VD - VDP - VG - VGP							
20 - 30 F / FHD			1330	A	250x155x3,5	23x29x4,5	10
40 F			1330	A	250x155x3,5	23x29x4,5	10
50 F			1330	A	250x155x3,5	23x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
VD - VDP - VGP							
30 SHD - 40S - 50S			0773	ALI	280x165x3,5	26x32x5	10
60-100 N			0773	ALI	280x165x3,5	26x32x5	10
EBRO Motor Iberica							
6080			3895	A	352x216x4	38,5x43,5x ev	16
EBRO 684			3924	A - CX	Ø 325 6+6 pads 57x64x3,5	29x35x5,5	10
EBRO Tractors		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
EICHER							
Büffel							
Mod. 3553			4345	A	280x165x3,5	38x41,5x ev	25
			4346	AL	279x171x3,5	23x29x4,5	10
EA							
EA 400			3685	A	228x150x3,5	46x50x9	8
			4314	AL	250x155x3,5	23x29x4	10
EA 600			3687	A	250x155x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
ED							
ED 13			4101	A	225x155x3,5	26x32x4	10
ED 15 - 16 - 16II - 25II			4312	ALI	225x150x3,5	26x32x5	10
ED 50 - 60			2231	A	310x175x3,5	28x35x4	10
			4427	AL	310x175x4	28x35x4	10
ED 115			4312	ALI	225x150x3,5	26x32x5	10
ED 310 - 500			3687	A	250x155x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
EKL							
EKL 11 II	FIL 612		0863	A	181x124x3,5	23x29x4	10
EKL 15 II			4312	ALI	225x150x3,5	26x32x5	10
EL							
EL 250 Z	4 Speed		3687	A	250x155x3,5	46x50x9	8
ELB							
ELB 340	4 Speed		3687	A	250x155x3,5	46x50x9	8
ELB 340 - 360	5 Speed		4311	ALI	250x155x3,5	26x32x4	10
ELK							
ELK 300	4 Speed		3687	A	250x155x3,5	46x50x9	8
			4311	ALI	250x155x3,5	26x32x4	10
	5 Speed		4034	ALI	250x155x3,5	26x32x4	10
EM							
EM 200 - 235 - 295 - 300		P.T.O.	3685	A	228x150x3,5	46x50x9	8
		P.T.O.	0901	A	228x150x3,5	36x42x7	8
		Main clutch	4314	AL	250x155x3,5	23x29x4	10
EM 500 - 600			3687	A	250x155x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
EM Leopard			0862	A	181x127x3,2	23x29x4	10
ES							
ES 202	Mod. 3702		0862	A	181x127x3,2	23x29x4	10
ES 400			3685	A	228x150x3,5	46x50x9	8
	Mod. 3701		4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
ESA							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
ESA 300	4 Speed		3687	A	250x155x3,5	46x50x9	8
ESA 300	5 Speed		4311	ALI	250x155x3,5	26x32x4	10
ESB							
ESB 300	4 Speed		3687	A	250x155x3,5	46x50x9	8
ESB 300	5 Speed		4311	ALI	250x155x3,5	26x32x4	10
EZ							
EZ 540	4 Speed		3687	A	250x155x3,5	46x50x9	8
EZ 540	5 Speed		4311	ALI	250x155x3,5	26x32x4	10
EZ 600			4311	ALI	250x155x3,5	26x32x4	10
FARMEXPRESS							
EL 250 Z	4 Speed		3673	ALI	250x155x3,5	23x29x4,5	10
G							
G 30			3685	A	228x150x3,5	46x50x9	8
	Mod. 3801		4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
G 40			3685	A	228x150x3,5	46x50x9	8
	Mod. 3803		4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
G 200			0862	A	181x127x3,2	23x29x4	10
G 220			0828	ALI	225x150x3,5	23x29x4	10
G 280			3685	A	228x150x3,5	46x50x9	8
			1004	A	250x155x3,5	23x29x4	10
G 300	Mod. 3805		3685	A	228x150x3,5	46x50x9	8
			1004	A	250x155x3,5	23x29x4	10
G 400 - G 4001			3685	A	228x150x3,5	46x50x9	8
	Mod. 3806		4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
KOENIGSTIGER 1 - 2							
EM 300 - EA 400			3685	A	228x150x3,5	46x50x9	8
			1004	A	250x155x3,5	23x29x4	10
3007/3010 - 3015/3016			3687	A	250x155x3,5	46x50x9	8
			3043	AL	250x155x3,5	23x29x4	10
3351			1330	A	250x155x3,5	23x29x4,5	10
L - LH							
L 22	F2L 612		0822	ALI	200x130x3,5	23x29x4	10
L 28		P.T.O.	3685	A	228x150x3,5	46x50x9	8
			4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
L 40			0839	A	280x165x3,5	23x29x4	10
		P.T.O.	3687	A	250x155x3,5	46x50x9	8
L 60			2231	A	310x175x3,5	28x35x4	10
			4427	AL	310x175x4	28x35x4	10
L 400 - 424	5 Speed		4311	ALI	250x155x3,5	26x32x4	10
LH 12 I			0788	A	160x110x2,5	16x20x3,5	10
MAMMUT 1 - 2							
EA 600 - EM 500 - EM 600			3687	A	250x155x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
Mod. 3423 - 3551		73 ->	4345	A	280x165x3,5	38x41,5x ev	25
			4346	AL	279x171x3,5	23x29x4,5	10
120 T		Main clutch	1462	B 19	330x200x3,5	40x45x ev	16
		P.T.O.	1214	A	330x200x3,5	28x32x ev	11


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			1461	B 19 - CX	Ø 330 6+6 pads 57x64x4	40x45x ev	16
MULTI - GERAETETRAEGER							
Multi - Geraetetraeger			3970	A	160x110x2,5	18x23x3	10
M							
70 D6 FL - 80 D6 /7/8			1955	B 14	250x155x3,5	26x32x4	10
PANTHER							
EM 295			4101	A	225x155x3,5	26x32x4	10
			3685	A	228x150x3,5	46x50x9	8
PUMA							
ES 200 - 201			0862	A	181x127x3,2	23x29x4	10
3705 - 3706			0828	ALI	225x150x3,5	23x29x4	10
RD							
13			4101	A	225x155x3,5	26x32x4	10
RKL							
15 / II			1036	ALI	228x150x3,5	26x32x5	10
TIGER - 1 - 2							
EM 200 - EM 235			3685	A	228x150x3,5	46x50x9	8
			1004	A	250x155x3,5	23x29x4	10
3008 - 3009			3687	A	250x155x3,5	46x50x9	8
			3043	AL	250x155x3,5	23x29x4	10
WOTAN							
3066 - 3085 - 3655 - 3656 A			4345	A	280x165x3,5	38x41,5x ev	25
			4346	AL	279x171x3,5	23x29x4,5	10
WOTAN - 1							
3108 - 3024 3133 - 3026			3675	A	350x196x4	44x48x ev	23
WOTAN - 2							
3017 - 3018 3013 - 3014			3672	A	310x175x4	25x28x ev	15
25 - 360							
25/II			3094	A	225x150x3,5	26x32x5	10
330 AS - S	Mod. 3713 - 3714		0828	ALI	225x150x3,5	23x29x4	10
334 AS - S	Mod. 3705/6 - 77		0828	ALI	225x150x3,5	23x29x4	10
342 AS - S	Mod. 3709/10 - 77		3687	A	250x155x3,5	46x50x9	8
			3043	AL	250x155x3,5	23x29x4	10
352 AS - S	Mod. 3711/12 - 77		3687	A	250x155x3,5	46x50x9	8
			3043	AL	250x155x3,5	23x29x4	10
360	4 Speed		3687	A	250x155x3,5	46x50x9	8
365 - 666							
365 S	Mod. 3717		3628	A	280x165x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
424	4 Speed		3687	A	250x155x3,5	46x50x9	8
565 S	Mod. 3727		3628	A	280x165x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
566 AS	Mod. 3726 S		3628	A	280x165x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
635 - 642 - 645 K - KA	Mod. 3761 - 62 - 63 - 64		3687	A	250x155x3,5	46x50x9	8
			4313	AL	250x155x3,8	23x29x4	10
648 - V - VA	Mod. 3765 - 3766		3687	A	250x155x3,5	46x50x9	8
			4313	AL	250x155x3,8	23x29x4	10
656 S	Mod. 3767		3628	A	280x165x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
666			4313	AL	250x155x3,8	23x29x4	10
666 AS	Mod. 3768		3628	A	280x165x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
3007 - 3088							
3000			4536	A	181x127x3,3	18x23x3	10
3007 - 3008 - 3009 - 3010 - 3015 - 3016			4313	AL	250x155x3,8	23x29x4	10
3011 - 3012			4450	A	280x171x3,5	23x29x ev	10
3021 - 3022 - 3023			4131	A	330x185x3,5	44x48x ev	23
3028 - 3030			4242	AL - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
3048/A	Mod. 3257 - 3258	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			1330	A	250x155x3,5	23x29x4,5	10
3055			4313	AL	250x155x3,8	23x29x4	10
3056/A	Mod. 3357 - 3358	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			1330	A	250x155x3,5	23x29x4,5	10
3066 S - SA 3075 A - S			4345	A	280x165x3,5	38x41,5x ev	25
			4346	AL	279x171x3,5	23x29x4,5	10
3075 AS - S 3085			4345	A	280x165x3,5	38x41,5x ev	25
			4347	A - CX	Ø 280 6+6 pads 57x64x3,5	23x29x ev	10
3085 A 3088 A - AS - S			4345	A	280x165x3,5	38x41,5x ev	25
			4346	AL	279x171x3,5	23x29x4,5	10
3088 A - AS - S		84 ->	4345	A	280x165x3,5	38x41,5x ev	25
			4347	A - CX	Ø 280 6+6 pads 57x64x3,5	23x29x ev	10
3105 - 3551							
3105			4131	A	330x185x3,5	44x48x ev	23
3150 A			4348	ALI	328x196x4	41x45x ev	22
3125 E - 3145 E			4242	AL - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
3151			1330	A	250x155x3,5	23x29x4,5	10
			3673	ALI	250x155x3,5	23x29x4,5	10
3157		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			1330	A	250x155x3,5	23x29x4,5	10
3251			3673	ALI	250x155x3,5	23x29x4,5	10
			1330	A	250x155x3,5	23x29x4,5	10
3253 - 3254 - 3353 - 3354		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			3673	ALI	250x155x3,5	23x29x4,5	10
			1330	A	250x155x3,5	23x29x4,5	10
3422 AS			4450	A	280x171x3,5	23x29x ev	10
3422 - 3453/57/58 - 3553/55/56/57/58 - 3655/56/57/58			4346	AL	279x171x3,5	23x29x4,5	10
			4347	A - CX	Ø 280 6+6 pads 57x64x3,5	23x29x ev	10
3705 - 4072							
3705/74 - 3706/74			0828	ALI	225x150x3,5	23x29x4	10
3709/74 - 3710/74 - 3711/74 - 3712/74			3687	A	250x155x3,5	46x50x9	8
			4313	AL	250x155x3,8	23x29x4	10
3713 - 3714 - 3752 - 3755 - 3756			0828	ALI	225x150x3,5	23x29x4	10
3757 - 3758 - 3759 - 3760			3687	A	250x155x3,5	46x50x9	8
			4313	AL	250x155x3,8	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
3761 - 3762 - 3763 - 3764 - 3765 - 3766			4313	AL	250x155x3,8	23x29x4	10
3941			0366	AL	181x124x3,8	18,3x20,7x ev	24
3951 - 3952 - 3955			3674	A	180x125x3,5	18x23x3	10
4038	Mod. 3155	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			1330	A	250x155x3,5	23x29x4,5	10
4048 - 4060 A	Mod. 3255 - 3256	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
	Mod. 3355 - 3356		1330	A	250x155x3,5	23x29x4,5	10
4072 A	Mod. 3555 - 3556	Main clutch	4123	A - CX	Ø 250 6+6 pads 37x67x3,5	26x30x ev	10
EME							
Riduttore e cambi velocità D65			0812	A	184x127x3,3	18x22x3,5	10
Riduttore e cambi velocità D67			0209	A	216x152x3,2	18x22x3,5	10
Riduttore e cambi velocità D68 10"			1332	A	250x155x3,2	21x26x4	10
Riduttore e cambi velocità D68 10"	Albero in uscita 1 3/8"		0308	A	250x155x3,5	29x35x5,5	10
Riduttore e cambi velocità D68 11"			0931	A	280x165x3,5	29x35x5,5	10
EPPL E BUXBAUM							
EM							
2S			0366	AL	181x124x3,8	18,3x20,7x ev	24
840			0432	AL	200x130x3,5	18,3x20,7x ev	24
940 - 1000			0828	ALI	225x150x3,5	23x29x4	10
1000 S - 1240 S			3037	A	280x165x3,5	28x35x4	10
2 ..							
210 - 211 H - T - HT			0354	BL 3	181x124x3,8	18x20x ev	24
250			0432	AL	200x130x3,5	18,3x20,7x ev	24
ERNEST DOE							
130 Tractor	4 Wheel drive	65	0922	AL	325x200x5	38x41,5x ev	25
Fitted Fordson Conversion		59 -> 60	0805	A	325x200x4	29x35x5,5	10
ERREPI							
Errepi			4186	B 10	160x114x3,2	20x23x ev	20
Errepi			4187	B 10	170x120x3,2	20x23x ev	20
ESSLINGEN							
BF 3 - DF 3			0366	AL	181x124x3,8	18,3x20,7x ev	24
DG 1 - DG 1 5/2 - DG2 - DG2/5 - DZ 8 - DZ 10	Diesel	59	3044	A	200x130x4,5	23x29x4	10
DG 1 - DG 5 - DGE - DG 8/5 - DG 3		54	0822	ALI	200x130x3,5	23x29x4	10
DG 3/5			4034	ALI	250x155x3,5	26x32x4	10
EUCLID (TEREX)							
FD 2/5/6/14/19/20/22/24/25/27/28			0836	A	380x200x4	36x45x7	10
FD 31/34/35/36/37/38/48/49/79			0836	A	380x200x4	36x45x7	10
FD 80 81	CUM HR600		0705	A	380x200x4	41x50,8x7,9	10
FDT 4/8/9/13/14/16/17/18/19/20			0836	A	380x200x4	36x45x7	10
FDT 21/23/24/25/31/34/42/43			0836	A	380x200x4	36x45x7	10
IUD - UDT	Buda 6DC844	46 -> 65	0836	A	380x200x4	36x45x7	10
UD 2 - UDT 3 - S7	GM4 - 71		0836	A	380x200x4	36x45x7	10
EUROCOSMEC							
Autogru 15 Ql.	Perkins 408		0308	A	250x155x3,5	29x35x5,5	10
Autogru 20 - 25 - 30 - 35 Ql.	Perkins 352		0225	BL 2	278x172x3,5	29x35x5,5	10
Autogru 40 - 50 - 60 Ql.	Perkins 4236		0734	BL 8	302x191x3,5	31x38x6	10
FAHR							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
A							
A2 L			4034	ALI	250x155x3,5	26x32x4	10
A2 L 514			4311	ALI	250x155x3,5	26x32x4	10
A2 M 313			1036	ALI	228x150x3,5	26x32x5	10
A2 M 517			0873	A	280x165x4	32x40x5	10
D							
D 15			0863	A	181x124x3,5	23x29x4	10
D 12 N - 15 - 17 N - 22 P			0822	ALI	200x130x3,5	23x29x4	10
D 25			1036	ALI	228x150x3,5	26x32x5	10
			4311	ALI	250x155x3,5	26x32x4	10
			1209	A	200x130x3,2	26x32x4	10
D 28	Chass. 20001 ->		4311	ALI	250x155x3,5	26x32x4	10
D 28 U - 30 L			4311	ALI	250x155x3,5	26x32x4	10
D 40	38 PS		4311	ALI	250x155x3,5	26x32x4	10
D 45 L - 50/2			3039	ALI	280x165x3,5	26x32x4	10
D 60 L			1006	A	310x175x3,5	32x40x5	10
D 80			4311	ALI	250x155x3,5	26x32x4	10
D 90 / H - 130 / H - 131 L / W			0822	ALI	200x130x3,5	23x29x4	10
D 133 N / T - 177			3841	A	200x130x3,5	46x50x9	8
		Main clutch	3050	A	200x130x3,2	26x32x5	10
			3048	A	225x150x3,5	23x29x4	10
D 160 H - 180 H - 181			0822	ALI	200x130x3,5	23x29x4	10
D 270 H			3685	A	228x150x3,5	46x50x9	8
			1004	A	250x155x3,5	23x29x4	10
D 400 A - B - C			3039	ALI	280x165x3,5	26x32x4	10
D 400 L			3687	A	250x155x3,5	46x50x9	8
D 540			3680	A	310x176x4	52x60x10	8
			3681	A	310x176x4	32x40x5	10
			1006	A	310x175x3,5	32x40x5	10
F							
F 1 - F 2 L 310			0824	A	181x124x3,5	18x23x3	10
F 1 L 514			1209	A	200x130x3,2	26x32x4	10
F 2 L 514		Main clutch	1004	A	250x155x3,5	23x29x4	10
		P.T.O.	0901	A	228x150x3,5	36x42x7	8
			4311	ALI	250x155x3,5	26x32x4	10
F 2 L 612			1209	A	200x130x3,2	26x32x4	10
F 2 L 912			4311	ALI	250x155x3,5	26x32x4	10
F 2 M 414			4312	ALI	225x150x3,5	26x32x5	10
			4101	A	225x155x3,5	26x32x4	10
F 3 L 514			1006	A	310x175x3,5	32x40x5	10
F 3 L 812 - 912			4311	ALI	250x155x3,5	26x32x4	10
FL							
FL 131			3640	A	280x165x3,5	29x35x5,5	10
H							
HG 25UG			4034	ALI	250x155x3,5	26x32x4	10
K							
KT 10	D 500		3677	A	180x124x3,3	18x23x3	10
M							
M 40			3056	A	180x124x4	23x29x4	10
M 44			3056	A	180x124x4	23x29x4	10
		Porsche	0366	AL	181x124x3,8	18,3x20,7x ev	24
M 60 - 66/S			0822	ALI	200x130x3,5	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
M 88	Chass. -> 1403		0822	ALI	200x130x3,5	23x29x4	10
M 88 - S	Chass. 1404 ->		0828	ALI	225x150x3,5	23x29x4	10
M 600			0822	ALI	200x130x3,5	23x29x4	10
M 660			4198	ALI	225x150x3,5	23x29x4	10
M 750			0822	ALI	200x130x3,5	23x29x4	10
M 770 - 900 - 922			4198	ALI	225x150x3,5	23x29x4	10
M 1000			0871	ALI	280x165x3,5	28x35x4	10
M 1002			4198	ALI	225x150x3,5	23x29x4	10
M 1102			0863	A	181x124x3,5	23x29x4	10
M 1200 - 1202			0863	A	181x124x3,5	23x29x4	10
M 1300			0863	A	181x124x3,5	23x29x4	10
			0871	ALI	280x165x3,5	28x35x4	10
			4198	ALI	225x150x3,5	23x29x4	10
M 1320 - 1322			0863	A	181x124x3,5	23x29x4	10
M 1600			4198	ALI	225x150x3,5	23x29x4	10
M 2480 - 2580 - 2680			0863	A	181x124x3,5	23x29x4	10
M 3570			3035	A	310x175x4	28x35x4	10
1 - 2							
1 DA - 2 DA			0822	ALI	200x130x3,5	23x29x4	10
2 DN			0822	ALI	200x130x3,5	23x29x4	10
FENDT							
115 GT - 220 GT			0822	ALI	200x130x3,5	23x29x4	10
138 N - 238 N			3689	A	225x150x3,5	26x32x4	10
250 GT			1369	AL	250x155x4	26x32x4	10
	Chass. 250/1973 ->		4190	A - CX	Ø 250 6+6 pads 57x64x3,5	26x32x4	10
255 GT	Chass. -> 255/0135		1148	AL	280x165x4	36x40x ev	20
			4443	ALI	280x165x4	26x32x4	10
255 GT	Chass. 255/0136 ->		1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
258 N			3689	A	225x150x3,5	26x32x4	10
275 GT - GT II	Chass. -> 275/0539		1148	AL	280x165x4	36x40x ev	20
			4443	ALI	280x165x4	26x32x4	10
275 GT - GT II	Chass. 275/0540 ->		1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
275 GTSA		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
345 GT	Chass. 345/0985 -> and 345/90054 ->		1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
360 GT - 365 GT - 365 GTF			1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
380 GT - GHA - GTA		Main clutch	4111	AL	320x203x3,7	26x32x4	10
800			3623	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
Brake Disc							
Serie 300		Brake Disc	4081	DF	165x89x4,7	40x45x ev	22
Several types		Brake Disc	4456	DF	165x89x4,8	41x45x ev	22
AGROBIL							
AGROBIL S			3688	A	280x165x3,5	36x40x ev	20
			1369	AL	250x155x4	26x32x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			3055	A - CX	Ø 250 12+12 pads 52x36x3,5	26x32x4	10
			4190	A - CX	Ø 250 6+6 pads 57x64x3,5	26x32x4	10
			1148	AL	280x165x4	36x40x ev	20
			4443	ALI	280x165x4	26x32x4	10
D							
D 25			0863	A	181x124x3,5	23x29x4	10
F							
F12 HG - F12 HL - F12 GT - F15	6 Speed		0863	A	181x124x3,5	23x29x4	10
F15 G - F15 G6 - F15 H6 - F15 GH	8 Speed		1038	A	181x124x3,5	26x32x4	10
F17 L - F17 W			1209	A	200x130x3,2	26x32x4	10
F18 F - F18 G			3050	A	200x130x3,2	26x32x5	10
F20 G6 - F20 H6 - F24 L - L1 - W - W1			1209	A	200x130x3,2	26x32x4	10
F20 GH - F20 G	8 Speed		0822	ALI	200x130x3,5	23x29x4	10
F22 V - F22 V/Z - F25			0863	A	181x124x3,5	23x29x4	10
			4101	A	225x155x3,5	26x32x4	10
F28 P			4312	ALI	225x150x3,5	26x32x5	10
F40 PU - F40 UI - F40 U			3687	A	250x155x3,5	46x50x9	8
			0871	ALI	280x165x3,5	28x35x4	10
F65 - F269			3055	A - CX	Ø 250 12+12 pads 52x36x3,5	26x32x4	10
F115 GT - F220 GT			0822	ALI	200x130x3,5	23x29x4	10
F220/1		Main clutch	0989	A	228x150x3,3	21x26x4	10
F225 GT - F230 GT - F231 GT			0989	A	228x150x3,3	21x26x4	10
F243 U			0871	ALI	280x165x3,5	28x35x4	10
F269			1369	AL	250x155x4	26x32x4	10
F275 GT			3688	A	280x165x3,5	36x40x ev	20
FARMER							
I	Nr. 237		4312	ALI	225x150x3,5	26x32x5	10
I E			0828	ALI	225x150x3,5	23x29x4	10
		Main clutch	0989	A	228x150x3,3	21x26x4	10
2 - D - DE - E			3685	A	228x150x3,5	46x50x9	8
	Nr. 139/1 - 139/3 - 228/1	Main clutch	4314	AL	250x155x3,5	23x29x4	10
		Main clutch	1004	A	250x155x3,5	23x29x4	10
2S - 3S - 4S - 5S			1369	AL	250x155x4	26x32x4	10
		Optional - Heavy Duty	4190	A - CX	Ø 250 6+6 pads 57x64x3,5	26x32x4	10
101 - 102 - 103 LS - S			1369	AL	250x155x4	26x32x4	10
		Optional - Heavy Duty	4190	A - CX	Ø 250 6+6 pads 57x64x3,5	26x32x4	10
104 - 105 - 106 LS - S			1369	AL	250x155x4	26x32x4	10
108 - LS - S	Nr. 278		4190	A - CX	Ø 250 6+6 pads 57x64x3,5	26x32x4	10
168			1369	AL	250x155x4	26x32x4	10
200 V	Chass. -> 145/1405	Main clutch	0746	A	250x155x3,5	36x40x ev	20
	Chass. -> 145/1405		1369	AL	250x155x4	26x32x4	10
200 V - 200 LS / S	Chass. 145/1406 ->	Main clutch	0746	A	250x155x3,5	36x40x ev	20
	Chass. 145/1406 ->		1369	AL	250x155x4	26x32x4	10
200 V - 201 S - 203 P / P II		Main clutch	3657	A	225x150x3,5	36x40x ev	20

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	4367	B 14	250x155x3,5	26x32x4	10
203 V/II	Chass. -> 155/1362	Main clutch	0746	A	250x155x3,5	36x40x ev	20
	Chass. -> 155/1362		1369	AL	250x155x4	26x32x4	10
203 V/II	Chass. 155/1363 ->	Main clutch	0746	A	250x155x3,5	36x40x ev	20
	Chass. 155/1363 ->		4367	B 14	250x155x3,5	26x32x4	10
204 P - V		Main clutch	1148	AL	280x165x4	36x40x ev	20
		Main clutch	4406	AL	302x191x3,5	26x32x4	10
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
205 P		Main clutch	0746	A	250x155x3,5	36x40x ev	20
		Main clutch	4406	AL	302x191x3,5	26x32x4	10
		P.T.O.	1369	AL	250x155x4	26x32x4	10
238			1369	AL	250x155x4	26x32x4	10
240 S - 250 S - 250 V		Main clutch	0746	A	250x155x3,5	36x40x ev	20
			4367	B 14	250x155x3,5	26x32x4	10
258			1369	AL	250x155x4	26x32x4	10
260 P	Chass. -> 246/0260		0746	A	250x155x3,5	36x40x ev	20
		P.T.O.	4367	B 14	250x155x3,5	26x32x4	10
260 P	Chass. 246/0261 ->		1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
260 S	Chass. -> 296/1249		0746	A	250x155x3,5	36x40x ev	20
		P.T.O.	4367	B 14	250x155x3,5	26x32x4	10
260 S	Chass. 296/1250 ->		1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
260 SA - V - VA	Chass. -> 206/0875		0746	A	250x155x3,5	36x40x ev	20
		P.T.O.	4367	B 14	250x155x3,5	26x32x4	10
260 SA - V - VA	Chass. 206/0876 ->		1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
270 P - V - VA		Main clutch	1148	AL	280x165x4	36x40x ev	20
		Main clutch	4406	AL	302x191x3,5	26x32x4	10
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
275 S - SA - V - VA		Main clutch	1148	AL	280x165x4	36x40x ev	20
		Main clutch	4406	AL	302x191x3,5	26x32x4	10
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
280 P	Chass. 248/0001 ->		1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
280 PA - S - SA - V		P.T.O.	4291	B 14	295x175x3	25,5x32x4	10
		Main clutch	4406	AL	302x191x3,5	26x32x4	10
303 - 304 - 305 - 306 - 307 - 308 - 309			4111	AL	320x203x3,7	26x32x4	10
310 - 311 - 312			4111	AL	320x203x3,7	26x32x4	10
FAVORIT							
1 - 2 - 3	FW150/11		3687	A	250x155x3,5	46x50x9	8
		Main clutch	0839	A	280x165x3,5	23x29x4	10
3 S		Main clutch	3770	A	280x165x3,5	46x50x9	8
		P.T.O.	0839	A	280x165x3,5	23x29x4	10
4 S	66 Kw		4315	AL	310x175x4,4	41x45x ev	22
600 LS			4193	A	310x175x3,8	26x32x4	10
610 LS	Chass. -> 281/1264		1370	AL	310x175x4	41x45x ev	22
	Chass. 281/1265 ->		4193	A	310x175x3,8	26x32x4	10
611 LS	Chass. -> 282/0754		1370	AL	310x175x4	41x45x ev	22
	Chass. 282/0755 ->		4191	A - CX	Ø 350 6+6 pads 69x77x4	41x45x ev	22


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			4315	AL	310x175x4,4	41x45x ev	22
611 S			3621	AL	350x196x4	41x45x ev	22
612 - 614 LS	Nr. 283 - 284		4191	A - CX	Ø 350 6+6 pads 69x77x4	41x45x ev	22
			3621	AL	350x196x4	41x45x ev	22
614 - Duo Speed	Chass. -> 384/0508		3621	AL	350x196x4	41x45x ev	22
614 S			3621	AL	350x196x4	41x45x ev	22
615 LS	Nr. 285		4191	A - CX	Ø 350 6+6 pads 69x77x4	41x45x ev	22
FIX							
FIX 2E			0828	ALI	225x150x3,5	23x29x4	10
FL							
FL 114	6 Speed		0863	A	181x124x3,5	23x29x4	10
FL 116			0822	ALI	200x130x3,5	23x29x4	10
FL 120 - 131			0828	ALI	225x150x3,5	23x29x4	10
FL 236		56 ->	1209	A	200x130x3,2	26x32x4	10
FL 237			4312	ALI	225x150x3,5	26x32x5	10
FW							
FW 139 - 228			3034	A	250x155x3,5	23x29x4	10
			3685	A	228x150x3,5	46x50x9	8
FW 243 - U	21 Kw		3685	A	228x150x3,5	46x50x9	8
			0988	A	250x155x3,5	28x35x4	10
PKW							
250 GT	Berlinette		3053	A	225x150x3,5	23x29x4	10
250 GT - 275 GT			3053	A	225x150x3,5	23x29x4	10
330 GT - 500 GT - / GTO			3054	A	250x155x3,5	23x29x4	10
TS							
TS 65			3055	A - CX	Ø 250 12+12 pads 52x36x3,5	26x32x4	10
FENG SHOU							
184-4			4301	A	200x142x4	21,4x25x5	6
254-4			4302	A	230x150x4	21,4x25x5	6
FENWICH							
DP 205 - DP 255 - DA 205 - DA 255			3558	A	310x190x3,5	28x35x4	10
F 75 - 112 - 113 - 120 - 125			0053	B 2	184x127x3,2	20x23x ev	20
			0200	B 2	184x127x3,2	18x22,5x3,5	10
F 45 Turbo - 160 - 190			0629	B 2	215x152x3,2	20x22,5x ev	20
FD - FDP - 20/30 50/60			0998	AL	279x171x3,5	29x35x5,5	10
DZ105 /155 - DZP			0997	A	279x171x3,5	29x35x5,5	10
Forklift Truck		64 -> 65	0997	A	279x171x3,5	29x35x5,5	10
Forklift Truck	Perkins 4/99	67	1118	A	250x155x3,5	29x35x5,5	10
Fork Truck	Perkins P3 Oil T.A.	55 -> 59	0998	AL	279x171x3,5	29x35x5,5	10
Lift Truck	Diesel	56	0997	A	279x171x3,5	29x35x5,5	10
Lift Truck SDZ - SRZ	Perkins & Renault		3691	A - CX	Ø 310 6+6 pads 57x64x3,5	28x35x4	10
			3692	A	310x175x3,5	28x35x4	10
Lift Truck TJ 59			3690	A - CX	Ø 215 6+6 pads 37x67x3,5	25x30x ev	10
"Jale"			1003	A	280x165x3,5	28x35x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
FERRARI SPA							
12 - 18 CV serie 800		Tractor	1418	A	160x110x3	14x17x ev	20
71	1° Serie	Motocoltivatori	3019	A	110x58x1	12x15x ev	8
72	1° Serie	Motocoltivatori	0050	A	140x96x3,2	15x17,5x ev	20
72	2° Serie	Motocoltivatori	1418	A	160x110x3	14x17x ev	20
72 T		Tractor	1418	A	160x110x3	14x17x ev	20
74		Motocoltivatori	0977	A	181x127x3,2	20x23x ev	20
75	2° serie	Tractor	0977	A	181x127x3,2	20x23x ev	20
76		Tractor	0977	A	181x127x3,2	20x23x ev	20
76		Tractor	3658	A	228x150x3,5	22x25x ev	14
85 - 86			3658	A	228x150x3,5	22x25x ev	14
	Double disc	Tractor	3941	A	250x155x3,5	22x25x ev	14
			3942	A	250x155x4	36x40x ev	20
94 - 95		Tractor	0977	A	181x127x3,2	20x23x ev	20
MC							
MC 58			0192	B 2	184x127x3,2	23x29x4,5	10
MC 60/2			0192	B 2	184x127x3,2	23x29x4,5	10
MC 60/2 - MC 58			0996	A	181x124x3,5	23x29x4,5	10
MC 64			0199	A	140x96x3,2	14x17x4	6
MC 68			1222	A	140x96x3,2	15x17x ev	20
MT							
MT 65	1° Serie	Tractor	0192	B 2	184x127x3,2	23x29x4,5	10
MT 65	1° Serie	Tractor	0996	A	181x124x3,5	23x29x4,5	10
MT 65	2° serie	Tractor	0983	AL	216x152x3,2	23x29x4,5	10
MT 72 Super		Tractor	1418	A	160x110x3	14x17x ev	20
FIATAGRI NEW HOLLAND							
Alternative Cod. 4218		Optional	4255	B 18 - CX	Ø 280 6+6 pads 57x64x4	31x35x ev	18
A							
A 90 S / DT		Main clutch	4118	AL - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
A 100 S / DT - A 110 S	High performance	P.T.O.	4192	A	310x190x3	24x28x ev	10
			4213	B 19 - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
A 90 S / DT - A100 S / DT - A110 S / DT	Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
			3985	A	310x175x3,8	24x28x ev	10
A 140 DT		With Hydr. P.T.O.	4099	BL8 - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	18
F - Winner							
F 100 - 110 - 115 - 120 TD	74 - 81 - 85 - 88 kW	90 -> 95	4509	BL8 - CX	Ø 330 5+5 pads 69x77x3,5	45x50x ev	16
F 130 - 140 TD			4197	BL8 - CX	Ø 350 8+8 pads 69x77x3,5	45x50x ev	18
L							
L 65		P.T.O.	4334	A	310x190x3	22x25x ev	10
L 75 - L 85		Main clutch	4332	B14 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	4334	A	310x190x3	22x25x ev	10
L 95		Main clutch	4332	B14 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
M							
M 135 / DT			4197	BL8 - CX	Ø 350 8+8 pads 69x77x3,5	45x50x ev	18
R							
450 S - 480-8/DT - 480-8V - 500 DT SPEC. - 540 - 550 - 580 - 600 - 640 - 670 - 680			4054	AL	280x165x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
		P.T.O. - Valeo Version	76 ->	4095	A	280x165x3	22x25x ev
446 - 466 - 480-8 / DT - 480-8V - 500 - 500 DT - 540 - 550 - 566 - 570 - 580 - 600 - 640 - 670 - 680 - 680 DT - 740 - 780 - 780 DT		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14
		Main clutch	4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		P.T.O. - Valeo Version	76 ->	4095	A	280x165x3	22x25x ev
TC							
TC 56			4300	DF	204x120x4,8	55x59x ev	27
TL							
TL 70 - 80 - 90 - 100			4316	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
TN							
TN 55 - D - S	39 kW	03 ->	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
TN 55 - 65 D - F - S			4333	A - CX	Ø 280 4+4 pads 57x64x3,2	22x25x ev	10
TN 65 - D - F - S			4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
TN 70 - A - D - F - S	53 kW	00 -> 04	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
TN 70 - 75 D - F - S			4333	A - CX	Ø 280 4+4 pads 57x64x3,2	22x25x ev	10
TN 90 F		P.T.O.	4333	A - CX	Ø 280 4+4 pads 57x64x3,2	22x25x ev	10
TNDA							
TN 60 - 70 - 75 DA	43 - 53 - 55 kW	03 ->	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
TNSA							
TN 60 - 70 - 75 SA	43 - 53 - 55 kW	03 ->	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
TNVA							
TN 70 VA	53 kW	03 ->	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10
TS							
TS 80 - 90 - 100 - 110	8 x 2		3912	A	325x191x4	39x45x7	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
		Optional	4333	A - CX	Ø 280 4+4 pads 57x64x3,2	22x25x ev	10	
TS 90 - 100 - 110	12 x 12		4333	A - CX	Ø 280 4+4 pads 57x64x3,2	22x25x ev	10	
			4295	B14 - CX	Ø 325 7+7 pads 57x64x4	39x45x7	10	
40-.. 100-								
45-66 S / V / DT - 45-76 - 46-66		Main clutch	4173	B 14	250x155x3,8	31x35x ev	18	
50-66 S / V - 50-86 S / V		Main clutch	4172	B 14	250x155x4	31x35x ev	18	
		P.T.O.	4179	A	250x155x3,5	19x22,5x ev	13	
50-86		Main clutch	4218	B 14	280x165x3,5	31x35x ev	18	
		P.T.O.	4331	A	280x165x3,2	19,2x22,3x ev	13	
55-46 DT - 55-56 LM - 55-88		Main clutch	4054	AL	280x165x4	35x40x ev	14	
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10	
55-46 DT - 55-66 DT - 65-46		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14	
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
		Main clutch	4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14	
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10	
55-66 S		Main clutch	4218	B 14	280x165x3,5	31x35x ev	18	
		P.T.O.	4331	A	280x165x3,2	19,2x22,3x ev	13	
55-66 V - 55-76 F / S / V - 55-86 F / S / V		Main clutch	4173	B 14	250x155x3,8	31x35x ev	18	
		Main clutch	4172	B 14	250x155x4	31x35x ev	18	
		P.T.O.	4179	A	250x155x3,5	19x22,5x ev	13	
55-66 DT - 60-66 F / LP / S / DT - 65-66 F / S / V / DT - 70-66 F / LP / V / DT		Main clutch	85 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
		Main clutch		1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	85 ->	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	85 ->	4054	AL	280x165x4	35x40x ev	14
		P.T.O. - Valeo Version	85 ->	4095	A	280x165x3	22x25x ev	10
		Main clutch	85 ->	4226	BL 2	280x165x4,5	35x40x ev	14
55-66 LP / S - 55-88 - 55-90		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
55-66 S - 55-86		Main clutch	4218	B 14	280x165x3,5	31x35x ev	18	
		P.T.O.	4331	A	280x165x3,2	19,2x22,3x ev	13	
55-90 DT		Main clutch	84 ->	4054	AL	280x165x4	35x40x ev	14
		P.T.O.	84 ->	4095	A	280x165x3	22x25x ev	10
60-46 - 60-56 - 60-66 S - 60-93 - 60-94		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
60-46 - 60-56 - 60-88		Main clutch	4054	AL	280x165x4	35x40x ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
60-76 F / DT		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14	
		P.T.O. - Valeo Version	76 ->	4095	A	280x165x3	22x25x ev	10
60-86 D / F / S / V / DT		Main clutch	4218	B 14	280x165x3,5	31x35x ev	18	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	4331	A	280x165x3,2	19,2x22,3x ev	13
60-90 DT - 60-94 DT	Main clutch	84 ->	4054	AL	280x165x4	35x40x ev	14
	Main clutch	84 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	P.T.O.	84 ->	4095	A	280x165x3	22x25x ev	10
60-90 DT - 65-90 DT Valeo Version	Main clutch		3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14
	Main clutch		4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	Main clutch		4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
	P.T.O.		4095	A	280x165x3	22x25x ev	10
62-86 DT	Main clutch		4226	BL 2	280x165x4,5	35x40x ev	14
	P.T.O.		4095	A	280x165x3	22x25x ev	10
65-46 - 65-56 - 65-66 S	Main clutch		4226	BL 2	280x165x4,5	35x40x ev	14
	P.T.O.		4095	A	280x165x3	22x25x ev	10
65-46 - 65-56 - 65-88	Main clutch		4054	AL	280x165x4	35x40x ev	14
	P.T.O.		4095	A	280x165x3	22x25x ev	10
65-90 DT	Main clutch	84 ->	4054	AL	280x165x4	35x40x ev	14
	Main clutch	84 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	P.T.O.	84 ->	4095	A	280x165x3	22x25x ev	10
65-93 DT - 65-94 DT	Main clutch		4226	BL 2	280x165x4,5	35x40x ev	14
	P.T.O.		4095	A	280x165x3	22x25x ev	10
70-56	Main clutch		4054	AL	280x165x4	35x40x ev	14
	P.T.O.		4095	A	280x165x3	22x25x ev	10
70-56 - 70-66 S / LP / F / V / DT	Main clutch		4226	BL 2	280x165x4,5	35x40x ev	14
	P.T.O.	76 ->	4095	A	280x165x3	22x25x ev	10
70-86 S / V / DT	Main clutch		4218	B 14	280x165x3,5	31x35x ev	18
	P.T.O.		4331	A	280x165x3,2	19,2x22,3x ev	13
70-88 DT	Main clutch	84 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	P.T.O.	84 ->	4095	A	280x165x3	22x25x ev	10
70-90 DT	Main clutch	84 ->	4054	AL	280x165x4	35x40x ev	14
	Main clutch	84 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	P.T.O.	84 ->	4095	A	280x165x3	22x25x ev	10
70-90 DT Valeo Version	Main clutch		3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14
	Main clutch		4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	Main clutch		4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
	P.T.O.		4095	A	280x165x3	22x25x ev	10
72-86 LP / F / DT	Main clutch		4226	BL 2	280x165x4,5	35x40x ev	14
	Main clutch	Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
	P.T.O.		4095	A	280x165x3	22x25x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
72-93 / DT - 72-94 / DT		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
80-66 F / S / DT - 80-76 F / DT		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
80-66 S / DT		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
80-88 DT - 80 - 90 DT - 85-90 DT		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
82-86 LP / F / DT		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
82-93 / DT - 82-94 / DT - 88-93 / DT - 88-94 / DT		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14	
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
		P.T.O.	4095	A	280x165x3	22x25x ev	10	
90-90 DT - 90-95 DT		Main clutch	4118	AL - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16	
		P.T.O.	4192	A	310x190x3	24x28x ev	10	
			4213	B 19 - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16	
		Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Valeo version	P.T.O.	3985	A	310x175x3,8	24x28x ev	10
100-.. 180-								
100-90 F / S / DT - 110 S / DT - 110-90 S / DT		Main clutch	4118	AL - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16	
		High performance	P.T.O.	4192	A	310x190x3	24x28x ev	10
				4213	B 19 - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
		Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Valeo version	P.T.O.	3985	A	310x175x3,8	24x28x ev	10
115-90 DT		Main clutch	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18	
		P.T.O.	4116	A	310x191x3	28x32x ev	11	
		Main clutch		4316	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
		P.T.O.		3746	A	310x191x3,8	28x32x ev	11
115-90 DT - 130-90 DT - 140-90 DT		With Hydr. P.T.O.	4099	BL8 - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	18	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
140-90		Clear n° of splines	4340	B23 - CX	Ø 350 8+8 pads 69x77x4	35x40x ev	14
		For safety clutch	4341	B23 - CX	Ø 350 8+8 pads 69x77x4	28x23x ev	11
160-90 DT - 180-90 DT			4214	B 19 - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	18
160-90 - 180-90		Clear n° of splines	4340	B23 - CX	Ø 350 8+8 pads 69x77x4	35x40x ev	14
		For safety clutch	4341	B23 - CX	Ø 350 8+8 pads 69x77x4	28x23x ev	11
366 - 980							
366 - 366 DT - 420 (Yugo)	Main clutch	85 ->	4173	B 14	250x155x3,8	31x35x ev	18
	Main clutch		4172	B 14	250x155x4	31x35x ev	18
		P.T.O.	4179	A	250x155x3,5	19x22,5x ev	13
446 - 466 - 566 - 570	Main clutch		4226	BL 2	280x165x4,5	35x40x ev	14
		P.T.O.	4095	A	280x165x3	22x25x ev	10
470 narrow track - SSP 4WD	Main clutch		4049	A	225x150x3,5	31x35x ev	18
		P.T.O.	3736	A	225x150x3,5	19x22,5x ev	13
566 - 580 - 640 - 666 - 680 - 740 - 780	Main clutch		4226	BL 2	280x165x4,5	35x40x ev	14
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
650 - 750	P.T.O.		0927	A	280x165x3,5	45x50,5x ev	18
	Main clutch		0937	A	310x191x3,5	30x35x ev	12
			1404	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
766	Main clutch		4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
	Main clutch		3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
	Main clutch		4120	B 18	280x165x3,8	35x40x ev	14
			4128	AL	280x165x4,5	35x40x ev	14
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10
840 - 850	Main clutch		1404	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
840 - 850 - 880	Valeo version	Main clutch	1426	A - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
	Valeo version	P.T.O.	3169	A	280x165x3,5	24x28x ev	10
880/4 - 880/4 DT	Main clutch		3982	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		P.T.O.	3984	A	310x191x3,8	24x28x ev	10
880/4 - 880/4 DT	Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Valeo version		3985	A	310x175x3,8	24x28x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
880/5 - 880/5 DT - 980 - 980 DT		Main clutch	4118	AL - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
	High performance	P.T.O.	4192	A	310x190x3	24x28x ev	10
			4213	B 19 - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
	Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Valeo version		3985	A	310x175x3,8	24x28x ev	10
1000 .. 4135							
1000 DT			1462	B 19	330x200x3,5	40x45x ev	16
		P.T.O.	1214	A	330x200x3,5	28x32x ev	11
			1461	B 19 - CX	Ø 330 6+6 pads 57x64x4	40x45x ev	16
			1404	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
1105 - 1105 DT	Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Valeo version		3985	A	310x175x3,8	24x28x ev	10
1180		Main clutch	4316	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
		P.T.O.	3746	A	310x191x3,8	28x32x ev	11
	Valeo version		4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
	Valeo version		4116	A	310x191x3	28x32x ev	11
1180 DT - 1280 DT		Main clutch	4099	BL8 - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	18
1300 - 1300 DT			4197	BL8 - CX	Ø 350 8+8 pads 69x77x3,5	45x50x ev	18
1380 DT - 1580 DT - 1880 DT		Main clutch	4099	BL8 - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	18
1580 - 1880		83 ->	4214	B 19 - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	18
4135		Main clutch	4218	B 14	280x165x3,5	31x35x ev	18
		P.T.O.	4331	A	280x165x3,2	19,2x22,3x ev	13
FIAT O.M.							
25..90							
25 C - CL - CF - CS - R - RS			0808	A	235x152x4	22x25x ev	10
			0810	A	216x152x3,3	18x22x3,5	10
35 R - 40 R - 45 R - 50 R - 56 R		Main clutch	0856	A	280x165x3,5	28x35x4	10
55 R - 60 R - 70 R - 80 R	Chass. -> 640509	1° Serie	0765	A	328x196x3,2	28,5x35x4	10
80 R	Chass. 640510 ->	2° Serie	0358	BL 8	352x216x4,8	33,5x41,5x6,5	10
	Chass. 640510 ->	2° Serie	1211	A	352x216x4,8	33,5x41,5x6,5	10
130/90 DT - 140/90 DT		Main clutch	4197	BL8 - CX	Ø 350 8+8 pads 69x77x3,5	45x50x ev	18
		Main clutch	3981	AL - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	18


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
160/90			4214	B 19 - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	18
160/90DT - 180/90DT	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
200..255							
200R - 211R - 221R - 231R - 241R - 251D	18 HP	La piccola	0812	A	184x127x3,3	18x22x3,5	10
	18 HP	La piccola	3562	A - CX	Ø 184 6+6 pads 37x67x3,5	18x22,5x3,5	10
215 R - 220	Chass. -> 313567		0810	A	216x152x3,3	18x22x3,5	10
	Chass. 313566 ->		0812	A	184x127x3,3	18x22x3,5	10
220			0402	B 2	216x152x3,2	18x22x3,5	10
220 C			0812	A	184x127x3,3	18x22x3,5	10
250 - 255 C		Main clutch	1068	A	216x152x3,2	22,5x25x ev	10
300..350							
300 - 300 DT (Yugo)		Main clutch	1068	A	216x152x3,2	22,5x25x ev	10
311 R - 312 R - 331 R - 315			0810	A	216x152x3,3	18x22x3,5	10
		Main clutch	0813	A	230x160x3,3	35x40x ev	14
		P.T.O.	0814	A	230x160x3,3	18x22x3,5	10
350 N			0309	B 8	250x155x3,5	29x35x4,5	10
350 S - 350 NS		Main clutch	1080	A	254x165x3,5	35x40x ev	14
		P.T.O.	1230	A	254x165x3,5	17,5x20x ev	10
400..480							
400 - 400 DT		Main clutch	1080	A	254x165x3,5	35x40x ev	14
		P.T.O.	1230	A	254x165x3,5	17,5x20x ev	10
400/6 Modena			1216	BL 2	250x155x3,5	29x35x5,5	10
411 R - 411 R Aus			1210	A	250x155x3,5	29x35x5,5	10
		Main clutch	0813	A	230x160x3,3	35x40x ev	14
		P.T.O.	0814	A	230x160x3,3	18x22x3,5	10
411 R Aus - 411 T - 431 R			3920	A - CX	Ø 230 4+4 pads 37x67x3,5	35x40x ev	14
411 T - 431 R - 415 - 415 DT - 415 R			1210	A	250x155x3,5	29x35x5,5	10
		Main clutch	0813	A	230x160x3,3	35x40x ev	14
		P.T.O.	0814	A	230x160x3,3	18x22x3,5	10
415 R 1° Serie - 415DT - 411R			3920	A - CX	Ø 230 4+4 pads 37x67x3,5	35x40x ev	14
420 - 420 DT		P.T.O.	3584	A	254x165x3,5	19x22x ev	10
		Main clutch	0981	A	254x164x3,5	35x40x ev	14
440 - 440 DT - 440 Vigneto		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
		Main clutch	1162	AL	280x165x4	34x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
450 - DT - DAL	Chass. -> 30000	Main clutch	1390	B 18	254x164x3,5	35x40x ev	14
	Chass. -> 30000	P.T.O.	1070	A	254x165x3,5	22x25x ev	10
	Chass. -> 30000	Main clutch	1080	A	254x165x3,5	35x40x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	3591	AL	254x171x3,5	35x40x ev	14
	Chass. -> 30000	Main clutch	3556	A - CX	Ø 254 6+6 pads 37x67x3,5	35x40x ev	14
	Chass. -> 30000	Main clutch	3921	A - CX	Ø 254 6+6 pads 37x67x3,5	35x40x ev	14
450 - 450 DT - 450 DAL	Chass. 30001 ->	Main clutch	0981	A	254x164x3,5	35x40x ev	14
	Chass. 30001 ->	P.T.O.	1070	A	254x165x3,5	22x25x ev	10
		Main clutch	3584	A	254x165x3,5	19x22x ev	10
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	1073	A	280x165x3,5	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	1162	AL	280x165x4	34x40x ev	14
			4128	AL	280x165x4,5	35x40x ev	14
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
	Chass. 30001 ->	Main clutch	1479	B 18 - CX	Ø 254 6+6 pads 37x67x3,5	35x40x ev	14
		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14
	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
460 - 460 DT - 470 - 470 DT		P.T.O.	3591	AL	254x171x3,5	35x40x ev	14
		Main clutch	0981	A	254x164x3,5	35x40x ev	14
		P.T.O.	3584	A	254x165x3,5	19x22x ev	10
480 - 480 Vigneto		P.T.O.	3591	AL	254x171x3,5	35x40x ev	14
		Main clutch	0981	A	254x164x3,5	35x40x ev	14
		Main clutch	1479	B 18 - CX	Ø 254 6+6 pads 37x67x3,5	35x40x ev	14
		P.T.O.	1070	A	254x165x3,5	22x25x ev	10
480 S - 480.8 - 480.8 DT - 480 DT Vigneto		Main clutch	3584	A	254x165x3,5	19x22x ev	10
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
		Main clutch	3404	AL	280x165x3,4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	1073	A	280x165x3,5	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	1162	AL	280x165x4	34x40x ev	14
			4128	AL	280x165x4,5	35x40x ev	14
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14
	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
500..580							
500 DT - DAL - DAL DT - S		Main clutch	0981	A	254x164x3,5	35x40x ev	14
	England	P.T.O.	1070	A	254x165x3,5	22x25x ev	10
	England	Main clutch	1080	A	254x165x3,5	35x40x ev	14
		P.T.O.	3591	AL	254x171x3,5	35x40x ev	14
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
	Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	1073	A	280x165x3,5	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
	Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
512 R - 513 R		Brake Disc	3132	DF	230x160x6,2	55x60x ev	22
		P.T.O.	4032	A	250x155x3,5	45x50,5x ev	18
		Main clutch	0861	A	280x165x3,5	30x35x ev	12
		P.T.O.	1454	A - CX	Ø 250 12+12 pads 52x36x3,5	45x50,5x ev	18
		Main clutch	1457	A - CX	Ø 280 6+6 pads 57x64x3,5	30x35x ev	12
512 R - 513 R 1° Serie		Main clutch	0815	A	280x165x3,5	30x35x ev	12
		P.T.O.	4031	A	250x155x3,5	45x50,5x ev	18
512 R - 513 R 2° Serie		Main clutch	0861	A	280x165x3,5	30x35x ev	12
		P.T.O.	4032	A	250x155x3,5	45x50,5x ev	18
540 - 540 DT - 540 S		Main clutch	0981	A	254x164x3,5	35x40x ev	14
			1070	A	254x165x3,5	22x25x ev	10
		Main clutch	1080	A	254x165x3,5	35x40x ev	14
		P.T.O.	3591	AL	254x171x3,5	35x40x ev	14
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
	England & Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10
	England	Main clutch	1073	A	280x165x3,5	35x40x ev	14
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
	England	Main clutch	1478	B 18 - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
	England	Main clutch	1484	A - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
	England	P.T.O.	1485	A - CX	Ø 280 12+12 pads 52x36x3,5	22x25x ev	10
	550 DT Special			3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev
550 - 550 DT	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	1073	A	280x165x3,5	35x40x ev	14
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10
			4128	AL	280x165x4,5	35x40x ev	14
		With covered springs	3767	B 18 - CX	Ø 254 4+4 pads 57x64x3,5	35x40x ev	14
		Rigid version	3768	A - CX	Ø 254 4+4 pads 57x64x3,5	35x40x ev	14
570 - 570 Vigneto - Frutteto - Frutteto DT	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
	Main clutch	Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
			4056	B 18	280x165x3,5	35x40x ev	14
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
	Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
570 - 570 DT	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
		Main clutch	3404	AL	280x165x3,4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	1073	A	280x165x3,5	35x40x ev	14
	Main clutch	Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
			4056	B 18	280x165x3,5	35x40x ev	14
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10
			4128	AL	280x165x4,5	35x40x ev	14
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
	High performance	Main clutch	4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
			4155	A - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14
580		Main clutch	3404	AL	280x165x3,4	35x40x ev	14
	England & Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10
	England	Main clutch	1073	A	280x165x3,5	35x40x ev	14
	Germany	Main clutch	1162	AL	280x165x4	34x40x ev	14
	England	Main clutch	1478	B 18 - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
	England	P.T.O.	1484	A - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	England	P.T.O.	1485	A - CX	Ø 280 12+12 pads 52x36x3,5	22x25x ev	10
580 - 580 DT		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
			4128	AL	280x165x4,5	35x40x ev	14
	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
		Main clutch	1073	A	280x165x3,5	35x40x ev	14
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10
		Main clutch	3404	AL	280x165x3,4	35x40x ev	14
	Main clutch	Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
			4056	B 18	280x165x3,5	35x40x ev	14
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14
	High performance		4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
			4155	A - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14
600..680							
600 - 600 DT	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
	England & Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10
	England	Main clutch	1073	A	280x165x3,5	35x40x ev	14
	Germany	Main clutch	4055	A	280x165x3,8	35x40x ev	14
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10
			4128	AL	280x165x4,5	35x40x ev	14
	England	Main clutch	1478	B 18 - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
	England	P.T.O.	1484	A - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
	England	P.T.O.	1485	A - CX	Ø 280 12+12 pads 52x36x3,5	22x25x ev	10
612 R - 615 R		Brake Disc	3132	DF	230x160x6,2	55x60x ev	22
	P.T.O.	S / Paraolio	4032	A	250x155x3,5	45x50,5x ev	18
	Main clutch	S / Paraolio	0861	A	280x165x3,5	30x35x ev	12
	P.T.O.	S / Paraolio	1454	A - CX	Ø 250 12+12 pads 52x36x3,5	45x50,5x ev	18
	Main clutch	S / Paraolio	1457	A - CX	Ø 280 6+6 pads 57x64x3,5	30x35x ev	12
612 R - 615 R 1° Serie	Main clutch	C/ Paraolio	0815	A	280x165x3,5	30x35x ev	12
	P.T.O.	C/ Paraolio	4031	A	250x155x3,5	45x50,5x ev	18
612 R - 615 R 2° Serie	Main clutch	S / Paraolio	0861	A	280x165x3,5	30x35x ev	12
	P.T.O.	S / Paraolio	4032	A	250x155x3,5	45x50,5x ev	18
615			1040	A	250x155x3,5	30x35x ev	12
640 - 640 DT	England & Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	England	Main clutch	1073	A	280x165x3,5	35x40x ev	14
	Germany	Main clutch	1162	AL	280x165x4	34x40x ev	14
			4128	AL	280x165x4,5	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
			4155	A - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14
	England	Main clutch	1478	B 18 - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
	England	P.T.O.	1484	A - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
England	P.T.O.	1485	A - CX	Ø 280 12+12 pads 52x36x3,5	22x25x ev	10	
650 - 650 DT - 650 Special		Brake Disc	3132	DF	230x160x6,2	55x60x ev	22
		P.T.O.	4032	A	250x155x3,5	45x50,5x ev	18
		Main clutch	0861	A	280x165x3,5	30x35x ev	12
		P.T.O.	0927	A	280x165x3,5	45x50,5x ev	18
		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
		Main clutch	1215	A	310x175x3,5	40x45x ev	16
		Main clutch	0937	A	310x191x3,5	30x35x ev	12
			1453	A - CX	Ø 280 12+12 pads 52x36x3,5	45x50x ev	18
		P.T.O.	1454	A - CX	Ø 250 12+12 pads 52x36x3,5	45x50,5x ev	18
		Main clutch	1457	A - CX	Ø 280 6+6 pads 57x64x3,5	30x35x ev	12
			1476	A - CX	Ø 310 6+6 pads 57x64x3,5	30x35x ev	12
650 Special		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
		Main clutch	1215	A	310x175x3,5	40x45x ev	16
		Main clutch	1469	A - CX	Ø 310 6+6 pads 57x64x4	28x32x ev	11
		Main clutch	1405	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
670 - 670 DT - Frutteto - E DT	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10
		Main clutch	3404	AL	280x165x3,4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	1073	A	280x165x3,5	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
			4056	B 18	280x165x3,5	35x40x ev	14
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
	High performance		4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14	
	Main clutch		3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
			4155	A - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14	
680			3834	A - CX	Ø 245 4+4 pads 57x64x3,5	35x40x ev	14	
	Main clutch	78 ->	3081	A - CX	Ø 280 6+6 pads 57x64x3,5	35x40x ev	14	
680 - 680 DT	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
		Main clutch	1073	A	280x165x3,5	35x40x ev	14	
	Main clutch	Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
			4056	B 18	280x165x3,5	35x40x ev	14	
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10	
		Main clutch	1162	AL	280x165x4	34x40x ev	14	
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
		Main clutch	3464	BL 8	300x170x4	46x56x7	10	
		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14	
	High performance		4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14	
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
			4155	A - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14	
700..780								
700 - 700 E - 715 - 715 DT		Brake Disc	3132	DF	230x160x6,2	55x60x ev	22	
	P.T.O.	S / Paraolio	4032	A	250x155x3,5	45x50,5x ev	18	
	Main clutch	S / Paraolio	0861	A	280x165x3,5	30x35x ev	12	
		P.T.O.	0927	A	280x165x3,5	45x50,5x ev	18	
		P.T.O.	1093	A	310x175x3,5	28x32x ev	11	
		Main clutch	1215	A	310x175x3,5	40x45x ev	16	
		Main clutch	0937	A	310x191x3,5	30x35x ev	12	
			1453	A - CX	Ø 280 12+12 pads 52x36x3,5	45x50x ev	18	
	P.T.O.	S / Paraolio	1454	A - CX	Ø 250 12+12 pads 52x36x3,5	45x50,5x ev	18	
	Main clutch	S / Paraolio	1457	A - CX	Ø 280 6+6 pads 57x64x3,5	30x35x ev	12	
			1473	A - CX	Ø 330 6+6 pads 57x64x3,5	40x45x ev	16	
	740	England & Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		England	Main clutch	1073	A	280x165x3,5	35x40x ev	14
Germany		Main clutch	1162	AL	280x165x4	34x40x ev	14	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
	England	Main clutch	1478	B 18 - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14	
	England	P.T.O.	1484	A - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14	
	England	P.T.O.	1485	A - CX	Ø 280 12+12 pads 52x36x3,5	22x25x ev	10	
750 - 750 DT		Brake Disc	3132	DF	230x160x6,2	55x60x ev	22	
		P.T.O.	4032	A	250x155x3,5	45x50,5x ev	18	
		Main clutch	0861	A	280x165x3,5	30x35x ev	12	
			P.T.O.	0927	A	280x165x3,5	45x50,5x ev	18
			P.T.O.	1093	A	310x175x3,5	28x32x ev	11
			Main clutch	1215	A	310x175x3,5	40x45x ev	16
			Main clutch	0937	A	310x191x3,5	30x35x ev	12
				1453	A - CX	Ø 280 12+12 pads 52x36x3,5	45x50x ev	18
		P.T.O.	S / Paraolio	1454	A - CX	Ø 250 12+12 pads 52x36x3,5	45x50,5x ev	18
		Main clutch	S / Paraolio	1457	A - CX	Ø 280 6+6 pads 57x64x3,5	30x35x ev	12
				1476	A - CX	Ø 310 6+6 pads 57x64x3,5	30x35x ev	12
750 Special		P.T.O.	1093	A	310x175x3,5	28x32x ev	11	
		Main clutch	1215	A	310x175x3,5	40x45x ev	16	
			3590	A - CX	Ø 254 4+4 pads 57x64x3,5	30x35x ev	12	
		Main clutch	1405	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
		Main clutch	1469	A - CX	Ø 310 6+6 pads 57x64x4	28x32x ev	11	
766 - 766 D1 - 766 E - 766 E DT	Main clutch	76 ->	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	
780	Main clutch	78 ->	3081	A - CX	Ø 280 6+6 pads 57x64x3,5	35x40x ev	14	
780 - 780 DT - 780 E - 780 E DT	Valeo version	P.T.O.	4095	A	280x165x3	22x25x ev	10	
		Main clutch	3404	AL	280x165x3,4	35x40x ev	14	
	England & Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
	England	Main clutch	1073	A	280x165x3,5	35x40x ev	14	
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
			4056	B 18	280x165x3,5	35x40x ev	14	
	Germany	Main clutch	4055	A	280x165x3,8	35x40x ev	14	
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10	
			4128	AL	280x165x4,5	35x40x ev	14	
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14	
		Main clutch	3977	AL - CX	Ø 280 5+5 pads 57x64x3,5	35x40x ev	14	
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	High performance	Main clutch	4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
		Main clutch	3882	AL - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
			4155	A - CX	Ø 280 6+6 pads 57x64x4,3	35x40x ev	14
	England	Main clutch	1478	B 18 - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
	England	P.T.O.	1484	A - CX	Ø 280 12+12 pads 52x36x3,5	35x40x ev	14
	England	P.T.O.	1485	A - CX	Ø 280 12+12 pads 52x36x3,5	22x25x ev	10
800..880							
800 - 800 E		Brake Disc	3132	DF	230x160x6,2	55x60x ev	22
			4195	A	350x196x4	30x35x ev	12
			3173	A	352x216x4	45x50x ev	18
800 R			4195	A	350x196x4	30x35x ev	12
840		P.T.O.	3984	A	310x191x3,8	24x28x ev	10
	Valeo version	P.T.O.	3169	A	280x165x3,5	24x28x ev	10
		P.T.O.	3624	A	310x175x3,5	24x28x ev	10
	Valeo version	Main clutch	1426	A - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
		Main clutch	1405	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Main clutch	3982	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
850 - 850 DT - 850 S - 850 S DT	Valeo version	P.T.O.	3169	A	280x165x3,5	24x28x ev	10
	Chass. -> 995439	P.T.O.	1093	A	310x175x3,5	28x32x ev	11
	Chass. -> 995439	Main clutch	1215	A	310x175x3,5	40x45x ev	16
	Chass. -> 995439	P.T.O.	1403	B 19	310x175x3,5	40x45x ev	16
	Chass. -> 995439	Main clutch	1471	B 19	310x175x3,5	28x32x ev	11
		P.T.O.	3624	A	310x175x3,5	24x28x ev	10
		P.T.O.	3984	A	310x191x3,8	24x28x ev	10
	Valeo version	Main clutch	1426	A - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
	Chass. -> 995439	P.T.O.	1404	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Chass. -> 995439	Main clutch	1405	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Main clutch	3982	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Chass. -> 995439		3460	B 19 - CX	Ø 310 9+9 pads 57x64x3,5	40x45x ev	16
	880 - 880 DT		P.T.O.	4139	A	280x165x3	23x27,7x ev
Valeo version		P.T.O.	3169	A	280x165x3,5	24x28x ev	10
		P.T.O.	3624	A	310x175x3,5	24x28x ev	10
		P.T.O.	3984	A	310x191x3,8	24x28x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	Valeo version	Main clutch	1426	A - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
		Main clutch	1405	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Main clutch	3982	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
			4213	B 19 - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16
880 E - 880 E DT	High performance	P.T.O.	4192	A	310x190x3	24x28x ev	10
		P.T.O.	3624	A	310x175x3,5	24x28x ev	10
		P.T.O.	3984	A	310x191x3,8	24x28x ev	10
		Main clutch	3982	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
880 S	Chass. -> 995439	P.T.O.	1093	A	310x175x3,5	28x32x ev	11
	Chass. -> 995439	Main clutch	1215	A	310x175x3,5	40x45x ev	16
	Chass. -> 995439	P.T.O.	1404	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Chass. -> 995439	Main clutch	1405	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Chass. -> 995439	Main clutch	1470	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	28x32x ev	11
	Chass. -> 995439	Main clutch	1469	A - CX	Ø 310 6+6 pads 57x64x4	28x32x ev	11
880/4		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
		P.T.O.	1214	A	330x200x3,5	28x32x ev	11
			1462	B 19	330x200x3,5	40x45x ev	16
		Main clutch	1469	A - CX	Ø 310 6+6 pads 57x64x4	28x32x ev	11
			3460	B 19 - CX	Ø 310 9+9 pads 57x64x3,5	40x45x ev	16
			1461	B 19 - CX	Ø 330 6+6 pads 57x64x4	40x45x ev	16
880/5 - 880/5 DT	High performance	P.T.O.	4192	A	310x190x3	24x28x ev	10
		P.T.O.	3624	A	310x175x3,5	24x28x ev	10
		P.T.O.	3984	A	310x191x3,8	24x28x ev	10
		Main clutch	3982	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
900..980							
900 - 900 E		Brake Disc	3132	DF	230x160x6,2	55x60x ev	22
			4195	A	350x196x4	30x35x ev	12
			3173	A	352x216x4	45x50x ev	18
980 - 980 DT - E DT	High performance	P.T.O.	4192	A	310x190x3	24x28x ev	10
	Chass. -> 995439	P.T.O.	1093	A	310x175x3,5	28x32x ev	11


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	Chass. -> 995439	Main clutch	1215	A	310x175x3,5	40x45x ev	16
		P.T.O.	3624	A	310x175x3,5	24x28x ev	10
		P.T.O.	3984	A	310x191x3,8	24x28x ev	10
	Chass. -> 995439	P.T.O.	1404	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Chass. -> 995439	Main clutch	1405	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Chass. -> 995439	Main clutch	1470	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	28x32x ev	11
		Main clutch	3982	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Chass. -> 995439	Main clutch	1469	A - CX	Ø 310 6+6 pads 57x64x4	28x32x ev	11
		4213	B 19 - CX	Ø 310 8+8 pads 57x64x4	40x45x ev	16	
1000..1080							
1000 - 1000 DT - 1000 S - 1000 S DT		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
		P.T.O.	1214	A	330x200x3,5	28x32x ev	11
			1462	B 19	330x200x3,5	40x45x ev	16
		Main clutch	1469	A - CX	Ø 310 6+6 pads 57x64x4	28x32x ev	11
			3460	B 19 - CX	Ø 310 9+9 pads 57x64x3,5	40x45x ev	16
			1461	B 19 - CX	Ø 330 6+6 pads 57x64x4	40x45x ev	16
1000	Chass. -> 995439	Main clutch	1471	B 19	310x175x3,5	28x32x ev	11
	Chass. -> 995439	P.T.O.	1403	B 19	310x175x3,5	45x40x ev	16
	Chass. -> 995439		3460	B 19 - CX	Ø 310 9+9 pads 57x64x3,5	40x45x ev	16
1000 2° Serie	Chass. 995440 ->	P.T.O.	1213	A	330x200x3,5	40x45x ev	16
	Chass. 995440 ->	P.T.O.	1214	A	330x200x3,5	28x32x ev	11
	Chass. 995440 ->		1462	B 19	330x200x3,5	40x45x ev	16
	Chass. 995440 ->	Main clutch	1474	B 19	330x200x3,5	28x32x ev	11
	Chass. 995440 ->	Main clutch	1472	A - CX	Ø 330 6+6 pads 57x64x3,5	28x32x ev	11
1000 - 1000 E		Brake Disc	3132	DF	230x160x6,2	55x60x ev	22
			4195	A	350x196x4	30x35x ev	12
			3173	A	352x216x4	45x50x ev	18
1080 - 1080 DT	High performance	P.T.O.	4192	A	310x190x3	24x28x ev	10
		P.T.O.	3624	A	310x175x3,5	24x28x ev	10
		P.T.O.	3984	A	310x191x3,8	24x28x ev	10
		Main clutch	3982	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
	Valeo version	Main clutch	3983	AL - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
1100..1180							
1180 - 1180 DT		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
	High performance	P.T.O.	4116	A	310x191x3	28x32x ev	11
		P.T.O.	3746	A	310x191x3,8	28x32x ev	11
		Main clutch	1469	A - CX	Ø 310 6+6 pads 57x64x4	28x32x ev	11
		Main clutch	3745	AL - CX	Ø 310 8+8 pads 52x36x3,5	45x50x ev	18
1200..1280							
1280 - 1280 DT		Main clutch	4099	BL8 - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	18
1300..1380							
1300 - 1300 DT			3173	A	352x216x4	45x50x ev	18
		Main clutch	4099	BL8 - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	18
			3014	A - CX	Ø 350 6+6 pads 69x77x4	45x50x ev	18
			4197	BL8 - CX	Ø 350 8+8 pads 69x77x3,5	45x50x ev	18
1500..1580							
1580 - DT - 1580 DT Turbo - 1880 - DT		Main clutch	4099	BL8 - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	18
Tractor							
Trattore FIAT 740	Rinforzato	Reinforced	3933	A	241x165x3,5	23x29x4	10
Trattore RUMENO		P.T.O.	3584	A	254x165x3,5	19x22x ev	10
FIAT Calzolari							
Trattore 75066	30 HP		0810	A	216x152x3,3	18x22x3,5	10
FIAT - SOMECA (Fra)							
1300			3137	A	180x124x3,5	18x23x3	10
500 - 500 DT Special	Main clutch	Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
	Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10
511 A - 612 / 615 - 650 - 715 - 750			3456	A - CX	Ø 280 6+6 pads 57x64x3,5	30x35x ev	12
	Main clutch	S / Paraolio	0861	A	280x165x3,5	30x35x ev	12
			4031	A	250x155x3,5	45x50,5x ev	18
550 - 580 - 580 DT - 600		Main clutch	1162	AL	280x165x4	45x40x ev	14
	Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10
650 - 650 Special - 750 Special			1403	B 19	310x175x3,5	40x45x ev	16
		Main clutch	1215	A	310x175x3,5	40x45x ev	16
		P.T.O.	1093	A	310x175x3,5	28x32x ev	11
670	CO 3		3456	A - CX	Ø 280 6+6 pads 57x64x3,5	30x35x ev	12
780		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
	Germany	P.T.O.	1069	A	280x165x3,5	22x25x ev	10
800 - 850 - 900 - 1000			1471	B 19	310x175x3,5	28x32x ev	11
			1403	B 19	310x175x3,5	40x45x ev	16
840 - 880			1481	A	280x165x3,5	40x45x ev	16
		P.T.O.	3169	A	280x165x3,5	24x28x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
850 - 1000			1471	B 19	310x175x3,5	28x32x ev	11
			1403	B 19	310x175x3,5	40x45x ev	16
DA 50			0856	A	280x165x3,5	28x35x4	10
SOMECA							
SOM 20			0812	A	184x127x3,3	18x22x3,5	10
SOM 25			1300	A	216x152x3,3	18x22,5x3,5	10
SOM 35		Main clutch	0813	A	230x160x3,3	35x40x ev	14
SOM 40H - 55 Amplicouple - 55 Export	Main clutch	S / Paraolio	0861	A	280x165x3,5	30x35x ev	12
			4031	A	250x155x3,5	45x50,5x ev	18
			3456	A - CX	Ø 280 6+6 pads 57x64x3,5	30x35x ev	12
FIORE							
Betoniera		Brake Disc	4154	DF	165x89x4,7	45x50x ev	24
Muletto			1352	B 5	181x127x3,2	23x29x4	10
FIorentini							
Escavatore			0834	A	330x185x4	36x45x7	10
120	Mietitrebbia	Combine Harvester	1026	A	275x165x3,5	30x35x4	10
FIORIBETONDUMPERS							
Dumper 2 TM - Tordo			0192	B 2	184x127x3,2	23x29x4,5	10
Dumper Falco			0200	B 2	184x127x3,2	18x22,5x3,5	10
Autobetoniera Airone 1500			0947	B 22	250x155x3,5	21x25,4x4	10
Autobetoniera Airone 2000/2500			0309	B 8	250x155x3,5	29x35x4,5	10
Autobetoniera Airone 3000			0734	BL 8	302x191x3,5	31x38x6	10
FORD NEW HOLLAND							
230 A - 231 - 233 - 234 - 334 - 335 - 530 A			1433	B 8	280x165x3,5	21x25,4x4	10
230 A - 231 - 233 - 234 - 334 - 335 - 530 A - 333 - 334 - 335 - 530 A - 531		Main clutch	4292	AL	280x172x4	21x26x4	10
		Optional	1433	B 8	280x165x3,5	21x25,4x4	10
		Optional	1212	A	280x165x4	21x25,4x4	10
		P.T.O.	1092	AL	216x130x3,5	44,5x48,5x ev	29
231 - 335 - 531		P.T.O.	1092	AL	216x130x3,5	44,5x48,5x ev	29
		Main clutch	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
231 - 233		Main clutch	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
231		Optional	1212	A	280x165x4	21x25,4x4	10
		Main clutch	4292	AL	280x172x4	21x26x4	10
233		P.T.O.	1092	AL	216x130x3,5	44,5x48,5x ev	29
		Main clutch	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
333 - 335		P.T.O.	1092	AL	216x130x3,5	44,5x48,5x ev	29
		Main clutch	4448	AL	280x172x4	22x26x ev	15
445 C/D - 545 C/D			1433	B 8	280x165x3,5	21x25,4x4	10
2000 .. 8000							
2000 - 2100 - 2110 - 2120 - 2150 - 2300 - 2310 - 2600 - 2610 - 2810 - 2910		Main clutch	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
			4448	AL	280x172x4	22x26x ev	15
		Main clutch	1212	A	280x165x4	21x25,4x4	10
		Optional	1433	B 8	280x165x3,5	21x25,4x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	1092	AL	216x130x3,5	44,5x48,5x ev	29
			4293	B 14 L	325x191x3,5	21x25,5x4	10
			1431	B 8	325x191x4	21x25,5x4	10
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
3000 - 3055 - 3100 - 3120 - 3150 - 3300 - 3310 - 3330 - 3400 - 3500 - 3600 - 3610 - 3910		Main clutch	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
			1212	A	280x165x4	21x25,4x4	10
			4292	AL	280x172x4	21x26x4	10
			4448	AL	280x172x4	22x26x ev	15
		Optional	1433	B 8	280x165x3,5	21x25,4x4	10
		P.T.O.	1092	AL	216x130x3,5	44,5x48,5x ev	29
		Rigid version	4451	AL	325x200x4	22x26x ev	15
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
3230 - 3430 - 3630 - 3930			1431	B 8	325x191x4	21x25,5x4	10
			4293	B 14 L	325x191x3,5	21x25,5x4	10
3230 - 3430 - 3930 H / N / NO			4446	AL	325x200x3,6	21x26x4	10
3400 - 3550 - 3610			4446	AL	325x200x3,6	21x26x4	10
			4293	B 14 L	325x191x3,5	21x25,5x4	10
		Optional	1431	B 8	325x191x4	21x25,5x4	10
3435 - 3830 - 3935		Main clutch	4173	B 14	250x155x3,8	31x35x ev	18
		P.T.O.	4179	A	250x155x3,5	19x22,5x ev	13
3550		Main clutch	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
3550 - 3600 - 3610		P.T.O.	1092	AL	216x130x3,5	44,5x48,5x ev	29
		Main clutch	1212	A	280x165x4	21x25,4x4	10
3610 - 3900 R			1433	B 8	280x165x3,5	21x25,4x4	10
3900		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
3910 - 3930			4446	AL	325x200x3,6	21x26x4	10
			1431	B 8	325x191x4	21x25,5x4	10
			4293	B 14 L	325x191x3,5	21x25,5x4	10
		Rigid version	4451	AL	325x200x4	22x26x ev	15
4000 - 4100 - 4110 - 4130 - 4140 - 4200 - 4330 - 4340 - 4400 - 4410 - 4450 - 4500 - 4600 - 4600 - 4610 - 4630 - 4830 - 5030		Main clutch	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
		Main clutch	1212	A	280x165x4	21x25,4x4	10
		P.T.O.	1092	AL	216x130x3,5	44,5x48,5x ev	29
			1433	B 8	280x165x3,5	21x25,4x4	10
		Main clutch	4448	AL	280x172x4	22x26x ev	15
			4446	AL	325x200x3,6	21x26x4	10
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
			4451	AL	325x200x4	22x26x ev	15
4030 - 4230 - 4430			4226	BL 2	280x165x4,5	35x40x ev	14
			4095	A	280x165x3	22x25x ev	10
4835		P.T.O.	4334	A	310x190x3	22x25x ev	10
5000 - 5100 - 5200 - 5340		Main clutch	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
5000 - 5100 - 5200 - 5340 - 5600 - 5610 - 5700 - 6500 - 6600 - 6700 - 7600 - 7700			4447	AL	302x191x4,5	39x45x7	10
		Dual Power	1428	B 8	302x180x4	38x41,5x ev	25
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
5000 - 5100 - 5200 - 5340 - 5500 - 5600 - 5610 - 5700		Dual Power	1430	B 8	325x191x3,5	38x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			4299	AL	325x200x4,5	39x45x7	10
			3912	A	325x191x4	39x45x7	10
5000 - 5100 - 5200 - 5340 - 5600 - 5700			0923	AL	325x200x4	38x41,5x ev	25
5610			3873	BL8 - CX	Ø 325 5+5 pads 57x64x4	38x45x7	10
			0923	AL	325x200x4	38x41,5x ev	25
5635 - 6635 - 7635			4334	A	310x190x3	22x25x ev	10
5640 - 6640 - 7740 - 7840 - 8240 - 8340			3912	A	325x191x4	39x45x7	10
	also 12 x 12		3873	BL8 - CX	Ø 325 5+5 pads 57x64x4	38x45x7	10
			4299	AL	325x200x4,5	39x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10
			1430	B 8	325x191x3,5	38x45x7	10
6410 - 6610 - 6600 - 6700 - 6710 - 6810		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
			3912	A	325x191x4	39x45x7	10
			4299	AL	325x200x4,5	39x45x7	10
			3873	BL8 - CX	Ø 325 5+5 pads 57x64x4	38x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10
			1430	B 8	325x191x3,5	38x45x7	10
6600 - 6700			0923	AL	325x200x4	38x41,5x ev	25
6610 - 6710 - 6810 - 7610 - 7710 - 7910 - 8210			4447	AL	302x191x4,5	39x45x7	10
6610 - 6710 - 7610 - 7710 - 7910 - 8210			1428	B 8	302x180x4	38x41,5x ev	25
6610 - 6710 - 7610 - 7710 - 8210			0923	AL	325x200x4	38x41,5x ev	25
6640	16 x 4	91 ->	1430	B 8	325x191x3,5	38x45x7	10
	16 x 4	91 ->	3873	BL8 - CX	Ø 325 5+5 pads 57x64x4	38x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10
			4299	AL	325x200x4,5	39x45x7	10
	12 x 12	91 ->	3872	BL 8	325x191x4,3	38x45x7	10
	8 x 2	91 ->	3912	A	325x191x4	39x45x7	10
7000 - 7010 - 7100 - 7200 - 7600 - 7610 - 7700 - 7710 - 7810 - 7910			3912	A	325x191x4	39x45x7	10
			4299	AL	325x200x4,5	39x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10
	Dual Power		1430	B 8	325x191x3,5	38x45x7	10
7000 - 7100 - 7200 - 7600 - 7700			0923	AL	325x200x4	38x41,5x ev	25
7610 - 7710 - 7810 - 7910			3912	A	325x191x4	39x45x7	10
			4299	AL	325x200x4,5	39x45x7	10
			3873	BL8 - CX	Ø 325 5+5 pads 57x64x4	38x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
			1430	B 8	325x191x3,5	38x45x7	10
8000 - 8100 - 8210 - 8400 - 8530 - 8600			3873	BL8 - CX	Ø 325 5+5 pads 57x64x4	38x45x7	10
8010 - 8100 - 8210			3912	A	325x191x4	39x45x7	10
			4299	AL	325x200x4,5	39x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10
			1430	B 8	325x191x3,5	38x45x7	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
8630			4194	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	39x45x7	10
9000 - 9600 - 9700			1430	B 8	325x191x3,5	38x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10
			3873	BL8 - CX	Ø 325 5+5 pads 57x64x4	38x45x7	10
FORDSON TX							
30 - 32 - 34	103 - 114 - 129 kW	87 -> 94	4493	AL	352x216x4	29x35x5,5	10
INDUSTRIAL live drive - non live drive							
335 - 340 - 345 - 420 - 445 - 515 - 532 - 535 - 540 - 545 - 550 - 555			4446	AL	325x200x3,6	21x26x4	10
		Optional	1431	B 8	325x191x4	21x25,5x4	10
			4293	B 14 L	325x191x3,5	21x25,5x4	10
		Rigid version	4451	AL	325x200x4	22x26x ev	15
TS							
TS 80 - 90 - 100 - 110	8 x 12		3912	A	325x191x4	39x45x7	10
			4299	AL	325x200x4,5	39x45x7	10
TS 90 - 100 - 110	12 x 12		1430	B 8	325x191x3,5	38x45x7	10
			4294	B 14 L	325x191x3,5	39x45x7	10
TW							
TW 5 - 10 - 15		Rigid version	1473	A - CX	Ø 330 6+6 pads 57x64x3,5	40x45x ev	16
			3873	BL8 - CX	Ø 325 5+5 pads 57x64x4	38x45x7	10
TW 15 - 20 - 25 - 30 - 35			4194	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	39x45x7	10
		Rigid version	3910	A - CX	Ø 350 8+8 pads 57x64x4	39x45x7	10
FORDSON TRACTORS							
Motore Marino tipo 688			3970	A	160x110x2,5	18x23x3	10
2000 - 3000 - 4000			3926	A - CX	Ø 380 5+5 pads 57x64x3,5	21x26x4	10
5000		70 ->	3927	A - CX	Ø 280 5+5 pads 57x64x3,5	38x41,5x ev	25
5000 Dual - 5600 - 6700 Duo Power - 6600			3918	B8 - CX	Ø 302 15+15 pads 52x36x3,5	39x45x7	10
6610			3960	ALI	302x190x4	39x45x7	10
DEXTA							
Dexta 51 A			0804	ALI	280x165x3,6	29x35x5,5	10
			1455	A - CX	Ø 280 16+16 pads 52x36x3,5	29x35x5,5	10
Dexta 2000 32 HP	4 - 6 - 8 speed	65 -> 69	0921	ALI	280x165x3,5	22x26x ev	15
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
	Main clutch	65 -> 69	0919	ALI	280x165x4	22x26x ev	15
	Main clutch	69 -> 75	1433	B 8	280x165x3,5	21x25,4x4	10
	Main clutch	69 -> 75	1212	A	280x165x4	21x25,4x4	10
	P.T.O.	69 -> 75	1092	AL	216x130x3,5	44,5x48,5x ev	29
MAJOR							
Major Super pala	Industrial		3936	B 8	305x192x3,5	28x35x5,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Major - Super Major	Rigid version	52 ->	0804	ALI	280x165x3,6	29x35x5,5	10
	Heavy duty	52 ->	1455	A - CX	Ø 280 16+16 pads 52x36x3,5	29x35x5,5	10
			0847	A	302x191x4	29x35x5,5	10
		P.T.O.	0790	A	302x191x3,5	48x54x5,5	16
	Main clutch	60 ->	0805	A	325x200x4	29x35x5,5	10
Major 4000	48 HP - 4 speed	65 -> 69	0919	ALI	280x165x4	22x26x ev	15
	48 HP - 8 speed	65 -> 69	0918	ALI	280x165x3,5	22x26x ev	15
	48 HP - 4 / 8 speed	69 ->	1433	B 8	280x165x3,5	21x25,4x4	10
	48 HP - 4 / 8 speed	69 ->	1212	A	280x165x4	21x25,4x4	10
	48 HP - 4 speed Industrial & Utility	65 -> 69	0923	AL	325x200x4	38x41,5x ev	25
	48 HP - With or without P.T.O.		1432	B 8	280x165x4	22x25,5x ev	15
		Optional	4129	B8 - L	280x172x4	22x25,5x ev	15
	62 HP	72 ->	1433	B 8	280x165x3,5	21x25,4x4	10
			4130	B8 - L	280x172x4	21x25,4x4	10
62 HP - Agricolo		3018	B 8	280x172x4	22x25,5x ev	15	
Major 4000 Agricolo	62 HP		3919	B8 - CX	Ø 280 6+6 pads 57x64x4	22x25,5x ev	15
Major 4000 - 4400	48 HP - With or without P.T.O.	8 speed	1429	B 8	325x191x4	22x25,5x ev	15
Major 4400	3 Cyl.		3047	A - CX	Ø 325 20+20 pads 52x36x3,5	21x26x4	10
Major 4500	62 HP	72 ->	1431	B 8	325x191x4	21x25,5x4	10
Major Super	40 HP		4030	ALI	280x165x5	29x35x5,5	10
	Brake Disc	60 ->	1371	DF	165x89x4,7	55x59x ev	27
Major Super 5000	56 HP - 8 speed	65 -> 69	1428	B 8	302x180x4	38x41,5x ev	25
	56 HP Optional	65 -> 69	0922	AL	325x200x5	38x41,5x ev	25
	56 HP - Industrial		1060	A	325x191x5,5	29x35x5,5	10
	77 HP	70 -> 72	1428	B 8	302x180x4	38x41,5x ev	25
	P.T.O. 56 HP - 8 speed	64 ->	3905	ALI	302x180x4	38x41,5x ev	25
	56 HP - 8 speed Industrial	64 -> 71	1046	AL	302x191x3,4	38x41x ev	25
	Live Power Take-off		3800	A - CX	Ø 320 6+6 pads 57x64x3,5	29x35x5,5	10
Major Super Pala	Railcar N. Ireland Industrial	65 ->	1007	AL	302x191x3,5	29x35x5,5	10
Major Tractor	Live Power Take-off	Main clutch	0879	A	302x191x3,2	29x35x5,5	10
	Live Power Take-off	P.T.O.	0790	A	302x191x3,5	48x54x5,5	16
Railcar Northern Ireland							
Railcar Northern Ireland	Chass. 650 ->		3936	B 8	305x192x3,5	28x35x5,5	10
SUPER DEXTA							
Super Dexta	Main clutch	57 ->	0842	ALI	228x150x3,3	22x26x ev	15
	P.T.O. - 3 Cyl. Diesel 31 CV	57 ->	0841	A	228x150x3,3	44,5x48,5x ev	29
Super Dexta 2000		P.T.O.	0841	A	228x150x3,3	44,5x48,5x ev	29
		Main clutch	0842	ALI	228x150x3,3	22x26x ev	15
Super Dexta 3000			3168	A	310x191x3,5	22x26x ev	15
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
Super Dexta 3000 40 HP	Main clutch	64 -> 69	0919	ALI	280x165x4	22x26x ev	15
	P.T.O. - 8 speed	69 -> 75	1092	AL	216x130x3,5	44,5x48,5x ev	29
	Main clutch	69 -> 75	1433	B 8	280x165x3,5	21x25,4x4	10
	Main clutch	69 -> 75	1212	A	280x165x4	21x25,4x4	10
	With or without P.T.O.		1432	B 8	280x165x4	22x25,5x ev	15


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Raccogli Trincia Semovente E 280			1427	A	250x155x3,2	42x48x8	8
FOSSATI F.lli							
Castoro			3641	A	279x171x3,5	29x35x5,5	10
FRAZIER							
Agribuggy 2D - 3D	Ford XLD 418		2893	B 11	218x150x3,2	17x20x ev	17
Agribuggy 4D - 5D	Ford XLD 418 T		2893	B 11	218x150x3,2	17x20x ev	17
Agribuggy 1600			2793	B 11	190x136x3,2	17x20x ev2	17
FREIS							
Combine Harvester		Brake Disc	1408	DF	127x69x5	29x35x5,5	10
FRISCH							
F 65 B			1369	AL	250x155x4	26x32x4	10
FUCHS							
F 300			1209	A	200x130x3,2	26x32x4	10
F 301	Chass. -> 32-16905		1209	A	200x130x3,2	26x32x4	10
	Chass. 32-16906 ->		3695	ALI	200x130x3,5	26x32x4	10
F 301	eng. KHDF2L 912		4311	ALI	250x155x3,5	26x32x4	10
F 400			4311	ALI	250x155x3,5	26x32x4	10
GALANTINI							
12"	Gearbox MAN - 5M B25 - 1525 F		3565	A	300x190x3,5	32x40x5	10
13"			3747	A	325x200x4	32x40x5	10
14"			3572	A	380x200x4	36x45x5	10
15"			3627	A	352x216x5	32x40x5	10
GALION Grader							
503			1045	B 18	280x165x3,5	26x32x5	10
GEORGE FOWELL							
Dumper 15 CWT	Petters ABA 1 - Gear. 40 M - 41	66 ->	0870	A	200x130x3,2	21x26x4	10
GOLDONI							
452 - 454 - 602 - 604			4049	A	225x150x3,5	31x35x ev	18
			4298	A - CX	Ø 225 6+6 pads 37x67x3,5	31x35x ev	18
			4329	AL	228x155x3,5	20x23x ev	20
612 D - 614 D - 652 - 654			4329	AL	228x155x3,5	20x23x ev	20
662 - 664 - 762 - 764 - 772 - 774			4045	B 14	250x172x3,2	31x35x ev	18
			3949	A	250x155x3,5	20x23x ev	20
716 - 718 - 719 Standard			0857	A	184x127x3,2	15,5x19x3	10
921 - 926 - 928 - 930 - 932 - 933 - 919			0857	A	184x127x3,2	15,5x19x3	10
1836		Main clutch	4227	B 14	280x165x4	36x40x ev	20
		P.T.O.	4132	A	280x165x3,8	22x25x ev	10
3050 - 3445 - 3450		P.T.O.	4329	AL	228x155x3,5	20x23x ev	20
		Main clutch	4133	B 7	228x155x3,2	31x35x ev	18
3070 STAR - 3460		Main clutch	4045	B 14	250x172x3,2	31x35x ev	18
		P.T.O.	3949	A	250x155x3,5	20x23x ev	20
3070 V - 3070-12 - 3070-24 V		Main clutch	4329	AL	228x155x3,5	20x23x ev	20
COMPACT							
Compact			4329	AL	228x155x3,5	20x23x ev	20
			3606	A	216x152x3,2	20x23x ev	20
Compact		Main clutch	4412	A	225x140x3,8	31x35x ev	18
		P.T.O.	4413	A	225x140x3,8	20x23x ev	20


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Compact 664	52 kW	03 ->	4473	B 14 L	225x150x3,8	36x40x ev	20
Compact 664	52 kW	03 ->	4476	A	225x150x3,3	22x25x ev	14
IDEA							
Idea			4486	A	181x127x3	31x35x ev	18
MAXTER							
Trattrice			4420	BL 2	280x172x3,8	31x35x ev	18
Motofalciatrici - Motor-mower							
Export		Motor-mower	0857	A	184x127x3,2	15,5x19x3	10
Export 2° Serie		Motor-mower	0857	A	184x127x3,2	15,5x19x3	10
Super		Motor-mower	1150	A	184x127x3	18x22,5x3,5	10
Motocoltivatori - Motocultivator							
Export 1° Serie		Motocultivator	1224	A	160x110x3	15x19x3	10
Export 2° Serie		Motocultivator	0857	A	184x127x3,2	15,5x19x3	10
Special			3626	A	160x110x3,5	15,5x19x3	10
			4459	A	160x110x4	15,5x19x3	10
Super		Motocultivator	1150	A	184x127x3	18x22,5x3,5	10
			4484	A	184x127x3,2	18x22,5x3,5	10
STAR							
70		Main clutch	4285	B 14 L	280x180x3,5	31x35x ev	18
		Optional	4286	B8 - CX	Ø 280 6+6 pads 57x64x3,2	31x35x ev	18
			4479	B 14 L	280x165x3,8	31x35x ev	18
		P.T.O.	4349	A	280x165x3,5	20x23x ev	20
75		Main clutch	4045	B 14	250x172x3,2	31x35x ev	18
		P.T.O.	3949	A	250x155x3,5	20x23x ev	20
			4480	B 14 L	250x155x4	31x35x ev	20
75 - 85 - C 85		Main clutch	4285	B 14 L	280x180x3,5	31x35x ev	18
		Optional	4286	B8 - CX	Ø 280 6+6 pads 57x64x3,2	31x35x ev	18
			4479	B 14 L	280x165x3,8	31x35x ev	18
		P.T.O.	4349	A	280x165x3,5	20x23x ev	20
3050	36 kW		4481	A	225x150x3,3	20x23x ev	20
			4477	B 14 L	225x150x3,8	31x35x ev	18
3070	46 kW		4475	A	250x155x3,5	22x25x ev	14
			4474	B14 L - CX	Ø 225 6+6 pads 37x67x4	31x35x ev	18
			4480	B 14 L	250x155x4	31x35x ev	20
			4481	A	225x150x3,3	20x23x ev	20
3070 V			4474	B14 L - CX	Ø 225 6+6 pads 37x67x4	31x35x ev	18
Serie 600							
662			4480	B 14 L	250x155x4	31x35x ev	20
Serie 700							
762			4480	B 14 L	250x155x4	31x35x ev	20
Serie 1000							
1836			4482	A	280x165x3,2	22x25x ev	14
			4478	B 14 L	280x165x3,8	36x40x ev	20
Serie 3000							
3045 - 3050			4481	A	225x150x3,3	20x23x ev	20
			4477	B 14 L	225x150x3,8	31x35x ev	18


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
3445 - 3450			4481	A	225x150x3,3	20x23x ev	20
			4477	B 14 L	225x150x3,8	31x35x ev	18
TRANSCAR							
Transcar 38-40			0209	A	216x152x3,2	18x22x3,5	10
TRATTORI - TRACTORS							
Trattore con cingoli			4407	A - CX	Ø 228 6+6 pads 37x67x3,5	31x35x ev	18
224 - 230 - 233 - 324 Universal			0857	A	184x127x3,2	15,5x19x3	10
233 - 236 - 238 - 240 Universal			0209	A	216x152x3,2	18x22x3,5	10
518T - 521T Universal			0857	A	184x127x3,2	15,5x19x3	10
828 - 834			0209	A	216x152x3,2	18x22x3,5	10
919 - 921 - 926 - 928 - 930			0857	A	184x127x3,2	15,5x19x3	10
1038 - 1040			0209	A	216x152x3,2	18x22x3,5	10
GROSS							
AK 35			1514	B 17	380x200x3,5	36x45x5	10
GK 81			1955	B 14	250x155x3,5	26x32x4	10
UB 2		-> 51	1323	ALI	225x150x3,5	23x29x4,5	10
		52 ->	3673	ALI	250x155x3,5	23x29x4,5	10
UB 600	KHDF4L912		1955	B 14	250x155x3,5	26x32x4	10
GROVE COLES CRANES							
TMS 180	R 860 Gearbox	V 555	3952	BL 8	380x206x5	36x45x7	10
GRUNDNER							
TK15							
TK 15			4464	A	160x110x2,7	24x28x6	6
GUIDETTI MOTORI							
A 210			0199	A	140x96x3,2	14x17x4	6
A 390 - A 450			4452	A	155x114x3,9	14x17x4	6
DA 360 - DA 450			4452	A	155x114x3,9	14x17x4	6
DA 700			0200	B 2	184x127x3,2	18x22,5x3,5	10
GULDNER							
2 BS - 2 LB			4312	ALI	225x150x3,5	26x32x5	10
2 DN - 2 LD			3083	A	225x150x3,5	32x40x4	10
2 LD - 3 LKN			1323	ALI	225x150x3,5	23x29x4,5	10
2 LK - 2 LD	WHF 8,5		0822	ALI	200x130x3,5	23x29x4	10
	WHF 6,3		0867	A	200x130x3,2	18x23x3	10
A							
A 15 - AF 15 - AF 20			0822	ALI	200x130x3,5	23x29x4	10
A 25 - A 28 - AG 25	WHF 11		4312	ALI	225x150x3,5	26x32x5	10
			4101	A	225x155x3,5	26x32x4	10
A 28	30 PS	Schlepper	0838	A	250x155x3,5	26x32x5	10
			1088	B 18	250x155x4	26x32x5	10
A 28 - AF 30			4311	ALI	250x155x3,5	26x32x4	10
A 2K	9 kW		0822	ALI	200x130x3,5	23x29x4	10
A 2K N - AK	15 PS		0863	A	181x124x3,5	23x29x4	10
A 2W - A 2L - D 132W/L Tessin			0822	ALI	200x130x3,5	23x29x4	10
A 3 K - A 4 MS	34 PS	Main clutch	3050	A	200x130x3,2	26x32x5	10
			0844	A	228x150x3,5	23x29x4	10
	34 PS	P.T.O.	3841	A	200x130x3,5	46x50x9	8
A 3P			3115	A	250x155x3,5	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
AB - ABL - A 2B - A 2BL			0828	ALI	225x150x3,5	23x29x4	10
			4101	A	225x155x3,5	26x32x4	10
ABS - ALB - ABN - ADK - ADN - ALD - ALK			0822	ALI	200x130x3,5	23x29x4	10
AFN - AFS	22 - 26 kW		4311	ALI	250x155x3,5	26x32x4	10
BOOTSMOT.							
WHF 8,5			0822	ALI	200x130x3,5	23x29x4	10
WHF 11			4312	ALI	225x150x3,5	26x32x5	10
D							
D 88 E	11 kW		0862	A	181x127x3,2	23x29x4	10
D 132 L / W			0822	ALI	200x130x3,5	23x29x4	10
G							
G 25		P.T.O.	3841	A	200x130x3,5	46x50x9	8
	24 PS - Schlepper		0828	ALI	225x150x3,5	23x29x4	10
		Main clutch	3048	A	225x150x3,5	23x29x4	10
G 30 - G 40 - G 40 S		P.T.O.	3685	A	228x150x3,5	46x50x9	8
			4314	AL	250x155x3,5	23x29x4	10
		Main clutch	1004	A	250x155x3,5	23x29x4	10
G 45 - G 50 - G 50 S		P.T.O.	3687	A	250x155x3,5	46x50x9	8
		Main clutch	0839	A	280x165x3,5	23x29x4	10
G 60		P.T.O.	3769	A	280x165x3,5	46x50x9	8
L							
LK	Bootsmotor		3970	A	160x110x2,5	18x23x3	10
GUSS & ARMATURENWERK							
Monax 106			3970	A	160x110x2,5	18x23x3	10
GUTBROD							
ATLAS 1000/34			0366	AL	181x124x3,8	18,3x20,7x ev	24
			0354	BL 3	181x124x3,8	18x20x ev	24
F2 M 414	KHD-18KW		4312	ALI	225x150x3,5	26x32x5	10
415 E	1 Cyl.		4312	ALI	225x150x3,5	26x32x5	10
GTA 40			4049	A	225x150x3,5	31x35x ev	18
		P.T.O.	3736	A	225x150x3,5	19x22,5x ev	13
KDW 415 E	MWM-11KW		4312	ALI	225x150x3,5	26x32x5	10
1020 - 1030 - 1031 - 1035 - 1040 - 1050			4489	A	140x96x2,7	18,1x23,4x3,1	10
1040 D - 1050 D			4489	A	140x96x2,7	18,1x23,4x3,1	10
2500 DS		72 ->	0098	B 3	160x110x3,2	15,2x17,3x3	20
2900 - A - D - E - K			4049	A	225x150x3,5	31x35x ev	18
		P.T.O.	3736	A	225x150x3,5	19x22,5x ev	13
3000			3970	A	160x110x2,5	18x23x3	10
HAAS							
R 12 - R 17	12 - 17 PS		0863	A	181x124x3,5	23x29x4	10
R 20 - R 28	20 - 28 PS		4312	ALI	225x150x3,5	26x32x5	10
R 22	22 PS		4312	ALI	225x150x3,5	26x32x5	10
R 24	24 PS		0822	ALI	200x130x3,5	23x29x4	10
K 2 DPR	22 HP		1036	ALI	228x150x3,5	26x32x5	10
60 CV			1035	A	310x175x4	32x40x5	10
HANDBURY MACHINERY							
Sprayranger TDI 3	Land Rover TDI	89 ->	2654	BL 2	241x162x3,8	23x26x ev	23
Sprayranger 90	Landrover 90		2654	BL 2	241x162x3,8	23x26x ev	23
HANOMAG - RHEINSTAHL							
B							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Brillant 500 (R 448) - Brillant 600	D 28 CR	P.T.O.	3687	A	250x155x3,5	46x50x9	8
	D 28 CR		0839	A	280x165x3,5	23x29x4	10
Brillant 600 - 601			4152	AL	280x164x4	45x50x ev	24
			0839	A	280x165x3,5	23x29x4	10
Brillant 700 - 701			4171	A	310x191x3,8	45x50x ev	24
C							
C 112	D 611		0863	A	181x124x3,5	23x29x4	10
C 218 - R 223 - C 224 - R 228	D 621		3090	A	250x155x3,5	23x29x4,5	10
D							
D 224 - R 228	D 621		3088	A	225x150x3,5	23x29x4,5	10
	D 621		1104	B 4	225x150x3,5	23x29x4,5	10
	D 621		0828	ALI	225x150x3,5	23x29x4	10
D 324 S	D 621		3088	A	225x150x3,5	23x29x4,5	10
F							
F 45	D 621 S		1955	B 14	250x155x3,5	26x32x4	10
F 46	D 621 S		3601	B 14	250x155x3,2	23x29x4,5	10
F 46 - S 55	D 142 L1		1955	B 14	250x155x3,5	26x32x4	10
F 65 - F 75	D 142 L2		1955	B 14	250x155x3,5	26x32x4	10
G							
Garant	D 351 GL		1955	B 14	250x155x3,5	26x32x4	10
Granit 500		P.T.O.	3685	A	228x150x3,5	46x50x9	8
			4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
Granit 500 E - 501		P.T.O.	1768	B4 L	225x150x3,5	45x50x ev	24
		Main clutch	1759	BL 2	241x162x3,8	23x29x4	10
GR 8			3093	A	380x200x4	36x45x5	10
GR 11 - GR 12	961 E		3089	A	380x200x4	36x45x5	10
K							
K 4		62 ->	3087	A - CX	Ø 280 6+6 pads 37x67x3,5	26x32x4	10
K 5			3086	A - CX	Ø 310 6+6 pads 57x64x3,5	28x35x4	10
M							
Maakant	D 351		1955	B 14	250x155x3,5	26x32x4	10
P							
Perfekt 300	D14 CR	P.T.O.	3841	A	200x130x3,5	46x50x9	8
	D14 CR	Main clutch	0844	A	228x150x3,5	23x29x4	10
Perfekt 400	Chass. -> 1685290	P.T.O.	3841	A	200x130x3,5	46x50x9	8
	Chass. -> 1685290	Main clutch	0844	A	228x150x3,5	23x29x4	10
Perfekt 400	Chass. 1685291 ->	P.T.O.	3842	A	200x130x3,5	45x50x ev	24
	Chass. 1685291 ->	Main clutch	0844	A	228x150x3,5	23x29x4	10
Perfekt 400 E	Chass. ->1628093	P.T.O.	3841	A	200x130x3,5	46x50x9	8
	Chass. ->1628093	Main clutch	0844	A	228x150x3,5	23x29x4	10
Perfekt 400 E	Chass. 1628094 ->	P.T.O.	3842	A	200x130x3,5	45x50x ev	24
	Chass. 1628094 ->	Main clutch	0844	A	228x150x3,5	23x29x4	10
R							
Robust			3685	A	228x150x3,5	46x50x9	8
			0988	A	250x155x3,5	28x35x4	10
Robust 800			3092	A	350x196x4	36x42x7	8
Robust 900 - 901			4171	A	310x191x3,8	45x50x ev	24
Robust D 941			3092	A	350x196x4	36x42x7	8


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
R 12	D 621 S		0863	A	181x124x3,5	23x29x4	10
R 13	2 Cyl.		3088	A	225x150x3,5	23x29x4,5	10
	2 Cyl.		1104	B 4	225x150x3,5	23x29x4,5	10
	2 Cyl.		0828	ALI	225x150x3,5	23x29x4	10
R 16 - R 19	D 14 S		3088	A	225x150x3,5	23x29x4,5	10
	D 14 S		1104	B 4	225x150x3,5	23x29x4,5	10
	D 14 S		0828	ALI	225x150x3,5	23x29x4	10
R 18 - R 24	D 621 S		3088	A	225x150x3,5	23x29x4,5	10
	D 621 S		0828	ALI	225x150x3,5	23x29x4	10
R 22 - R 27	D 21 S		3088	A	225x150x3,5	23x29x4,5	10
	D 21 S		1104	B 4	225x150x3,5	23x29x4,5	10
	D 21 S		0828	ALI	225x150x3,5	23x29x4	10
R 28 - R 35	D 28 - R35		4311	ALI	250x155x3,5	26x32x4	10
R 35 S	D 28 - R 35 St		0827	A	350x195x4	32x40x5	10
R 35 - 45		P.T.O.	3685	A	228x150x3,5	46x50x9	8
		Main clutch	0988	A	250x155x3,5	28x35x4	10
R 40 - 45 - A C S			0827	A	350x195x4	32x40x5	10
R 55			0827	A	350x195x4	32x40x5	10
R 217 S	D 14		3088	A	225x150x3,5	23x29x4,5	10
	D 14		1104	B 4	225x150x3,5	23x29x4,5	10
	D 14		0828	ALI	225x150x3,5	23x29x4	10
R 224	D 14CR	Main clutch	0844	A	228x150x3,5	23x29x4	10
	D 14CR	P.T.O.	3841	A	200x130x3,5	46x50x9	8
R 224 - R 228	D 621 S		3088	A	225x150x3,5	23x29x4,5	10
	D 621 S		1104	B 4	225x150x3,5	23x29x4,5	10
	D 621 S		0828	ALI	225x150x3,5	23x29x4	10
R 324 S		P.T.O.	3685	A	228x150x3,5	46x50x9	8
		Main clutch	0988	A	250x155x3,5	28x35x4	10
	D 21		3088	A	225x150x3,5	23x29x4,5	10
	D 21		1104	B 4	225x150x3,5	23x29x4,5	10
	D 21		0828	ALI	225x150x3,5	23x29x4	10
R 332 Granit		P.T.O.	3685	A	228x150x3,5	46x50x9	8
		Main clutch	0988	A	250x155x3,5	28x35x4	10
R 336	D 21 CR		3685	A	228x150x3,5	46x50x9	8
			4314	AL	250x155x3,5	23x29x4	10
	D 21 CR		1004	A	250x155x3,5	23x29x4	10
R 435	D 28 / R435		4311	ALI	250x155x3,5	26x32x4	10
R 435/45 - 435 M		P.T.O.	3685	A	228x150x3,5	46x50x9	8
			0988	A	250x155x3,5	28x35x4	10
R 435 M - 435/45 - 440 - 442 - 450			4311	ALI	250x155x3,5	26x32x4	10
		P.T.O.	3685	A	228x150x3,5	46x50x9	8
		Main clutch	0988	A	250x155x3,5	28x35x4	10
R 448	028CR		3687	A	250x155x3,5	46x50x9	8
R 450	D 57		0827	A	350x195x4	32x40x5	10
R 445 - 450 - 455 ATK-BV			0827	A	350x195x4	32x40x5	10
T							
Type 301			3088	A	225x150x3,5	23x29x4,5	10
			1104	B 4	225x150x3,5	23x29x4,5	10
			0828	ALI	225x150x3,5	23x29x4	10
Type 401	D 14CR	Main clutch	3048	A	225x150x3,5	23x29x4	10
	D 14CR	P.T.O.	3841	A	200x130x3,5	46x50x9	8


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
HARNISCHFEGER							
AK 5-35			2774	B 14	280x165x3,5	32x40x5	10
GH DG 750			4350	A	380x200x3,5	45x52x6	10
T 201			0413	B 20	380x200x4	32x40x5	10
T 450 XL - T 600 XL	KHD F8L413F		2346	B 16	380x200x3,5	36x45x7	10
105 B-TC	6 x 6		1574	B 17	350x196x4	32x40x5	10
215 - 218 TC			2774	B 14	280x165x3,5	32x40x5	10
325 TC 88" - 430 TC			1006	A	310x175x3,5	32x40x5	10
HATZ							
715 J/H	E 85 FG		0824	A	181x124x3,5	18x23x3	10
A							
A 2			4312	ALI	225x150x3,5	26x32x5	10
D							
D 95			4311	ALI	250x155x3,5	26x32x4	10
D 108			3039	ALI	280x165x3,5	26x32x4	10
E							
E 71 - 75 - 79			3970	A	160x110x2,5	18x23x3	10
E 80 - 85 - 89 G - FG			0824	A	181x124x3,5	18x23x3	10
E 108			4311	ALI	250x155x3,5	26x32x4	10
			1209	A	200x130x3,2	26x32x4	10
			0308	A	250x155x3,5	29x35x5,5	10
E 571 - 671			3970	A	160x110x2,5	18x23x3	10
E 780 - 785			0824	A	181x124x3,5	18x23x3	10
E 950			0882	A	212x152x4	18x23x3	10
ES 71 - 75 - 79			3970	A	160x110x2,5	18x23x3	10
ES 780 - 785			0824	A	181x124x3,5	18x23x3	10
T							
T 13 - 16			0863	A	181x124x3,5	23x29x4	10
TL 10 - 12			0788	A	160x110x2,5	16x20x3,5	10
TL 15 - 18 - 22			0822	ALI	200x130x3,5	23x29x4	10
TL 26			4312	ALI	225x150x3,5	26x32x5	10
TL 35 - TL 38		P.T.O.	3685	A	228x150x3,5	46x50x9	8
			4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
V - Z							
V 95			4311	ALI	250x155x3,5	26x32x4	10
V 108			3039	ALI	280x165x3,5	26x32x4	10
Z 108			4311	ALI	250x155x3,5	26x32x4	10
			1209	A	200x130x3,2	26x32x4	10
Z 788 - 789 - 790			4101	A	225x155x3,5	26x32x4	10
			3695	ALI	200x130x3,5	26x32x4	10
HIEBLE Bergmeister							
353 - 353 A - 453 - 453 A			3874	A	230x150x3,5	42x45x ev	25
			3600	B 14	250x155x3,2	21x25x ev	13
553 - 553 A - 654 - 654 A - 754 - 754 A			1378	A	280x165x3,5	41x45x ev	22
		ZF version	4435	B 7 - CX	Ø 295 5+5 pads 57x64x4,5	23x29x4,5	10
			4024	B14 - CX	Ø 295 6+6 pads 57x64x4,3	23x29x4,5	10


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
HOLDER								
A								
A 8 B / D				4438	A	160x110x2,7	23x29x4	10
A 10				4464	A	160x110x2,7	24x28x6	6
A 12 B / D				4438	A	160x110x2,7	23x29x4	10
A 15 - 16	Holder-Diesel			3970	A	160x110x2,5	18x23x3	10
A 16	Hatz	74 ->		0824	A	181x124x3,5	18x23x3	10
A 20 - 21S - 30				1437	AL	181x127x3,2	23x29x4	10
A 45				0822	ALI	200x130x3,5	23x29x4	10
A 55				0822	ALI	200x130x3,5	23x29x4	10
AG 3 - AG 35 - AM 2				0822	ALI	200x130x3,5	23x29x4	10
B								
B 12 C				1437	AL	181x127x3,2	23x29x4	10
B 16	Lombardini			3970	A	160x110x2,5	18x23x3	10
B 16	Hatz	74 ->		0824	A	181x124x3,5	18x23x3	10
B10 A / B / D				4464	A	160x110x2,7	24x28x6	6
BED 11				4464	A	160x110x2,7	24x28x6	6
BS 12 B				1437	AL	181x127x3,2	23x29x4	10
E								
E 6				4506	A	140x96x2,7	16x20x2,5	10
E 8				4438	A	160x110x2,7	23x29x4	10
E 8 - 8 PS				4464	A	160x110x2,7	24x28x6	6
E 8 B / D				4438	A	160x110x2,7	23x29x4	10
E 10				4464	A	160x110x2,7	24x28x6	6
E 11				4464	A	160x110x2,7	24x28x6	6
E 12 B				1437	AL	181x127x3,2	23x29x4	10
EF				4464	A	160x110x2,7	24x28x6	6
EF 11				4464	A	160x110x2,7	24x28x6	6
P								
P 20				1690	B 5	190x136x3,2	17x19x ev	17
P 60				1437	AL	181x127x3,2	23x29x4	10
504								
504				4464	A	160x110x2,7	24x28x6	6
HURLIMANN								
H								
H 306 - 307				4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
H 345		Brake Disc		3409	DF	178x102x4,7	44x48x ev	23
		Main clutch		4204	AL	250x155x3,8	36x40x ev	20
		P.T.O.		4042	A	250x155x3,2	22x25x ev	14
H 351		P.T.O.		1344	A	230x160x3,3	35x40x ev	14
		Main clutch		4204	AL	250x155x3,8	36x40x ev	20
		P.T.O.		4203	AL	228x155x3,5	22x25x ev	14
		Main clutch		1343	B 18	250x150x4	20,8x25x4	10
H 355	Valeo version	P.T.O.		4042	A	250x155x3,2	22x25x ev	14
		Brake Disc		3409	DF	178x102x4,7	44x48x ev	23
		Main clutch		3592	A	280x165x3,5	36x40x ev	20
		P.T.O.		3827	A	280x165x3,2	22x25x ev	14
H 356 - H 358				4000	BL 2	279x171x3,5	36x41x ev	24
H 360		Brake Disc		3409	DF	178x102x4,7	44x48x ev	23


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	3592	A	280x165x3,5	36x40x ev	20
		P.T.O.	3827	A	280x165x3,2	22x25x ev	14
H 361 - 362 - 372			4148	AL	280x165x3,8	36x40x ev	20
			1121	A	280x165x4	22x25x ev	14
H 466 - 466.4 - 468 - 468.4			4000	BL 2	279x171x3,5	36x41x ev	24
H 470		Brake Disc	3409	DF	178x102x4,7	44x48x ev	23
		Main clutch	3592	A	280x165x3,5	36x40x ev	20
		P.T.O.	3827	A	280x165x3,2	22x25x ev	14
H 476			4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
H 478 - 478.4 - 478 T			4062	BL 8	302x191x4	36,5x41x ev	24
H 478.4 - Prestige			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
H 480		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
			4148	AL	280x165x3,8	36x40x ev	20
	Valeo Version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
H 481			4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
H 486 T			4062	BL 8	302x191x4	36,5x41x ev	24
H 488 T - Prestige			4062	BL 8	302x191x4	36,5x41x ev	24
			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
H 490			3473	BL 8	325x200x4	45x50x ev	24
	Valeo version		3996	A	350x196x4	45x50x ev	24
H 491			4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
H 496 T			3996	A	350x196x4	45x50x ev	24
H 5110 - 5160			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
			3996	A	350x196x4	45x50x ev	24
H 6130		Main clutch	1452	A - CX	Ø 350 6+6 pads 57x64x4	45x50x ev	24
H 6135 XB Elite			4138	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	41x45,3x ev	21
H 6136			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
H 6160 - 6170 - T			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
			3996	A	350x196x4	45x50x ev	24
XT							
906 - 908 - 909 - 910 USA			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
910.4 USA			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
910.6 USA			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
HURT							
Brake Disc		Brake Disc	4081	DF	165x89x4,7	40x45x ev	22
HBW 15 V - 18	Coupling	Giunto	4454	B 4	Ø 151,5	31,8x34,3	26
Hurt	Gearbox 926.819		1089	A	216x152x3,2	21x26x4	10
SAE 1 1/4"	Gearbox 714.932		1330	A	250x155x3,5	23x29x4,5	10
SAE 1 3/8"	Gearbox 714.932		0308	A	250x155x3,5	29x35x5,5	10
ICOMA							
TRC 4 - 1 - 2 Autobetoniera			3640	A	280x165x3,5	29x35x5,5	10
IMC							
IM 1000 Betoniera semovente			1089	A	216x152x3,2	21x26x4	10
IM 2000 Betoniera semovente			0945	A	250x155x3,2	23x29x4	10
IMR							
Tractor			4391	B 20	270x180x4,2	46x56x7	10
IMT							
5160 - 5200	180 - 200 PS		2403	B 16	420x220x3,5	42x52x6	10
			1931	B 16	420x220x3,5	36x45x7°	10
5270 - 5300			1931	B 16	420x220x3,5	36x45x7°	10
IRION							
DFG 1200 - 1500 - 2000 - 2500 - 3000			4101	A	225x155x3,5	26x32x4	10
DFG 1200 K - 1500 K - 2000 K - 2500 K			4311	ALI	250x155x3,5	26x32x4	10
HT 1216 - 1225 - 1231		52 ->	1232	ALI	200x130x3,5	23x29x4,5	10
ISEKI							
3510							
3510			4471	B 11	200x130x3,5	21x25x ev	13
TU							
180 TU			4471	B 11	200x130x3,5	21x25x ev	13
TX							
1300 TX			4470	B 11	184x127x3,5	21x25x ev	13
1500 TX			4470	B 11	184x127x3,5	21x25x ev	13
2140 TX			4470	B 11	184x127x3,5	21x25x ev	13
2140 TX - 2140 TX F			2512	B 5	181x127x3,2	18x20x ev	18
2160 TX			4470	B 11	184x127x3,5	21x25x ev	13
2160 TX - 2160 TX F			2512	B 5	181x127x3,2	18x20x ev	18
ITALMACCHINE							
Mosquito 06			0812	A	184x127x3,3	18x22x3,5	10
Mosquito 10			0209	A	216x152x3,2	18x22x3,5	10
Mosquito 15			0948	A	250x155x3,5	21x26x4	10
ITMA EDILTER GALLAMINI							
3.55 - 3.65			4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
3.75 - 3.85 Turbo			3830	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
			3829	A	310x175x3,5	22x25x ev	14
30 FL			1089	A	216x152x3,2	21x26x4	10
			1327	B 2	216x152x3,2	21x26x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
600 - 700			0998	AL	279x171x3,5	29x35x5,5	10
		Double disc	4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
		Double disc	1121	A	280x165x4	22x25x ev	14
A 35			1327	B 2	216x152x3,2	21x26x4	10
			1089	A	216x152x3,2	21x26x4	10
A 35 N - L			0990	A	216x152x3,2	27x31x ev	11
A 302 - A 322			1089	A	216x152x3,2	21x26x4	10
			1327	B 2	216x152x3,2	21x26x4	10
A 301 - A 352 - A 453 - A 503			0308	A	250x155x3,5	29x35x5,5	10
A 553 - A 654			0998	AL	279x171x3,5	29x35x5,5	10
			0225	BL 2	278x172x3,5	29x35x5,5	10
		Double disc	4119	AL - CX	Ø 280 5+5 pads 57x64x4	35x40x ev	14
		Double disc	1121	A	280x165x4	22x25x ev	14
NIKE 180/280/300/301/302/322			0990	A	216x152x3,2	27x31x ev	11
NIKE 250/320/350/351352/401			1040	A	250x155x3,5	30x35x ev	12
NIKE 400 FL - 480			1019	A	280x165x3,5	39x45x ev	16
SIRIO 4 RM			3634	A	216x152x3,2	18x22x3,5	10
J.C.B.							
Loadal 65 - Loadal 11			0805	A	325x200x4	29x35x5,5	10
Pick up baler		Overload clutch	1171	A	250x155x3,5	29x35x5,5	10
CONTRACTOR							
130 T - 150 T			4224	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	33,5x41x6,5	10
FASTRAC							
125 - 130 T - 145 T - 150 T	Perkins 1006-6	91 ->	4224	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	33,5x41x6,5	10
	Perkins 1006-6	91 ->	2202	BL 8	352x216x4,8	29x35x5,5	10
1115 - 1135			4224	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	33,5x41x6,5	10
JCB							
JBC 2 - 3 - 3C - 3CS - 4C - 4CS		64 -> 65	0805	A	325x200x4	29x35x5,5	10
		64 ->	1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
3D		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
HEAVY DUTY							
B.M.C. Mk. I	2.8 Lt. Diesel 28	72 ->	1018	A	325x200x4	29x35x5,5	10
B.M.C. Mk. II	3.8 Lt. Diesel 38	72 ->	1018	A	325x200x4	29x35x5,5	10
JCB EXCAVATORS							
Mk. I - Mk II		72 ->	1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
		72 ->	0805	A	325x200x4	29x35x5,5	10
B.M.C. Mk. III		73 ->	3577	A - CX	Ø 330 6+6 pads 57x64x3,5	29x35x5,5	10
JENBACHER - WERKE							
JM 35 - 70	Diesel		0873	A	280x165x4	32x40x5	10
JOHN DEERE							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Coupling		Giunto	4304	B 14	Ø 191,5	35x38,5x ev	23
A							
A 1215 - 1305 - 11315			3970	A	160x110x2,5	18x23x3	10
A 1806			0863	A	181x124x3,5	23x29x4	10
T							
T 100 - 200			0822	ALI	200x130x3,5	23x29x4	10
300 - 300 USA			0995	ELI	250x155x4	26x32x4	10
T 310 - 510		Main clutch	4383	B 8	250x155x3,5	46x50x9	8
		P.T.O.	3604	B 14	250x155x3,2	23x29x4	10
T 500 - 700			0995	ELI	250x155x4	26x32x4	10
T 710		Main clutch	3628	A	280x165x3,5	46x50x9	8
		P.T.O.	0839	A	280x165x3,5	23x29x4	10
800..							
820 - 830		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	4352	B 14	250x155x3,5	22,2x25,4x ev	15
830			4018	B 14	280x165x3,2	22,2x25,4x5	15
840 With motor P.T.O.		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
840 With independent P.T.O.	Chass. -> 495151	Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
	Chass. -> 495151		3629	ALI	280x165x3,5	22,5x25,4x ev	15
	Chass. -> 495151	-> 83	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
830 - 930		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
920 - 930		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
940 With motor P.T.O.		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
940 With independent P.T.O.	Chass. -> 495151	Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
	Chass. -> 495151		3629	ALI	280x165x3,5	22,5x25,4x ev	15
	Chass. -> 495151	-> 83	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
1020 - 1030 - 1120 - 1130		Main clutch	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
		Optional	3629	ALI	280x165x3,5	22,5x25,4x ev	15
1020		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	4352	B 14	250x155x3,5	22,2x25,4x ev	15
1020 V - 1120 - 1130		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
1030			4352	B 14	250x155x3,5	22,2x25,4x ev	15


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
1030		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Main clutch	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
1040 - 1140 With motor P.T.O.		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
1040 - 1140 With independent P.T.O.	Chass. -> 495151	Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
	Chass. -> 495151		3629	ALI	280x165x3,5	22,5x25,4x ev	15
	Chass. -> 495151	-> 83	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
1130		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	4018	B 14	280x165x3,2	22,2x25,4x5	15
			4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
1215 - 1315			3970	A	160x110x2,5	18x23x3	10
1350		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
1445 F		Main clutch	4045	B 14	250x172x3,2	31x35x ev	18
	31 kW		4480	B 14 L	250x155x4	31x35x ev	20
		P.T.O.	3949	A	250x155x3,5	20x23x ev	20
1530 - 1550		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
1630 - 1635		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
1630 VU - 1635 EV			4352	B 14	250x155x3,5	22,2x25,4x ev	15
1640			4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
1640 With P.T.O.		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
1640 With independent P.T.O.		-> 82	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Optional	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
1640 With independent P.T.O.		82 ->	4266	B14 - CX	Ø 320 6+6 pads 57x64x4	22,2x26 ev	14
		Optional	4109	B 14	320x200x4,5	22,2x26x ev	15
1745 - 1746 F		Main clutch	4045	B 14	250x172x3,2	31x35x ev	18
	35 kW		4480	B 14 L	250x155x4	31x35x ev	20
		P.T.O.	3949	A	250x155x3,5	20x23x ev	20
1750		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
1830		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
1840 With motor P.T.O.		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
1840 With independent P.T.O.		-> 82	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Optional	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
1840 With independent P.T.O.		82 ->	4266	B14 - CX	Ø 320 6+6 pads 57x64x4	22,2x26 ev	14
		Optional	4109	B 14	320x200x4,5	22,2x26x ev	15
1845 - 1846 F		Main clutch	4045	B 14	250x172x3,2	31x35x ev	18
	41 kW		4480	B 14 L	250x155x4	31x35x ev	20
		P.T.O.	3949	A	250x155x3,5	20x23x ev	20
1850		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
1950 N		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
2000 - 2100 - 2200 - 2300 - 2400		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Main clutch	4277	A - CX	Ø 310 6+6 pads 57x64x4	25x27,7x ev	18
2020			4018	B 14	280x165x3,2	22,2x25,4x5	15
2020 - 2030 - 2120 - 2130		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
2030 - 2035		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
2030 OU - 2035 EF		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
2040			4109	B 14	320x200x4,5	22,2x26x ev	15
		Optional	4266	B14 - CX	Ø 320 6+6 pads 57x64x4	22,2x26 ev	14
2040		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Optional	4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
2040 - 2240			4109	B 14	320x200x4,5	22,2x26x ev	15
2040 S			4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
2040 - 2240 With P.T.O.		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
2040 F - 2240 With independent P.T.O.		-> 82	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Optional	3629	ALI	280x165x3,5	22,5x25,4x ev	15
2040 - 2240 With independent P.T.O.		82 ->	4109	B 14	320x200x4,5	22,2x26x ev	15
2040			4207	B14 - CX	Ø 280 6+6 pads 57x64x4	22,2x25,4x ev	15
2130 - 2135 With power-shift gearbox		73 -> 76	1236	AL	302x175x3,5	26x32x5	10
		Optional	4445	A - CX	Ø 300 6+6 pads 57x64x3,5	26x32x5	10
2130 With power-shift gearbox		76 ->	1236	AL	302x175x3,5	26x32x5	10
		Optional	4445	A - CX	Ø 300 6+6 pads 57x64x3,5	26x32x5	10
2130 Without power-shift gearbox		73 -> 76	3630	AL	302x191x4	22,5x25,4x ev	15
		Optional	4258	B 14	302x191x4	22x25x ev	15
2130 Without power-shift gearbox		76 ->	3630	AL	302x191x4	22,5x25,4x ev	15
		Optional	4258	B 14	302x191x4	22x25x ev	15
2130		76 ->	4018	B 14	280x165x3,2	22,2x25,4x5	15
		Optional	3629	ALI	280x165x3,5	22,5x25,4x ev	15
2135			3630	AL	302x191x4	22,5x25,4x ev	15
			4258	B 14	302x191x4	22x25x ev	15
2140 With power-shift gearbox		-> 81	4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
		Optional	4109	B 14	320x200x4,5	22,2x26x ev	15
2140 Without power-shift gearbox		81 ->	4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
2250 - 2450			4109	B 14	320x200x4,5	22,2x26x ev	15
		Optional	4266	B14 - CX	Ø 320 6+6 pads 57x64x4	22,2x26 ev	14
2250 F - 2450 Constant mesh gearbox		P.T.O.	4305	B 14	228x163x3,5	35x38,5x ev	23
		Main clutch	3629	ALI	280x165x3,5	22,5x25,4x ev	15
		Optional	4018	B 14	280x165x3,2	22,2x25,4x5	15
2250 - 2450 Constant mesh gearbox			4109	B 14	320x200x4,5	22,2x26x ev	15
		Optional	4266	B14 - CX	Ø 320 6+6 pads 57x64x4	22,2x26 ev	14
2345 F - 2346 F		Main clutch	4045	B 14	250x172x3,2	31x35x ev	18
	49 kW		4480	B 14 L	250x155x4	31x35x ev	20
		P.T.O.	3949	A	250x155x3,5	20x23x ev	20
2650		Optional	4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
2650 Constant mesh gearbox			4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
			4306	B14 - CX	Ø 320 6+6 pads 69x77x4	26x32x5	10
2650 F - 2650 N			4109	B 14	320x200x4,5	22,2x26x ev	15
		Optional	4266	B14 - CX	Ø 320 6+6 pads 57x64x4	22,2x26 ev	14
2650 N		25 Km/h	4109	B 14	320x200x4,5	22,2x26x ev	15
		Optional	4266	B14 - CX	Ø 320 6+6 pads 57x64x4	22,2x26 ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
2650 N		40 Km/h	4109	B 14	320x200x4,5	22,2x26x ev	15
2650 - 2850 Synchro mesh gearbox			4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
		Heavy duty	4306	B14 - CX	Ø 320 6+6 pads 69x77x4	26x32x5	10
		Service part	3928	B 14	320x200x4	26x32x5	10
2700 - 2800 - 2900			4351	AL - CX	Ø 327 7+7 pads 57x64x4	27x30x ev	18
3030			4445	A - CX	Ø 300 6+6 pads 57x64x3,5	26x32x5	10
		Optional	1236	AL	302x175x3,5	26x32x5	10
			4267	B14 - CX	Ø 300 6+6 pads 57x64x3,5	26x32x5	10
			4259	B 14	302x191x3,5	26x32x5	10
3040 - 3140			4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
3050			4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
		Heavy duty	4306	B14 - CX	Ø 320 6+6 pads 69x77x4	26x32x5	10
		Service part	3928	B 14	320x200x4	26x32x5	10
3100 - 3110		Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
		P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
3120 - 3130			4445	A - CX	Ø 300 6+6 pads 57x64x3,5	26x32x5	10
			4267	B14 - CX	Ø 300 6+6 pads 57x64x3,5	26x32x5	10
		Optional	1236	AL	302x175x3,5	26x32x5	10
		Optional	4259	B 14	302x191x3,5	26x32x5	10
3135			1236	AL	302x175x3,5	26x32x5	10
3150		-> 81	4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
		Heavy duty	4306	B14 - CX	Ø 320 6+6 pads 69x77x4	26x32x5	10
			3928	B 14	320x200x4	26x32x5	10
3200 X	Chass. -> 003138	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
	Chass. -> 003138	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
3200 X	Chass. 003139 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
3210 X		P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
3300 X	Chass. -> 003090	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
3340			4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
3350			4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
		Heavy duty	4306	B14 - CX	Ø 320 6+6 pads 69x77x4	26x32x5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			3928	B 14	320x200x4	26x32x5	10
3400 X - 3410 X	Chass. 003987 ->	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
3640 S - 3650		83 ->	4084	B14 - CX	Ø 320 6+6 pads 57x64x4	26x32x5	10
		Heavy duty	4306	B14 - CX	Ø 320 6+6 pads 69x77x4	26x32x5	10
MIETITREBBIA - HARVESTER							
55 / 95			0940	A	250x155x3,5	29x35x5,5	10
530 - 630 - 730 - 950			0940	A	250x155x3,5	29x35x5,5	10
630		Brake Disc	3471	DF	165x89x4,7	46,5x57x ev	12
795		Brake Disc	3472	DF	127x69x5	31,5x35x ev	21
925 - 935 - 940			3756	A - CX	Ø 300 8+8 pads 57x64x3,5	29x35x5,5	10
950	95 CV		1483	A - CX	Ø 250 6+6 pads 57x64x3,5	29x35x5,5	10
			0940	A	250x155x3,5	29x35x5,5	10
965 - 975		Main clutch	3754	A - CX	Ø 310 8+8 pads 57x64x3,5	22x26x ev	15
		P.T.O.	3755	A - CX	Ø 300 8+8 pads 57x64x3,5	38x41,5x ev	25
Mietitrebbia - Combine Harvester		Brake Disc	3471	DF	165x89x4,7	46,5x55x ev	12
JOHNSON MACHINERY							
Dumper		53 -> 58	0870	A	200x130x3,2	21x26x4	10
Dumper Humper	Petter TH2	67 ->	0989	A	228x150x3,3	21x26x4	10
JONICA							
Motozappa			1346	A	140x96x3,2	13x16x3,5	6
KAELBLE							
645 Z		Gearbox Side	1351	B 17	380x200x4	36x45x5	10
645 Z		Engine Side	1349	B 17	352x195x4	36x45x5	10
K 410 - K 415 Z			1347	B 17	352x195x4	32x40x5	10
K 612 Z		Gearbox Side	1348	B 17	352x195x4	36x45x5	10
K 612 Z		Engine Side	1349	B 17	352x195x4	36x45x5	10
K 631 L - K 631 K - K 631 Z		Gearbox Side	1348	B 17	352x195x4	36x45x5	10
K 631 L - K 631 K - K 631 Z		Engine Side	1349	B 17	352x195x4	36x45x5	10
K 632 - K 632 ZB / 63		Double disc	3104	A - CX	Ø 380 4+4 pads 57x64x3,5	36x45x5	10
K 650 LF - K 650 Z			1350	B 17	352x195x4	36x45x5	10
KDV 631	20 PS	Gearbox Side	1348	B 17	352x195x4	36x45x5	10
KDV 631	20 PS	Engine Side	1349	B 17	352x195x4	36x45x5	10
KV 25 B	OM 403		3102	B 16	420x220x4	36x45x5	10
KV 25 B - K 632 ZB/15 - KV 632 ZB/15			3103	A	420x220x4	36x45x5	10
KV 2513	OM 403		3466	A - CX	Ø 420 10+10 pads 69x77x4	36x45x5	10
KÖDEL & BÖHM							
Cornet			0828	ALI	225x150x3,5	23x29x4	10
Favorit			0828	ALI	225x150x3,5	23x29x4	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
KRAMER							
311 S - 411 S - 415 - 611		Main clutch	4289	A - CX	Ø 250 7+7 pads 37x67x3,5	41x45x ev	22
		P.T.O.	4290	A - CX	Ø 250 7+7 pads 37x67x3,5	25x28x ev	15
414 - 514 A		Main clutch	1005	A	250x155x3,5	21x26x4	10
		P.T.O.	0767	A	225x150x3,5	36x42x7	8
K							
K 12			1037	A	200x130x3,5	26x32x4	10
K 15		54 -> 56	0863	A	181x124x3,5	23x29x4	10
K 33			4311	ALI	250x155x3,5	26x32x4	10
K 135 - 13220		56 ->	0828	ALI	225x150x3,5	23x29x4	10
K 250		56 ->	1487	ALI	250x155x3,5	36x42x7	8
	P.T.O.	56 ->	0767	A	225x150x3,5	36x42x7	8
		56 ->	4314	AL	250x155x3,5	23x29x4	10
KA							
KA 12			0863	A	181x124x3,5	23x29x4	10
KA 15			0863	A	181x124x3,5	23x29x4	10
KA 110			0863	A	181x124x3,5	23x29x4	10
KA 330		56 ->	1487	ALI	250x155x3,5	36x42x7	8
	P.T.O.	56 ->	0767	A	225x150x3,5	36x42x7	8
		56 ->	4314	AL	250x155x3,5	23x29x4	10
KB							
KB 12			0863	A	181x124x3,5	23x29x4	10
KB 17		53 -> 56	0822	ALI	200x130x3,5	23x29x4	10
KB 22	Chass. -> 27207		0822	ALI	200x130x3,5	23x29x4	10
	Chass. 27208 ->		0828	ALI	225x150x3,5	23x29x4	10
KB 22 L - 25 L			0822	ALI	200x130x3,5	23x29x4	10
KB 22 C - 25 - 25 W			0828	ALI	225x150x3,5	23x29x4	10
KB 28		48 ->	4311	ALI	250x155x3,5	26x32x4	10
KB 150 - 180		56 ->	0822	ALI	200x130x3,5	23x29x4	10
KB 220 - 250		56 ->	0828	ALI	225x150x3,5	23x29x4	10
KL							
KL 11			0863	A	181x124x3,5	23x29x4	10
KL 12			0863	A	181x124x3,5	23x29x4	10
KL 17		54 -> 56	0822	ALI	200x130x3,5	23x29x4	10
KL 22			0822	ALI	200x130x3,5	23x29x4	10
KL 25			0822	ALI	200x130x3,5	23x29x4	10
KL 150			0863	A	181x124x3,5	23x29x4	10
KL 180 - 200 - 220 - 250 - 300		56 ->	0822	ALI	200x130x3,5	23x29x4	10
KL 250 - 300	Chass. -> 91623		3683	A	200x130x3,5	36x42x7	8
		Main clutch	1009	ALI	200x130x3,5	21x26x3	10
KL 350/Export - 400 - 450/Export 452/Export - 600/45/Export		64 ->	1005	A	250x155x3,5	21x26x4	10
		P.T.O.	0767	A	225x150x3,5	36x42x7	8
KL 1200		58	0822	ALI	200x130x3,5	23x29x4	10
KLS							
KLS 130			0863	A	181x124x3,5	23x29x4	10
MA							
MA 110		56 ->	0863	A	181x124x3,5	23x29x4	10
ML							
ML 11 - 150			0863	A	181x124x3,5	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
ML 12		55 ->	0863	A	181x124x3,5	23x29x4	10
UF							
UF 1000 - 1300			3101	A	280x165x3,5	32x40x5	10
KRIEGER							
Krumi	20 PS	Schlepper	0863	A	181x124x3,5	23x29x4	10
KS 30			0822	ALI	200x130x3,5	23x29x4	10
KS 30 A			0822	ALI	200x130x3,5	23x29x4	10
			1323	ALI	225x150x3,5	23x29x4,5	10
KS 30 H			1323	ALI	225x150x3,5	23x29x4,5	10
KS 33 - 33 A			1323	ALI	225x150x3,5	23x29x4,5	10
			3685	A	228x150x3,5	46x50x9	8
KS 40 A - 40 H - 42			1323	ALI	225x150x3,5	23x29x4,5	10
KS 42 - 42 A			1323	ALI	225x150x3,5	23x29x4,5	10
			3685	A	228x150x3,5	46x50x9	8
KS 50 A - 55 A - 60 A - 65 A			3685	A	228x150x3,5	46x50x9	8
KUBOTA Japan							
Series							
Series 4850 - 5030 - 5850 - 6030 - 7030 - 7500 - 8030			4339	BL 2	280x172x4,5	35,1x40,4x ev	14
Combine Harvester	Mietitrebbia		4188	AL	216x152x3,5	21x26x4	10
Tractor			4558	B14 - L	300x165x3,8	33,1x40,4x ev	14
Tractor			4560	BL 2	276x175x4	35,1x40,4x ev	14
Tractor			4335	B 19 - CX	Ø 310 8+8 pads 57x64x4	35,1x40,4x ev	14
Tractor			4320	B 5	200x137x3,2	17,7x20x ev	14
Tractor			4529	B 5	181x127x3,2	17,7x20x ev	14
B Series							
B 20			4528	B 12	200x130x3,5	21x26x4	10
B 1700			4392	AL	200x130x3,5	21x26x4	10
B 2150 DE	18 kW		4557	A - L	215x145x3,8	21,5x25x ev	13
B 6000			3751	B 5	184x127x3,2	17,7x20x ev	14
B 8200		80 ->	4528	B 12	200x130x3,5	21x26x4	10
F Series							
200			4528	B 12	200x130x3,5	21x26x4	10
2000 - 2100E - 2400			4528	B 12	200x130x3,5	21x26x4	10
HX Series							
HX 95 - 110 - 130 - 150	MH		4524	B14 - CX	Ø 350 7+7 pads 69x77x4	38,1x44,1x ev	16
L Series							
L 235	22 kW		4557	A - L	215x145x3,8	21,5x25x ev	13
L 275	20 kW		4557	A - L	215x145x3,8	21,5x25x ev	13
L 2250 DT - L 2650 DT	22 kW	90 ->	4557	A - L	215x145x3,8	21,5x25x ev	13
L 3250 DT	27 kW	90 ->	4557	A - L	215x145x3,8	21,5x25x ev	13
M Series							
4050	LG		4339	BL 2	280x172x4,5	35,1x40,4x ev	14
7050	LG		4339	BL 2	280x172x4,5	35,1x40,4x ev	14
LAMBORGHINI							
C Series							
C 65			4000	BL 2	279x171x3,5	36x41x ev	24
C 75			4100	B 14	310x191x3,8	36,5x41x ev	24


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
C 226		Main clutch	1151	A	200x130x3,2	21x26x4	10
C 230 - S - 340		Double disc	0989	A	228x150x3,3	21x26x4	10
			1401	A	228x150x3,8	41x45,3x ev	16
C 350		Main clutch	1024	A	250x155x3,5	41x45,3x ev	16
		P.T.O.	3817	A	250x155x3,5	18x22x5	6
C 352		74 ->	4168	AL	225x150x3,5	36x40x ev	20
		P.T.O.	3736	A	225x150x3,5	19x22,5x ev	13
C 452		Main clutch	1024	A	250x155x3,5	41x45,3x ev	16
		P.T.O.	3817	A	250x155x3,5	18x22x5	6
C 483 - 503 - 553 - 583 - 603 - 633		76 ->	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
C 554 Compact		Main clutch	4046	ALI	280x172x3,2	36x40x ev	20
		Main clutch	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	3827	A	280x165x3,2	22x25x ev	14
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
C 635			4000	BL 2	279x171x3,5	36x41x ev	24
C 653	Main clutch	76 ->	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
		Main clutch	3825	A	310x175x3,5	36x40x ev	20
		Main clutch	3830	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
C 654	Main clutch	76 ->	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
C 663		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
	Main clutch	76 ->	1148	AL	280x165x4	36x40x ev	20
		Main clutch	3825	A	310x175x3,5	36x40x ev	20
	Valeo version		3829	A	310x175x3,5	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
		Main clutch	3830	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
C 674 Ergomatic		Main clutch	4053	A	279x171x3,5	36,5x41x ev	24
C 683	Main clutch	76 ->	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
C 684 L		Main clutch	3825	A	310x175x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
		Main clutch	3830	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
C 704 - 754 - 784		Main clutch	3825	A	310x175x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
C 774 Ergomatic			4063	A	302x191x3,3	36,5x41x ev	24
CRONO							
564-60/70 DT			4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
F Series							
F 775 - 880 - 990 PLUS / DT			4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
FORMULA							
105			4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
105 - 115 - 125 - 135			4166	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	36,5x41x ev	24
135			4138	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	41x45,3x ev	21
			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
			4328	BL 8	352x216x3,5	41x45x ev	21
GRAN PRIX							
774-80 USA			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
774-80 874-90			4166	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	36,5x41x ev	24
		Optional	4165	B 19	330x196x4,2	36,5x41x ev	24
GRIMPER							
555 - 560 - 570			4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
N CROSS							
674-70			4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
PREMIUM							
850 - 950 - 1050 - 1060 USA			4166	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	36,5x41x ev	24
			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
		Optional	4165	B 19	330x196x4,2	36,5x41x ev	24
R Series							
R 230 - 230 DT			1401	A	228x150x3,8	41x45,3x ev	16
			0989	A	228x150x3,3	21x26x4	10
R 235 - 235 T - C		Main clutch	0978	A	212x152x4	18x23x3	10
		P.T.O.	1298	A	200x152x4	34x38x ev	19
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
R 240 - 240 DT		P.T.O.	0747	A	250x155x3,5	21x26x4	10
		Main clutch	0746	A	250x155x3,5	36x40x ev	20
		Brake Disc	1411	DF	152x79x4,7	44x48x ev	23
R 340 - 340 DT - DTS			0989	A	228x150x3,3	21x26x4	10
			1401	A	228x150x3,8	41x45,3x ev	16


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	1024	A	250x155x3,5	41x45,3x ev	16
		P.T.O.	0912	A	250x155x3,5	23x28x6	6
R 345 - 345 DT - F		P.T.O.	1344	A	230x160x3,3	35x40x ev	14
		Main clutch	1343	B 18	250x150x4	20,8x25x4	10
R 350 - 350 DT		Main clutch	3105	A	250x155x3,5	36x40x ev	20
		P.T.O.	0747	A	250x155x3,5	21x26x4	10
		Main clutch	0746	A	250x155x3,5	36x40x ev	20
		Brake Disc	1411	DF	152x79x4,7	44x48x ev	23
R 355 - 355 DT - E		Main clutch	1400	A	295x172x4	44x48x ev	23
		Main clutch	1361	A	279x171x3,5	23x28x6	6
		P.T.O.	3111	A	280x165x3,5	41x45,3x ev	16
R 360 DI			3821	A - CX	Ø 295 6+6 pads 57x64x3,5	44x48x ev	23
R 360 - 360 DT - 365 - 365 DT - E - R 470 - 470 DT - 475 - 475 DT		P.T.O.	1359	A	280x165x3,5	27x30x ev	16
		Main clutch	1361	A	279x171x3,5	23x28x6	6
		Main clutch	3638	A	295x172x4	44x48x ev	23
		P.T.O.	3560	A - CX	Ø 280 6+6 pads 57x64x3,5	27x30x ev	16
		Main clutch	3106	A - CX	Ø 280 6+6 pads 57x64x3,5	44x48x ev	23
			3931	A - CX	Ø 295 6+6 pads 57x64x3,5	44x48x ev	23
R 450		P.T.O.	0912	A	250x155x3,5	23x28x6	6
R 480 - 480 DT - R 485 - 485 DT - R 490		P.T.O.	1360	A	310x175x4	27x30x ev	16
		Main clutch	3732	A	325x185x4	44x48x ev	23
		P.T.O.	3820	A - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
			3819	A - CX	Ø 325 6+6 pads 57x64x3,5	44x48x ev	23
		Main clutch	3435	A - CX	Ø 325 8+8 pads 57x64x3,5	44x48x ev	23
R 483 - R 503	Main clutch	76 ->	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
R 550 - 550 DT		Main clutch	4204	AL	250x155x3,8	36x40x ev	20
		Main clutch	3105	A	250x155x3,5	36x40x ev	20
		P.T.O.	4042	A	250x155x3,2	22x25x ev	14
		P.T.O.	4203	AL	228x155x3,5	22x25x ev	14
R 573 / 60 N - 574 / 60 N			4000	BL 2	279x171x3,5	36x41x ev	24
R 583 - 583 DT		Main clutch	3592	A	280x165x3,5	36x40x ev	20
		Main clutch	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	3827	A	280x165x3,2	22x25x ev	14
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
R 603 - 653	Main clutch	76 ->	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
R 613 V		P.T.O.	3461	A	250x155x3,5	36x40x ev	20
		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
R 653 Frutteto		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
			4148	AL	280x165x3,8	36x40x ev	20
R 654		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
			4148	AL	280x165x3,8	36x40x ev	20
R 674			4000	BL 2	279x171x3,5	36x41x ev	24
R 683	Main clutch	76 ->	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
R 693		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
			4148	AL	280x165x3,8	36x40x ev	20
R 704		Main clutch	4060	A - CX	Ø 280 6+6 pads 57x64x3,5	44x48x ev	23
		Main clutch	3825	A	310x175x3,5	36x40x ev	20
		P.T.O.	3829	A	310x175x3,5	22x25x ev	14
R 724 - 754	Main clutch	76 ->	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
R 754 DT		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
R 774 - 774 DT - / 5 - / 80 - / 80 N - GP			4062	BL 8	302x191x4	36,5x41x ev	24
R 784		P.T.O.	3827	A	280x165x3,2	22x25x ev	14
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
		Main clutch	3592	A	280x165x3,5	36x40x ev	20
		Main clutch	1148	AL	280x165x4	36x40x ev	20
		Main clutch	3825	A	310x175x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
R 800		Main clutch	1402	A	300x170x4	46x56x7	10
		P.T.O.	1394	A	300x170x4	21x26x4	10
R 804		Main clutch	4060	A - CX	Ø 280 6+6 pads 57x64x3,5	44x48x ev	23
		P.T.O.	1359	A	280x165x3,5	27x30x ev	16
		P.T.O.	3827	A	280x165x3,2	22x25x ev	14
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
R 854 - 854 DT		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
		Main clutch	3592	A	280x165x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
R 874 - 90 Gran Prix			4165	B 19	330x196x4,2	36,5x41x ev	24
		Optional	4166	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	36,5x41x ev	24

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
R 904		Main clutch	3435	A - CX	Ø 325 8+8 pads 57x64x3,5	44x48x ev	23
		Main clutch	3732	A	325x185x4	44x48x ev	23
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
R 955		Main clutch	3830	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
R 956			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
R 1056 - 1106 - 1156 - 1256 / DT			3996	A	350x196x4	45x50x ev	24
R 1306 - 1356 - 1556 / DT			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
R 1506 - 1706 / DT			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
SPRINT							
664-60 674-70			4165	B 19	330x196x4,2	36,5x41x ev	24
TRIUMPH							
100			4544	B14 - CX	Ø 325 5+5 pads 69x77x4	36x41x ev	24
WHEELS							
1 R - 1 R MEC - 1 C - 1 RDT		Main clutch	1151	A	200x130x3,2	21x26x4	10
1 R - 2 R 2R MEC - 4/5 C MEC			0989	A	228x150x3,3	21x26x4	10
2 R			3817	A	250x155x3,5	18x22x5	6
2 R MEC			0989	A	228x150x3,3	21x26x4	10
4 R		P.T.O.	0912	A	250x155x3,5	23x28x6	6
6 FD		Brake Disc	3449	DF	165x89x4,7	38x42x ev	21
7 C Trattrice			1089	A	216x152x3,2	21x26x4	10
7 R - 7 RDT		Main clutch	1400	A	295x172x4	44x48x ev	23
		Main clutch	1361	A	279x171x3,5	23x28x6	6
		P.T.O.	3111	A	280x165x3,5	41x45,3x ev	16
7 FD		Brake Disc	3409	DF	178x102x4,7	44x48x ev	23
9 DF		P.T.O.	1466	A - CX	Ø 225 6+6 pads 37x67x3,5	21x26x4	10
9 FD			1358	A	228x150x3	21x26x4	10
9 FD - 2 RME - R 230 - R 340			0989	A	228x150x3,3	21x26x4	10
9 FO			3818	A	250x150x3,5	36x40x ev	20
20 DL	Diesel	Main clutch	1151	A	200x130x3,2	21x26x4	10
25 DL - N 30		Main clutch	0804	ALI	280x165x3,6	29x35x5,5	10
25 DL - T2 - PS			0821	A	275x170x3,2	31x38x6	10
30 DL Farm Tractor	Diesel	Main clutch	0999	A	228x150x3,5	29x35x5,5	10
226 B		Main clutch	1151	A	200x130x3,2	21x26x4	10
340 DT - 340 DTS			0912	A	250x155x3,5	23x28x6	6
450			0912	A	250x155x3,5	23x28x6	6
450 - 450/4 R - TS 450 - 452 L		Main clutch	1024	A	250x155x3,5	41x45,3x ev	16
503 - 603 All models		Brake Disc	1411	DF	152x79x4,7	44x48x ev	23
700		Main clutch	3106	A - CX	Ø 280 6+6 pads 57x64x3,5	44x48x ev	23
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
754 - 754 DT		Main clutch	3825	A	310x175x3,5	36x40x ev	20
		P.T.O.	3829	A	310x175x3,5	22x25x ev	14
774 - 80 - Cross			4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
774 - 774 DT		Main clutch	3830	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
		P.T.O.	3829	A	310x175x3,5	22x25x ev	14
824 - 845 - 845 DT		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
845 - 845 DT - 854 - 854 DT		Main clutch	3825	A	310x175x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
854 - 854 DT		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
874 - 90			4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
955		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
955 - 955 DT		P.T.O.	3830	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14
956 - 956 DT			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
1306 / DT - 1506 / DT - 1706 / DT			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
LANDINI							
50 V - 55 V - 60 V		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
65 - 75 - 85 F - V - L - GT		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
65 - 75 - 85 F - V - L - GT		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
254 - 274 - 284 - 364 - 374 - 394		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
1200	Main clutch	72	4090	AL	325x200x4	23x29x4,5	10
		72	1467	A - CX	Ø 325 6+6 pads 57x64x3,5	23x29x4,5	10
4500 Super		Main clutch	1021	AL	279x171x3,5	36x45x7	10
		P.T.O.	0993	A	250x155x3,5	18x22,5x3,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
4530 - 4830 - 4860 - 5500 - 5530 - 5830 - 5830C - 5840 - 5860 6030 - 6040 - 6060 - 6500 - 6530 - 6550 - 6830 - 6830C - 6840 7550 - 7560 - 7860 - 7870 - 8550 - 8860 - 8870		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	1387	A - CX	Ø 280 4+4 pads 57x64x3,5	22x25x ev	10
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Brake Disc	4137	DF	178x102x4,7	41,2x45,25x ev	22
5860 - 6560		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
6500 C			1385	A - CX	Ø 280 4+4 pads 57x64x3,5	29x35x5,5	10
			3442	A - CX	Ø 280 12+12 pads 52x36x3,5	29x35x5,5	10
5870 - 6560 - 6860 - 6870		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
6560 - 6860 - 6870 - 6880 - 7560 - 7860 - 7870 7880 - 8080 - 8860 - 8870 - 8880 - 9060 - 9080 9880		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
6880 - 7500 - 7530 - 7550 - 7830 - 7830C - 8500 - 8530 - 8550 8830		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
8500		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
8500 - 9500		Brake Disc	1217	DF	178x102x4,7	55x59x ev	27
9500		Main clutch	1215	A	310x175x3,5	40x45x ev	16
		P.T.O.	1435	A	310x175x3,6	23x29,5x ev	13
		Optional	1403	B 19	310x175x3,5	40x45x ev	16
		High performance	4321	A	310x191x3	23x29,5x ev	13
		Optional	1404	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Optional	1405	A - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
10000 S		Main clutch	3791	AL - CX	Ø 310 8+8 pads 57x64x3,5	44x48x ev	23
		P.T.O.	3922	A	310x195x3,5	27x30x ev	16
10000 - 12500 - 13000 - 14500		Main clutch	4096	BL8 - CX	Ø 330 8+8 pads 57x64x4	44x48x ev	23
		P.T.O.	3635	A	330x200x3,5	27x30x ev	16
		Main clutch	3780	AL - CX	Ø 330 8+8 pads 57x64x3,5	44x48x ev	23
ADVANTAGE							
55 - 60 - 65 - 75 - 85 F - L - GT		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
65 - 75 - 85 - 95 F - L - GT		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
ATLAS							
70 - 75 R - DT		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
70 - 75 - 80 - 90 - 100 R - DT		Optional	4228	B 19	310x191x4,5	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
80 R - DT		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
BLIZZARD							
50 - 60 DT		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
65 - 75 - 85 - 95 DT		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
		Optional	4228	B 19	310x191x4,5	35x40x ev	14
C							
75 - 85		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
3200 Crawler			0995	ELI	250x155x4	26x32x4	10
3200 - 4000		Main clutch	1096	ALI	280x165x3,5	26x32x4	10
		Main clutch	3566	A	241x156x3,5	35x40x ev	14
		P.T.O.	3567	A	241x156x3,5	18x23x3	10
4500 - 5500		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		Main clutch	1247	A	250x155x3,5	29x35x5,5	10
4830 - 5830 - 6030 - 6830		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	1247	A	250x155x3,5	29x35x5,5	10
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	4226	BL 2	280x165x4,5	35x40x ev	14
5000 - 6500		Main clutch	1096	ALI	280x165x3,5	26x32x4	10
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
6000		P.T.O.	3922	A	310x195x3,5	27x30x ev	16
7800 - 7830		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
7880 - 8880 - 9880			4127	A	310x175x3	35x40x ev	14
CF							
55 - 60		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
70 - 75 - 80		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
GIBLI								
80 - 90 - 100 R - DT		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14	
		Optional	4228	B 19	310x191x4,5	35x40x ev	14	
		P.T.O.	4126	A	310x175x3	22x25x ev	10	
GLOBUS								
50 - 60 - 70 Techno		Main clutch	4218	B 14	280x165x3,5	31x35x ev	18	
55 DT - 55 R - 60 Top			4218	B 14	280x165x3,5	31x35x ev	18	
70 Top			4255	B 18 - CX	Ø 280 6+6 pads 57x64x4	31x35x ev	18	
75 Top			4505	B 14	310x191x3,8	31x35x ev	18	
LANDINETTA								
C35/TL - CS/CL			1036	ALI	228x150x3,5	26x32x5	10	
R 5000		Main clutch	0924	A	250x155x4	26x32x4	10	
		Economical	0995	ELI	250x155x4	26x32x4	10	
			3450	B14 - CX	Ø 250 12+12 pads 52x36x3,5	26x32x4	10	
			Main clutch	1364	A	270x172x4	46x56x7	10
			P.T.O.	1365	A	270x172x4	21x26x4	10
LEGEND TECHNO								
105 - 115 - 120 - 130 - 140 - 145 - 160 - 165 - 180		P.T.O.	4243	A - CX	Ø 350 9+9 pads 57x64x4	27x30x ev	16	
		Main clutch	4360	BL8 - CX	Ø 350 8+8 pads 69x77x4	48x52,5x ev	24	
MYTHOS								
90 - 100 - 110		Main clutch	4096	BL8 - CX	Ø 330 8+8 pads 57x64x4	44x48x ev	23	
REX								
80 DT F - FP - GE - GT - GTP - L - LP - R - V - VP		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14	
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14	
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10	
70 - 80 - 90 DT F - FP - GE - GT - GTP - L - LP - R - V - VP		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14	
		P.T.O.	4126	A	310x175x3	22x25x ev	10	
100 DT - F - FP - GE - GT - R - V - VP		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14	
		P.T.O.	4126	A	310x175x3	22x25x ev	10	
TL								
TL 2 CI/BP		Main clutch	0924	A	250x155x4	26x32x4	10	
		Versione economica	Economical	0995	ELI	250x155x4	26x32x4	
			3450	B14 - CX	Ø 250 12+12 pads 52x36x3,5	26x32x4	10	
TL 5 NB		Brake Disc	1217	DF	178x102x4,7	55x59x ev	27	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	3735	A - CX	Ø 300 6+6 pads 57x64x4	46x56x7	10
		P.T.O.	3734	A - CX	Ø 300 6+6 pads 57x64x3,5	21x26x4	10
		Main clutch	1402	A	300x170x4	46x56x7	10
		P.T.O.	1394	A	300x170x4	21x26x4	10
TL 16 C			1335	ALI	310x175x3,5	31x38x6	10
TL 20 C			3640	A	280x165x3,5	29x35x5,5	10
TL 21 C			3640	A	280x165x3,5	29x35x5,5	10
		Main clutch	1247	A	250x155x3,5	29x35x5,5	10
			3442	A - CX	Ø 280 12+12 pads 52x36x3,5	29x35x5,5	10
TREKKER							
CF 55 - 60		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
CF 65 - 70 - 75 - 80 - 85		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
CF 65 - 75 - 85 - 90 - 95 - 100		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
MIETITREBBIA - HARVESTER							
500 - 510 - 8		Main clutch	1465	A - CX	Ø 200 6+6 pads 37x67x3,5	26x32x5	10
520 - 525			3114	AL	279x171x3,5	28x35x5,5	10
620 - 625			3114	AL	279x171x3,5	28x35x5,5	10
LANZ AULENDORF							
All-wheel drive loader							
NA			0822	ALI	200x130x3,5	23x29x4	10
NI 22 R			0828	ALI	225x150x3,5	23x29x4	10
NV			0828	ALI	225x150x3,5	23x29x4	10
D							
D 12 - S	MWM		1250	A	181x124x3,5	26x32x4	10
D 14 - D 15 - D 18	11 - 15 kW		4312	ALI	225x150x3,5	26x32x5	10
D 15 - D 20	11 - 15 kW		4101	A	225x155x3,5	26x32x4	10
D 16	13 kW		0822	ALI	200x130x3,5	23x29x4	10
D 17 - AKD 311 Z	17 PS		1248	ALI	200x130x3,5	26x32x4	10
D 18	20 PS		4312	ALI	225x150x3,5	26x32x5	10
D 24 - D 32	16 - 24 kW		4101	A	225x155x3,5	26x32x4	10
D 30 - D 32 - D 36			4311	ALI	250x155x3,5	26x32x4	10
D 36	26 kW	Main clutch	4314	AL	250x155x3,5	23x29x4	10
	26 kW	P.T.O.	0901	A	228x150x3,5	36x42x7	8
D 38		Helamatic	3039	ALI	280x165x3,5	26x32x4	10
D 38 - 45		P.T.O.	3696	A	250x155x3,5	36x42x7	8
		Main clutch	0839	A	280x165x3,5	23x29x4	10
D 40			4312	ALI	225x150x3,5	26x32x5	10
D 47	18 - 20 kW		4101	A	225x155x3,5	26x32x4	10
D 112	12 PS		0862	A	181x127x3,2	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
D 112 - AKD 412E			0822	ALI	200x130x3,5	23x29x4	10
D 124	18 kW		0828	ALI	225x150x3,5	23x29x4	10
D 130	25 - 30 PS	Main clutch	1004	A	250x155x3,5	23x29x4	10
	25 PS	Main clutch	4314	AL	250x155x3,5	23x29x4	10
	25 PS	P.T.O.	3685	A	228x150x3,5	46x50x9	8
D 138		Main clutch	1249	A	280x165x4	23x29x4	10
		Main clutch	0839	A	280x165x3,5	23x29x4	10
		P.T.O.	3696	A	250x155x3,5	36x42x7	8
D 139			3703	A	228x150x3,5	46x50x9	8
D 215 - D 225 - D 230	11 - 18 - 22 kW		4101	A	225x155x3,5	26x32x4	10
D 218 - 218 Helamatic	13 kW		1209	A	200x130x3,2	26x32x4	10
D 225 - 225 Helamatic - 230			4101	A	225x155x3,5	26x32x4	10
	22 kW	Main clutch	4314	AL	250x155x3,5	23x29x4	10
		P.T.O.	0901	A	228x150x3,5	36x42x7	8
D 254 - 254 A			0839	A	280x165x3,5	23x29x4	10
			3687	A	250x155x3,5	46x50x9	8
D 260 - 260 A			4427	AL	310x175x4	28x35x4	10
D 340 A		P.T.O.	3685	A	228x150x3,5	46x50x9	8
		Main clutch	4314	AL	250x155x3,5	23x29x4	10
			1004	A	250x155x3,5	23x29x4	10
D 416	MWM		0863	A	181x124x3,5	23x29x4	10
D 415 - D 420 - D 525			0822	ALI	200x130x3,5	23x29x4	10
D 434 - 438 - 532 - 534 - 538 - 538 S		Main clutch	1004	A	250x155x3,5	23x29x4	10
		Main clutch	4314	AL	250x155x3,5	23x29x4	10
		P.T.O.	0901	A	228x150x3,5	36x42x7	8
D 518	18 PS		1209	A	200x130x3,2	26x32x4	10
D 527			0844	A	228x150x3,5	23x29x4	10
D 540-238 D 548		Main clutch	0839	A	280x165x3,5	23x29x4	10
		P.T.O.	3696	A	250x155x3,5	36x42x7	8
H							
HELA - D 260/A	D 226/4		4101	A	225x155x3,5	26x32x4	10
HG 25		49 ->	4311	ALI	250x155x3,5	26x32x4	10
HG 25			4101	A	225x155x3,5	26x32x4	10
HG 225 - H 625			0826	A	250x155x3,5	26x32x4	10
K							
K 12 E			1250	A	181x124x3,5	26x32x4	10
KD 12 E - AKD 112 E			0862	A	181x127x3,2	23x29x4	10
L							
L - L 25			4101	A	225x155x3,5	26x32x4	10
LAF	Schlepper	Industrial	0862	A	181x127x3,2	23x29x4	10
LNB - LNC	MWM		0828	ALI	225x150x3,5	23x29x4	10
N							
NG			0963	A	228x150x3,5	23x29x4	10
V							
V 14	Schlepper	Industrial	0862	A	181x127x3,2	23x29x4	10
Varimot	Schlepper	Industrial	0862	A	181x127x3,2	23x29x4	10
Varimot - Kleinradlader NI			0828	ALI	225x150x3,5	23x29x4	10
Varimot Agrar 08			4507	A	181x127x3,2	23x29x4	10
Varimot Type 14			0862	A	181x127x3,2	23x29x4	10
LAVERDA							
MIETTREBBIA - HARVESTER							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
AM 1200			3637	A	302x191x3,5	30x35x4	10
			3803	A - CX	Ø 272 6+6 pads 57x64x3,5	30x35x4	10
			3107	A	272x155x3,5	30x35x4	10
M 84 - M 92			1086	A	216x152x3,2	30x35x4	10
M 100 - M 112 - M 120 1° Serie			0784	A	250x155x3,8	30x35x4	10
M120 2° Serie - M150 - M132 - M152 - M1000 AL - TA 150			3429	A - CX	Ø 270 6+6 pads 57x64x3,5	30x35x4	10
			1039	A	275x165x3,5	30x35x4	10
			3637	A	302x191x3,5	30x35x4	10
M 132 - M 100 AL - M 150/2			3803	A - CX	Ø 272 6+6 pads 57x64x3,5	30x35x4	10
M 152 2° Serie - M 152 Autolivellante			3637	A	302x191x3,5	30x35x4	10
MT 150 - TA 150			3803	A - CX	Ø 272 6+6 pads 57x64x3,5	30x35x4	10
TA 150 - AM 1200			3107	A	272x155x3,5	30x35x4	10
3350 - 3350 R			1039	A	275x165x3,5	30x35x4	10
3400 - 3400 R			1039	A	275x165x3,5	30x35x4	10
3450 - 3450 R - 3550 - 3550 R			1039	A	275x165x3,5	30x35x4	10
			3637	A	302x191x3,5	30x35x4	10
3600 - 3700 - 3700 R			3429	A - CX	Ø 270 6+6 pads 57x64x3,5	30x35x4	10
			4196	A - CX	Ø 270 6+6 pads 57x64x3,5	31x35x ev	18
3650 - R - 3750 - R - 3850 - R			4442	A	350x196x4	31,1x35,2x5	18
Combine Harvester		Mietitrebbia	4237	AL - CX	Ø 350 8+8 pads 67x77x3,5	45x50x ev	24
Combine Harvester		Mietitrebbia	4164	A - CX	Ø 325 6+6 pads 69x77x3,5	36x40x ev	20
LIEBHERR							
A 350			4311	ALI	250x155x3,5	26x32x4	10
A 370 - R 370 - A 500			0873	A	280x165x4	32x40x5	10
A 400 - A 500 N			4311	ALI	250x155x3,5	26x32x4	10
A 500 - R 500 - A 100 - R 700			3040	A	310x175x4	32x40x5	10
AK 30V			3040	A	310x175x4	32x40x5	10
AK 35 - 40			4311	ALI	250x155x3,5	26x32x4	10
LI 1010			3651	B 14	250x152x3,2	26x32x4	10
LT 1020 - LT 1030 - LG 1060	OM 355		3654	B 17	380x200x3,5	36x45x5	10
LT 1045	OM 403		3652	B 17	380x200x3,5	36x45x7	10
LT 1045 - LG 1130	OM 403		3653	B 17	380x200x3,5	36x45x7	10
MR 500 N			4311	ALI	250x155x3,5	26x32x4	10
R 350			4311	ALI	250x155x3,5	26x32x4	10
R 400			3702	A	250x155x3,5	26x32x4	10
R 500 - MR 500			0873	A	280x165x4	32x40x5	10
R 500 N - MR 500 N			3702	A	250x155x3,5	26x32x4	10
LINDNER							
BF 30 - 35 - 35 A			3841	A	200x130x3,5	46x50x9	8
			0844	A	228x150x3,5	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
BF 45 N - 45 A - 450 N - 450 A			3685	A	228x150x3,5	46x50x9	8
			1004	A	250x155x3,5	23x29x4	10
BF 350 S N A - 350 SA				3841	A	200x130x3,5	46x50x9
			0844	A	228x150x3,5	23x29x4	10
BF 450 S N A				3685	A	228x150x3,5	46x50x9
			1004	A	250x155x3,5	23x29x4	10
BF 550 SA - SN		58 PS		4450	A	280x171x3,5	23x29x ev
Geotrac 10			4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
	Main clutch		4309	B14 - CX	Ø 330 7+7 pads 57x64x4	28x32x ev	17
Geotrac 50 - 60	40 - 46 kW		4426	B 14	295x172x4	28x32x ev	17
Geotrac 100		P.T.O.	1367	A - CX	Ø 280 4+4 pads 57x64x4	21x25,5x4	10
			4353	B14 - CX	Ø 290 6+6 pads 57x64x4	28x32x ev	17
T 3500 S			0828	ALI	225x150x3,5	23x29x4	10
		P.T.O.	3841	A	200x130x3,5	46x50x9	8
		Main clutch	3048	A	225x150x3,5	23x29x4	10
420 S - 520 S			3685	A	228x150x3,5	46x50x9	8
			1004	A	250x155x3,5	23x29x4	10
520 - 620			3628	A	280x165x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
LINER CONCRETE							
1300 - 1500 - 2000		Roughrider dumper	0870	A	200x130x3,2	21x26x4	10
2000 SB - 3000 SB		Roughrider dumper	0989	A	228x150x3,3	21x26x4	10
Roughrider		73 ->	0989	A	228x150x3,3	21x26x4	10
Giraffe		75 ->	1637	BL 8	302x191x4	29x35x5,5	10
LISTER							
4 Wheel - Industrial tractor	40 M2 Gearbox	65 ->	0870	A	200x130x3,2	21x26x4	10
LD 1 - 4 D 4 Industrial tractor		71 ->	1255	B 4	229x156x3,5	21x26x4	10
Industrial tractor			3898	B 4	232x155x3,6	21x26x4	10
LOMBARDINI							
672		Tractor	3397	A	228x150x3,5	25x30x ev	10
673		Tractor	0690	A	250x155x3,5	26x30x ev	10
		Tractor	3861	A - CX	Ø 250 6+6 pads 37x67x3,5	25x30x ev	10
Coupling		Giunto	4200	B 4	Ø 151,5	23x29x4	10
Coupling		Giunto	4199	BL 3	Ø 121,5	23x29x4	10
LDA 673 - 674			1254	B 23	250x155x3,5	29x35x5,5	10
LDA 78 - 78/2 - 80 - 90 - 90/2 - 91 - 96			0812	A	184x127x3,3	18x22x3,5	10
LDA 100 - 280 - 510 - 820			0812	A	184x127x3,3	18x22x3,5	10
LDA 78/4 - 90/4 - 672			4037	A	216x152x3,2	28x22x6	6
LDA 82 - 85/85 - 450 - 510			1097	A	155x114x3	14x17x4	6
Several engine			1421	B 2	180x124x3,5	23x29x4	10
TL 20 - 22 - 25 - 25 S		Tractor	0309	B 8	250x155x3,5	29x35x4,5	10
LOSI							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Motocoltivatori			1409	A	178x133x2	20x25x ev	15
LOWE J.F.							
Atomak lift	Petters PH 2	73 ->	0989	A	228x150x3,3	21x26x4	10
Chieftain 4WD	Petters PH 2	73 ->	0989	A	228x150x3,3	21x26x4	10
High discharge dumpers	Petters PH 2	73 ->	0989	A	228x150x3,3	21x26x4	10
Swivel skip dumper	Petters PH 2	73 ->	0989	A	228x150x3,3	21x26x4	10
MAB							
Dovunque - Talpa		Motocultivator	0155	A	155x114x3,9	14x17x4	6
MALLARD VEHICLES							
Honda	Newage gearbox		1895	BL 3	165x114x3,2	18x22,5x3,5	10
Yugo	Ford		2794	B 11	200x136x3,0	17x20x ev	17
MAN							
2							
2 AR 1/2 - 2 R3			0839	A	280x165x3,5	23x29x4	10
			3687	A	250x155x3,5	46x50x9	8
2 F1			0863	A	181x124x3,5	23x29x4	10
2 K1 - 2 K2			0822	ALI	200x130x3,5	23x29x4	10
2 L1 - 2 L3			0828	ALI	225x150x3,5	23x29x4	10
		Optional	1036	ALI	228x150x3,5	26x32x5	10
2 N1			0988	A	250x155x3,5	28x35x4	10
			3685	A	228x150x3,5	46x50x9	8
2 N1 - 2 R3			3116	A	250x155x3,5	28x35x4	10
2 P1			3685	A	228x150x3,5	46x50x9	8
			0988	A	250x155x3,5	28x35x4	10
4							
4 L1			0828	ALI	225x150x3,5	23x29x4	10
		Optional	1036	ALI	228x150x3,5	26x32x5	10
4 N1		57	0828	ALI	225x150x3,5	23x29x4	10
		57	3115	A	250x155x3,5	23x29x4	10
4 N2 - 4 P1			0988	A	250x155x3,5	28x35x4	10
			3685	A	228x150x3,5	46x50x9	8
4 R3			3116	A	250x155x3,5	28x35x4	10
4 S1 - 4 S2 - 4 R3			0839	A	280x165x3,5	23x29x4	10
			3687	A	250x155x3,5	46x50x9	8
4 S3			3117	A	310x175x3,5	28x35x4	10
			3770	A	280x165x3,5	46x50x9	8
5							
5 M - B 25 - 1525 F			3455	A	300x190x3,5	32x40x5	10
A							
A 25 A		57	0828	ALI	225x150x3,5	23x29x4	10
AS 32 C40 - A 32/0 - AR 2			0830	A	250x155x3,5	26x32x4	10
AS 178	18 PS		0822	ALI	200x130x3,5	23x29x4	10
AS 325 H - AS 330 A - AS 330 H			0830	A	250x155x3,5	26x32x4	10
AS 430 - AS 440 - AS 430 A			4311	ALI	250x155x3,5	26x32x4	10
AS 542			0988	A	250x155x3,5	28x35x4	10
			3685	A	228x150x3,5	46x50x9	8
AS 542 A			3116	A	250x155x3,5	28x35x4	10
B							
B 18 A			0822	ALI	200x130x3,5	23x29x4	10
BS 440 A			0830	A	250x155x3,5	26x32x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
C							
C 40/0			0830	A	250x155x3,5	26x32x4	10
D							
D 40			0830	A	250x155x3,5	26x32x4	10
MANITOU							
3654	Forklift Truck		4108	B 14	310x191x3,8	23x29x4,5	10
Forklift Truck			3600	B 14	250x155x3,2	21x25x ev	13
Lifter			3934	A	200x130x3,5	23x29x4,5	10
			3937	BL 2	280x172x5	23x29x4,5	10
Several types			4059	B 18	228x150x3,5	21,7x25x ev	13
			4020	A	228x150x3,5	23x29x4,5	10
			4105	A - CX	Ø 280 6+6 pads 57x64x3,5	25x30x ev	10
			4106	AL	280x176x4,2	26x32x4	10
			4107	B4 L	232x156x3,8	23x29x4,5	10
C - Range							
MB 20C - 25 C - 26 C - 30 C		12 mm. spacer on pressing	3594	BL 2	280x172x5	23x29x4,5	10
		6 mm. spacer on pressing	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
MB 50 K - M 350		12 mm. spacer on pressing	3594	BL 2	280x172x5	23x29x4,5	10
		6 mm. spacer on pressing	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
25/25C		12 mm. spacer on pressing	3594	BL 2	280x172x5	23x29x4,5	10
		6 mm. spacer on pressing	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
4RM 20C - 25 C - 26 C - 30 C		12 mm. spacer on pressing	3594	BL 2	280x172x5	23x29x4,5	10
		6 mm. spacer on pressing	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
45/25C		12 mm. spacer on pressing	3594	BL 2	280x172x5	23x29x4,5	10
		6 mm. spacer on pressing	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
INTERINDUSTRIAL							
Inter Industrial		12 mm. spacer on pressing	3594	BL 2	280x172x5	23x29x4,5	10
		6 mm. spacer on pressing	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
J - Range							
J - Range			4021	B 14	280x165x3,5	21x25x ev	13
Manitoll							
Manitoll			4021	B 14	280x165x3,5	21x25x ev	13
N - Range							
N - Range			4021	B 14	280x165x3,5	21x25x ev	13
P - Range							
P - Range			4102	B 18 - CX	Ø 280 8+8 pads 57x64x4	23x29x4,5	10
MARSHALL							
Airways 50 / 50			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
Britannia Agricultural Tractor			1135	BL 8	325x200x5	29x35x5,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
154			0989	A	228x150x3,3	21x26x4	10
245 - 253 - 255		P.T.O.	0859	A	280x165x3,5	36x45x7	10
		Main clutch	1011	A	280x165x3,5	23x29x4,5	10
		76 ->	3468	A - CX	Ø 280 6+6 pads 57x64x3,5	36x45x7	10
			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
262			1244	AL	279x171x3,5	29x35x5,5	10
270 - 272 - 282		P.T.O.	0859	A	280x165x3,5	36x45x7	10
		Main clutch	1011	A	280x165x3,5	23x29x4,5	10
		Optional	3468	A - CX	Ø 280 6+6 pads 57x64x3,5	36x45x7	10
		Optional	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
272	Industrial	76 ->	1060	A	325x191x5,5	29x35x5,5	10
285		P.T.O.	3749	AL	302x191x4	38x45x7	10
		Main clutch	3897	AL	275x171x3,5	23x29x4,5	10
342		P.T.O.	0859	A	280x165x3,5	36x45x7	10
		Main clutch	1011	A	280x165x3,5	23x29x4,5	10
			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
344 - 384 - 460			1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
344 - 345 Nuffield - 384		P.T.O.	0859	A	280x165x3,5	36x45x7	10
		Main clutch	1011	A	280x165x3,5	23x29x4,5	10
		Main clutch	3897	AL	275x171x3,5	23x29x4,5	10
			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
460			1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
460 - 462 - 465 Nuffield - 472 - 482		P.T.O.	0859	A	280x165x3,5	36x45x7	10
		Main clutch	1011	A	280x165x3,5	23x29x4,5	10
		Main clutch	3897	AL	275x171x3,5	23x29x4,5	10
			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
485		Main clutch	3749	AL	302x191x4	38x45x7	10
502 - 602 - 604		P.T.O.	0859	A	280x165x3,5	36x45x7	10
		Main clutch	1011	A	280x165x3,5	23x29x4,5	10
		Main clutch	3897	AL	275x171x3,5	23x29x4,5	10
			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
702 - 704 - 802 - 804 - 904		P.T.O.	0859	A	280x165x3,5	36x45x7	10
			1436	AL	302x180x4	23x29x4,5	10
854		Main clutch	3749	AL	302x191x4	38x45x7	10
1042 - 1060		P.T.O.	0859	A	280x165x3,5	36x45x7	10
		Main clutch	1011	A	280x165x3,5	23x29x4,5	10
		Main clutch	3897	AL	275x171x3,5	23x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
2100 - 4100		Main clutch	3749	AL	302x191x4	38x45x7	10
BRAKE DISC							
All models		Brake Disc	3410	DF	165x89x4,7	38x45x ev	13
MARTIN MARKHAM							
Colt 7 Tractor	7 HP	Kohler	0085	AL	160x110x3,2	18x22,5x3,5	10
MASSEY - FERGUSON							
20 B / D / E / H - 30 D / H		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
25		Main clutch	1110	AL	273x178x3,8	16x18,8x ev	11
		P.T.O.	0853	A	228x150x3,5	29,5x32x ev	19
30 E	Main clutch	Digger & Loader	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
35		57 -> 60	1330	A	250x155x3,5	23x29x4,5	10
		60 -> 62	1034	AL	273x178x3,8	23x29x4,5	10
		P.T.O. -> 62	0953	A	228x150x3,5	39x45x7	10
		3 Cyl. Diesel 62	1034	AL	273x178x3,8	23x29x4,5	10
35 / X		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
35 / X 33,4 mm. Flywheel depth		P.T.O.	0953	A	228x150x3,5	39x45x7	10
	23 C		3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
35 / X 44,5 mm. Flywheel depth	A3 152	P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
40 B Manual			3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
40 E		Digger & Loader	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
40 - 50		Brake Disc	1217	DF	178x102x4,7	55x59x ev	27
50 E - EX		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
50 B / D / H / HX			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
50 - 65 - 65 S		P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
		Optional	3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
60 H			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
65		64	1034	AL	273x178x3,8	23x29x4,5	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	Industrial	P.T.O.	0953	A	228x150x3,5	39x45x7	10
	Mark III	Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
	Mark III	P.T.O.	0957	A	250x155x3,5	39x45x7	10
86/6 - 87/6		Main clutch	0853	A	228x150x3,5	29,5x32x ev	19
87			1111	ALI	225x150x3,3	28x35x4	10
122 - 130			1330	A	250x155x3,5	23x29x4,5	10
		Main clutch	1110	AL	273x178x3,8	16x18,8x ev	11
		P.T.O.	0853	A	228x150x3,5	29,5x32x ev	19
130	Main clutch	64 -> 69	1034	AL	273x178x3,8	23x29x4,5	10
	P.T.O.	64 -> 69	0953	A	228x150x3,5	39x45x7	10
		69	3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
		69	1034	AL	273x178x3,8	23x29x4,5	10
133		-> 75	0956	AL	302x191x4,2	23,5x29x4,5	10
133	Chass. -> 2173333	Standard - Multipower	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
133	Chass. 217334-C275040	Standard - Multipower	0957	A	250x155x3,5	39x45x7	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
133 - MK3	Chass. C275041 ->	Standard - Multipower	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
133 - 135 - 140			0956	AL	302x191x4,2	23,5x29x4,5	10
134		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	4055	A	280x165x3,8	35x40x ev	14
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
135 Made in England & France			0956	AL	302x191x4,2	23,5x29x4,5	10
135			1034	AL	273x178x3,8	23x29x4,5	10
		Brake Disc	1217	DF	178x102x4,7	55x59x ev	27
135 Made in England & France - 135	Standard - Multipower	P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
135 Made in England	Chass. 121070-439190		0957	A	250x155x3,5	39x45x7	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
135 Made in France	Chass. -> C275040		0957	A	250x155x3,5	39x45x7	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
135 Made in England - 135 MK III V/S		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
	Chass. 439191 ->		3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
135 Made in France		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
	Chass. C275041 ->		3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
140			0956	AL	302x191x4,2	23,5x29x4,5	10
140 Made in France		P.T.O.	0957	A	250x155x3,5	39x45x7	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
140	Chass. -> 382042		0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
140		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	Chass. 382043 ->		3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
144 - 144 C - 144 E			3453	ALI	280x165x3,5	26x32x4	10
145		P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
		P.T.O.	0957	A	250x155x3,5	39x45x7	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
145 S - V - MK III		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
148 Made in England & France		P.T.O.	0957	A	250x155x3,5	39x45x7	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
148 Made in England & France			0956	AL	302x191x4,2	23,5x29x4,5	10
148 Made in France - MK III	Chass. C190071 ->		3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		Brake Disc	1217	DF	178x102x4,7	55x59x ev	27
150			3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
152	Chass. -> C247092		0956	AL	302x191x4,2	23,5x29x4,5	10
152 - 152 P3 - 152 F MK III V-S	Chass. C247093 ->		0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Brake Disc	1217	DF	178x102x4,7	55x59x ev	27
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
154 S/V HD with 310mm. Flywheel		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
154-4 - 154 F - S - V		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
155		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	0957	A	250x155x3,5	39x45x7	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
157		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	0957	A	250x155x3,5	39x45x7	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
158 / P3 - 158 MK III F- V		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
158			0956	AL	302x191x4,2	23,5x29x4,5	10
158 - MK III S		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
164 F - S - V		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
164 HD version with 310mm. Flywheel		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
165 Made in England & France			0956	AL	302x191x4,2	23,5x29x4,5	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
165 MK III		P.T.O.	0957	A	250x155x3,5	39x45x7	10
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
165		P.T.O.	0953	A	228x150x3,5	39x45x7	10
			3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
		Brake Disc	1362	DF	222x152x4,7	55x59x ev	27
165 MK 2 - MK III	Chass. -> 669500	Standard	0953	A	228x150x3,5	39x45x7	10
	Chass. -> 486848	Multipower	1034	AL	273x178x3,8	23x29x4,5	10
		Optional	3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
165 MK2 - MK	Chass. 669501 ->	Standard	3474	A	250x155x3,5	38x41,5x ev	25
	Chass. 486849 ->	Multipower	0956	AL	302x191x4,2	23,5x29x4,5	10
	Chass. 30773 ->		3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
165 Made in France		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
168 Made in England & France - MK III F - S		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Brake Disc	1362	DF	222x152x4,7	55x59x ev	27
168		P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
		Main clutch	0957	A	250x155x3,5	39x45x7	10
		P.T.O.	0956	AL	302x191x4,2	23,5x29x4,5	10
168	Chass. -> 255118		0957	A	250x155x3,5	39x45x7	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
168 - 168 Made in France	Chass. 255119 ->		3474	A	250x155x3,5	38x41,5x ev	25


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	0956	AL	302x191x4,2	23,5x29x4,5	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
174 S / V	Dampened	Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
174 S/V HD with 310mm. Flywheel		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
175 - S - 177 - 178	Chass. -> 729573		0953	A	228x150x3,5	39x45x7	10
			1034	AL	273x178x3,8	23x29x4,5	10
			3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
175 - 177 - 178		Brake Disc	1362	DF	222x152x4,7	55x59x ev	27
	Chass. 729574 ->		0956	AL	302x191x4,2	23,5x29x4,5	10
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		P.T.O.	0957	A	250x155x3,5	39x45x7	10
184 F - S		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
			1069	A	280x165x3,5	22x25x ev	10
184 S HD with 310mm. Flywheel		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
185 Made in England & France	Chass. -> 317618		0956	AL	302x191x4,2	23,5x29x4,5	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		P.T.O.	0957	A	250x155x3,5	39x45x7	10
185 Made in England & France	Chass. 317619 ->		3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		P.T.O.	0956	AL	302x191x4,2	23,5x29x4,5	10
		Brake Disc	1362	DF	222x152x4,7	55x59x ev	27
187			1111	ALI	225x150x3,3	28x35x4	10
188 Made in England & France	Chass. -> 358839		0957	A	250x155x3,5	39x45x7	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
188 Made in England & France	Chass. 358840 ->		3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		P.T.O.	0956	AL	302x191x4,2	23,5x29x4,5	10
		Brake Disc	1362	DF	222x152x4,7	55x59x ev	27


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
194 A - C - F - S		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
			1069	A	280x165x3,5	22x25x ev	10
		P.T.O.	1245	A	280x165x3,5	35x40x ev	14
194 F HD version with 310mm. Flywheel		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
200			3453	ALI	280x165x3,5	26x32x4	10
202		Main clutch	1110	AL	273x178x3,8	16x18,8x ev	11
		P.T.O.	0853	A	228x150x3,5	29,5x32x ev	19
203 - 205	P.T.O.	79 ->	0953	A	228x150x3,5	39x45x7	10
	Main clutch	79 ->	1034	AL	273x178x3,8	23x29x4,5	10
230		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	4079	AL	302x191x4	25,5x29x ev	21
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
231 S		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
233 - 234 S/CF		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
233 - 234 S/CF HD with 310mm. Flywheel		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		Main clutch	4126	A	310x175x3	22x25x ev	10
235		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
235 S		Main clutch	1330	A	250x155x3,5	23x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
240		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		Main clutch	3474	A	250x155x3,5	38x41,5x ev	25
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
244			3453	ALI	280x165x3,5	26x32x4	10
244 CF		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
			3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
244 CF		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
245 - 250		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
253		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
			4079	AL	302x191x4	25,5x29x ev	21
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
253 - 254 A/CF/S/ S 4WD		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		Brake Disc	4137	DF	178x102x4,7	41,2x45,25x ev	22
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
253 - 254 A/CF/S/ S 4WD	With 310 mm. Flywheel	Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
255 - 260		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
261		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		Main clutch	4079	AL	302x191x4	25,5x29x ev	21
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
263 T - 264 CF- S - T		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Brake Disc	4137	DF	178x102x4,7	41,2x45,25x ev	22
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
263 - 264 CF/T HD with 310mm. Flywheel		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
265		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
265 S		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	4079	AL	302x191x4	25,5x29x ev	21
273 - 274 A/C/CF/S/ SK 4WD		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		Brake Disc	4137	DF	178x102x4,7	41,2x45,25x ev	22
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
273 - 274 A/C/CF/S/ S 4WD HD	With 310 mm. Flywheel	Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
275		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
283 - 284 S / S 4WD		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		Brake Disc	4137	DF	178x102x4,7	41,2x45,25x ev	22
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
283 - 284 S/ S 4WD HD	With 310 mm. Flywheel	Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
285 S		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	4079	AL	302x191x4	25,5x29x ev	21
285 - 290	A4 248	Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
293 - 294 A / C / S 4WD		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Brake Disc	1395	DF	165x89x4,7	38x45x ev	13
		Brake Disc	4137	DF	178x102x4,7	41,2x45,25x ev	22
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
293 - 294 A/S/ S 4WD HD	With 310 mm. Flywheel	Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
298	Main clutch	81 ->	4090	AL	325x200x4	23x29x4,5	10
		81 ->	4250	A - CX	Ø 325 6+6 pads 57x64x3,5	23x29x4,5	10
307			1111	ALI	225x150x3,3	28x35x4	10
333 - 334 V		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
340		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
342		86 ->	4079	AL	302x191x4	25,5x29x ev	21
		Main clutch	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
350	Chass. -> V39420		4079	AL	302x191x4	25,5x29x ev	21
	Chass. -> V39420	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
	Chass. V39421 ->		4251	B 14	302x191x3,5	25,4x28,5x ev	21
	Chass. V39421 ->	Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
352		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	4251	B 14	302x191x3,5	25,4x28,5x ev	21
		Optional	4079	AL	302x191x4	25,5x29x ev	21
		Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
353 - 354 F / S / V		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
	S Chass. -> P50186		3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
			4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
353 - 354 AP/F/FP/GE/S/SP/V/XL	S Chass. P50187 ->		1069	A	280x165x3,5	22x25x ev	10
		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
355	Chass. -> V39420		4079	AL	302x191x4	25,5x29x ev	21
	Chass. -> V39420	Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
355	Chass. V39421 ->		4251	B 14	302x191x3,5	25,4x28,5x ev	21
355		Main clutch	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
356 CF / CLF / CSF		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
360 - 362	Chass. -> V39420	Main clutch	4079	AL	302x191x4	25,5x29x ev	21
	Chass. -> V39420	Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
	Chass. -> V39420	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
360 - 362	Chass. V39421 ->	Main clutch	4251	B 14	302x191x3,5	25,4x28,5x ev	21
	Chass. V39421 ->	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
360 - 362			4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
362		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
		Optional	4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
362 N			4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
		Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
363 - 364 CF / F / V / S		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	S Chass. -> P50186		3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
363 - 364 CF / F / S / V			4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
363 - 364 AP/F/FP/GE/S/SP/V/XL	S Chass. P50187 ->		1069	A	280x165x3,5	22x25x ev	10
		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
365	Chass. -> V23099		4079	AL	302x191x4	25,5x29x ev	21
	Chass. V23100 ->		4251	B 14	302x191x3,5	25,4x28,5x ev	21
365	Chass. -> V46290	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
	Chass. -> V46290	Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
	Chass. -> V46290	Main clutch	4079	AL	302x191x4	25,5x29x ev	21
365	Chass. V46291 ->	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
	Chass. V46291 ->	Main clutch	4251	B 14	302x191x3,5	25,4x28,5x ev	21
365			4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
			4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
366 CF / CFS	S Chass. P50187 ->		1069	A	280x165x3,5	22x25x ev	10
		Main clutch	4120	B 18	280x165x3,8	35x40x ev	14
367 - 373 CF / LX / S		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
			3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
367 - 373 CF / LX / S		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
372 N			4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
		Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
374 F/S/V			1389	B 18	280x165x3,5	35x40x ev	14
		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
374 AP/F/FP/GE/S/SP/V HD	With 310 mm. Flywheel	Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
374 AQ	Main clutch	94 ->	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
374 AP/AQ/F/FP/GE/S/SP/V		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
			3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
375	Chass. -> V23099		4079	AL	302x191x4	25,5x29x ev	21
	Chass. -> V23099	Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
375	Chass. V23100 ->		4251	B 14	302x191x3,5	25,4x28,5x ev	21
375	Chass. -> V46290		3474	A	250x155x3,5	38x41,5x ev	25
	Chass. -> V46290	Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
	Chass. -> V46290	Main clutch	4079	AL	302x191x4	25,5x29x ev	21
375	Chass. V46291 ->	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
	Chass. V46291 ->		4251	B 14	302x191x3,5	25,4x28,5x ev	21
375			4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
			4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
375 E		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
375 E		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
			4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
376 C / CF / XCF - 377		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
376 C / CF / XCF - 377		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
382 N			4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
383 AQ / F / LX / S		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
383 AQ/F/LX/S - 384 AQ/AP/F/FP/GE/LX/S/SP/V		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
384 AQ/AP/F/FP/GE/LX/S/SP/V HD	With 310 mm. Flywheel	Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
387		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
390		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
			4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
390	Chass. -> V23099		4079	AL	302x191x4	25,5x29x ev	21
	Chass. V23100 ->		4251	B 14	302x191x3,5	25,4x28,5x ev	21
390	Chass. -> V46290		3474	A	250x155x3,5	38x41,5x ev	25
	Chass. -> V46290		4079	AL	302x191x4	25,5x29x ev	21
	Chass. -> V46290	Optional	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
390	Chass. V46291 ->	Main clutch	4251	B 14	302x191x3,5	25,4x28,5x ev	21
	Chass. V46291 ->	P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
390 T			4254	B 14	325x200x3,5	25,4x28,5x ev	21
			4206	B14 - CX	Ø 325 5+5 pads 69x77x4	25,4x29x ev	21
		Optional	4091	AL	325x200x4	25,5x28,5x ev	21
		Optional	4253	A - CX	Ø 325 6+6 pads 57x64x3,5	25,4x28,5x ev	21
390 E		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
393 LX / S		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
393 - T LX/S - 394 C AP/AQ/FP/GE/H/S/SP		P.T.O.	4126	A	310x175x3	22x25x ev	10
		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
394 AQ/F/H/S - 394 C AP/FP/GE/SP		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
394 F HD version with 310mm. Flywheel		P.T.O.	4126	A	310x175x3	22x25x ev	10
		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
394 AQ/FQ		P.T.O.	4126	A	310x175x3	22x25x ev	10
		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
396			4206	B14 - CX	Ø 325 5+5 pads 69x77x4	25,4x29x ev	21
396 C / CF - 396 T C / CF		P.T.O.	1069	A	280x165x3,5	22x25x ev	10
		Main clutch	3804	B 18 - CX	Ø 280 6+6 pads 57x64x4	35x40x ev	14
		Main clutch	1389	B 18	280x165x3,5	35x40x ev	14
396 C / CF - 396 T C / CF - 397/T		P.T.O.	4126	A	310x175x3	22x25x ev	10
			4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
398 - 398 T - 399 S			4254	B 14	325x200x3,5	25,4x28,5x ev	21
		Optional	4091	AL	325x200x4	25,5x28,5x ev	21
		Optional	4206	B14 - CX	Ø 325 5+5 pads 69x77x4	25,4x29x ev	21


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Optional	4253	A - CX	Ø 325 6+6 pads 57x64x3,5	25,4x28,5x ev	21
407			1111	ALI	225x150x3,3	28x35x4	10
500		P.T.O.	0957	A	250x155x3,5	39x45x7	10
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
507			1111	ALI	225x150x3,3	28x35x4	10
550 - 560 - 565 - 575 - 590		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
592			4090	AL	325x200x4	23x29x4,5	10
			4250	A - CX	Ø 325 6+6 pads 57x64x3,5	23x29x4,5	10
592 - 595 With Rockford clutch - 595 MK II			1436	AL	302x180x4	23x29x4,5	10
	Chass. -> Z214004	Optional	3553	A - CX	Ø 300 6+6 pads 57x64x3,5	23x29x4,5	10
595 - 595 MK II	Chass. Z214005 ->		4090	AL	325x200x4	23x29x4,5	10
			4250	A - CX	Ø 325 6+6 pads 57x64x3,5	23x29x4,5	10
		Brake Disc	1362	DF	222x152x4,7	55x59x ev	27
675		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
		P.T.O.	3474	A	250x155x3,5	38x41,5x ev	25
			3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
			4101	A	225x155x3,5	26x32x4	10
685/S			4101	A	225x155x3,5	26x32x4	10
		Optional	3452	A - CX	Ø 300 8+8 pads 57x64x4	23x29x4,5	10
		Main clutch	4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
		Main clutch	0956	AL	302x191x4,2	23,5x29x4,5	10
690			3474	A	250x155x3,5	38x41,5x ev	25
	England		4090	AL	325x200x4	23x29x4,5	10
	England		4250	A - CX	Ø 325 6+6 pads 57x64x3,5	23x29x4,5	10
	France		4254	B 14	325x200x3,5	25,4x28,5x ev	21
698	France		4206	B14 - CX	Ø 325 5+5 pads 69x77x4	25,4x29x ev	21
			4090	AL	325x200x4	23x29x4,5	10
698 T			4250	A - CX	Ø 325 6+6 pads 57x64x3,5	23x29x4,5	10
			4254	B 14	325x200x3,5	25,4x28,5x ev	21
699			4206	B14 - CX	Ø 325 5+5 pads 69x77x4	25,4x29x ev	21
		Optional	4206	B14 - CX	Ø 325 5+5 pads 69x77x4	25,4x29x ev	21
702		59 -> 60	1330	A	250x155x3,5	23x29x4,5	10
765		Brake Disc	1217	DF	178x102x4,7	55x59x ev	27
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
		Optional	3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	0953	A	228x150x3,5	39x45x7	10
1004			4090	AL	325x200x4	23x29x4,5	10
			4250	A - CX	Ø 325 6+6 pads 57x64x3,5	23x29x4,5	10
1004 T			4254	B 14	325x200x3,5	25,4x28,5x ev	21
			4090	AL	325x200x4	23x29x4,5	10
		Optional	4206	B14 - CX	Ø 325 5+5 pads 69x77x4	25,4x29x ev	21
		Optional	4250	A - CX	Ø 325 6+6 pads 57x64x3,5	23x29x4,5	10
1007		Main clutch	4178	B 19 - CX	Ø 310 8+8 pads 57x64x4	35x40x ev	14
		P.T.O.	4126	A	310x175x3	22x25x ev	10
1007 HD version with 310mm. Flywheel	Dampered	Main clutch	4096	BL8 - CX	Ø 330 8+8 pads 57x64x4	44x48x ev	23
		P.T.O.	3635	A	330x200x3,5	27x30x ev	16
1014	Chass. -> 22904564	4WD - 68KW	3791	AL - CX	Ø 310 8+8 pads 57x64x3,5	44x48x ev	23
		P.T.O.	3922	A	310x195x3,5	27x30x ev	16
1014 - 1024	Chass. 22904565 ->	4WD - 68KW	4096	BL8 - CX	Ø 330 8+8 pads 57x64x4	44x48x ev	23
		P.T.O.	3635	A	330x200x3,5	27x30x ev	16
1014	Chass. V44006 ->	4WD - 68KW	4096	BL8 - CX	Ø 330 8+8 pads 57x64x4	44x48x ev	23
		P.T.O.	3922	A	310x195x3,5	27x30x ev	16
1080 - 1081 - 1085			1436	AL	302x180x4	23x29x4,5	10
		Brake Disc	1362	DF	222x152x4,7	55x59x ev	27
		Optional	3553	A - CX	Ø 300 6+6 pads 57x64x3,5	23x29x4,5	10
1104		Brake Disc	1217	DF	178x102x4,7	55x59x ev	27
1114 - 1134	4WD - 81KW	P.T.O.	3635	A	330x200x3,5	27x30x ev	16
	Dampered	Main clutch	4096	BL8 - CX	Ø 330 8+8 pads 57x64x4	44x48x ev	23
1200	Main clutch	72	4090	AL	325x200x4	23x29x4,5	10
2135			3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
2200		P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
2205 - 2210 - 2220		Main clutch	4218	B 14	280x165x3,5	31x35x ev	18
2620-2625-2640-2645-2680-2685-2720-2725			4058	A - CX	Ø 352 6+6 pads 69x77x4	46,5x50,5x ev	23
3050-3055-3060-3065-3070-3075-3080-3085-3090-3095-3115-3120-3125			4163	AL - CX	Ø 330 7+7 pads 69x77x4	46,5x50,6x ev	23
3303			3422	A - CX	Ø 273 12+12 pads 52x36x3,5	23x29x4,5	10
3610-3630-3635-3645-3650-3655-3670			4058	A - CX	Ø 352 6+6 pads 69x77x4	46,5x50,5x ev	23


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
4215			Main clutch	4251	B 14	302x191x3,5	25,4x28,5x ev	21
4220 LP				4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
4225 - 4235 - 4240 LP				4252	B14 - CX	Ø 302 6+6 pads 57x64x3,5	25,4x28,5x ev	21
				4177	A - CX	Ø 300 8+8 pads 57x64x3,5	25,5x29x ev	21
4000 Mark II CL				3453	ALI	280x165x3,5	26x32x4	10
Giunto elastico - Coupling				4440	BT	Ø 214	29x35x5,5	10
HARVESTER - Made in Finland								
16 - 20 - 25				4198	ALI	225x150x3,5	23x29x4	10
31				0863	A	181x124x3,5	23x29x4	10
86 - 87				4101	A	225x155x3,5	26x32x4	10
186 - 187				1111	ALI	225x150x3,3	28x35x4	10
206 - 240 - 307 - 387 - 407				1111	ALI	225x150x3,3	28x35x4	10
330 - 430				4198	ALI	225x150x3,5	23x29x4	10
440 - 487 - 506 - 507				1111	ALI	225x150x3,3	28x35x4	10
500 - 510 - 8			Main clutch	1465	A - CX	Ø 200 6+6 pads 37x67x3,5	26x32x5	10
			Main clutch	1363	A	200x130x3,5	26x32x5	10
510 - 520 - 525			Brake Disc	1396	DF	152x79x4,7	59x63,5 ev	29
				1111	ALI	225x150x3,3	28x35x4	10
			Brake Disc	1371	DF	165x89x4,7	55x59x ev	27
			Main clutch	3114	AL	279x171x3,5	28x35x5,5	10
620 - 625			Brake Disc	1371	DF	165x89x4,7	55x59x ev	27
			Main clutch	3114	AL	279x171x3,5	28x35x5,5	10
685 - 685 S - 86/6 - 87/6				1013	A	225x150x3,5	32x40x5	10
				4101	A	225x155x3,5	26x32x4	10
Mc. CORMICK								
CX 50 - 60 - 70				4497	B14 - CX	Ø 302 5+5 pads 57x64x4	23x29x4,5	10
CX 80 - 90 - 100				4498	B14 - CX	Ø 310 7+7 pads 57x64x4	23x29x4,5	10
MEADOWS								
4 DC - 420 Industrial		Diesel	57	1264	A	406x229x7,9	36x45x7	10
4 DC 330 Industrial		Diesel	51 -> 55	1261	BL 8	352x216x4,8	33,5x41,5x6,5	10
4 EL / AV			54 -> 56	1109	A	302x191x3,5	31x38x6	10
6 DC 10 Litre		Diesel	56 -> 57	3128	BL 8	406x229x7,9	41x50,8x7,9	10
A 40		MK 2		0870	A	200x130x3,2	21x26x4	10
MENGELE								
Auto bagger		F2L612		0822	ALI	200x130x3,5	23x29x4	10
MERCEDES BENZ								
MB-TRAC								
65 - 70	BM.440.161		P.T.O.	4152	AL	280x164x4	45x50x ev	24
			Main clutch	4460	B 14	295x172x4	26x32x4	10
700	BM.440.162	Chass. -> 084256		2444	ELI	280x165x3,5	26,0x32,0x4,0	10
		Chass. 084257 ->		2402	B 14	310x175x4,0	26x32x4	10
700	BM.440.162/167/171	Chass. -> 147003	P.T.O.	4152	AL	280x164x4	45x50x ev	24


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Chass. -> 147003		4460	B 14	295x172x4	26x32x4	10
700	BM.440.167	Chass. 147004 ->	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
700	BM.440.171			2402	B 14	310x175x4,0	26x32x4	10
800	BM.440.163	Chass. -> 084256		2444	ELI	280x165x3,5	26,0x32,0x4,0	10
		Chass. 084257 ->		2402	B 14	310x175x4,0	26x32x4	10
800	BM.440.168			2402	B 14	310x175x4,0	26x32x4	10
800	BM.440.163/168/172	Chass. -> 147003	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. -> 147003	Main clutch	4460	B 14	295x172x4	26x32x4	10
800	BM.440.172			2402	B 14	310x175x4,0	26x32x4	10
900	BM.440.164/169/173	Turbo		2402	B 14	310x175x4,0	26x32x4	10
900	BM.440.164	Chass. -> 147003	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. -> 147003	Main clutch	4460	B 14	295x172x4	26x32x4	10
900	BM.440.164/169/173	Chass. 147004 ->	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
		63 - 68 kW	81 -> 91	4537	B14 - CX	Ø 330 6+6 pads 69x77x4	26x32x4	10
1000	BM.441.161/162/163		Main clutch	2402	B 14	310x175x4,0	26x32x4	10
			P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
		70 - 74 kW	82 -> 871	4537	B14 - CX	Ø 330 6+6 pads 69x77x4	26x32x4	10
1000		81 kW	79 -> 87	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
1100 - 1300	BM.441.161	Chass. -> 114457		6010	B 19	330x195x3,5	36x40x ev	20
		Chass. -> 114457	P.T.O.	4017	A	310x175x3,8	41x45x ev	22
		Chass. -> 114457	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
1100	BM.443.160	Chass. 114458 ->	P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
		Chass. 114458 ->	Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
1300		92 kW	76 -> 87	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
1300 - 1400 Turbo	BM.443.161/163	Chass. 114458 ->	P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
		Chass. 114458 ->	Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
1500	BM.441.162	Chass. -> 114457		6010	B 19	330x195x3,5	36x40x ev	20
		Chass. -> 114457	P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
		Chass. -> 114457	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
1500	BM.441.162	Chass. 114458 ->	P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
		Chass. 114458 ->	Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
1600 TURBO - 1800	BM.443.166	Chass. 114458 ->	P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
		Chass. 114458 ->	Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
UNIMOG								
S 404		Unimog 35 HP	54 ->	0168	ELI	228x150x3,3	26x32x4	10
				4269	B21 - CX	Ø 225 4+4 pads 37x67x3,5	26x32x4	10
U 40	BM.421.122/123/130/131			2247	ELI	250x165x3,5	26x32x4	10
U 45	BM.421.122/123			2247	ELI	250x165x3,5	26x32x4	10
U 52	BM.421.124/125/140/141			2247	ELI	250x165x3,5	26x32x4	10
U 52	BM.421.124/125/140/141	Chass. 002949 -> 166589	P.T.O.	1768	B4 L	225x150x3,5	45x50x ev	24
U 54	BM.403.120/121	Chass. -> 088736	P.T.O.	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 54	BM.403.120/121	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 54	BM.403	Chass. 000760 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 000760 -> 088737	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 55	BM.421.130/131			2247	ELI	250x165x3,5	26x32x4	10
U 60	BM.421.128/129/132/133			2247	ELI	250x165x3,5	26x32x4	10
U 60	BM.421.162/163			2247	ELI	250x165x3,5	26x32x4	10
U 60	BM.421.132/133	Chass. 002949 -> 166589	P.T.O.	1768	B4 L	225x150x3,5	45x50x ev	24
U 65	BM.406.120/121/130/131	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 65	BM.406.120/121/130/131	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 65	BM.406.120/121	Chass. 009059 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 009059 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 65	BM.406.120/121	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 66	BM.403.122/123	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 66	BM.403.122/123	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 66	BM.403.122/123	Chass. 000760 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 000760 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 66	BM.403.122/123	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 70	BM.406.120/121/130	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 70	BM.406.120/121/130	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 70	BM.406.120/121	Chass. 009059 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 009059 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 70	BM.406.120/121	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 72	BM.403.122/123 - 413.110/111	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 72	BM.403.122/123 - 413.110/111	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 72	BM.403.122/123 - 413.110/111	Chass. 009059 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 009059 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 72	BM.403.122/123 - 413.110/111	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 80	BM.416.126/127	Chass. -> 003772		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 003772	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 80	BM.416.120/121/133 - BM.413.110/111 - BM.416.122/125/130	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 80	BM.416.126/127	Chass. 003773 -> 088736		2402	B 14	310x175x4,0	26x32x4	10
U 80	BM.406.120/121/133 - 413.110/111 - 416.122/127/130/133	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 80	BM.406.120/121	Chass. 009059 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 009059 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 80	BM.413.110/111	Chass. -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 80	BM.406.120/121 - 413.110/111	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 84	BM.406.120/121	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 84	BM.406.120/121	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 84	BM.406.120/121	Chass. 009059 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 009059 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 84	BM.406.120/121	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 90	BM.416.126/127	Chass. -> 003772		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 003772	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 90	BM.416.122/125/130/133	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 90	BM.416.122/125/130/133	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 90	BM.416.126/127	Chass. 003773 -> 088736		2402	B 14	310x175x4,0	26x32x4	10
U 100	BM.416.134/135/160	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 100	BM.416.114-117/140	Chass. -> 088736		2402	B 14	310x175x4,0	26x32x4	10
U 100	BM.416.134/135/140/141/160	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 100	BM.416.114/117/134/135/140/141	Chass. 000562 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 000562 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 100	BM.416.114/117/134/135/140/141	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 100	BM.416.114/117	Chass. -> 166589	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 110	BM.416.134/135	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 110	BM.416.140	Chass. -> 088736		2402	B 14	310x175x4,0	26x32x4	10
U 110	BM.416.134/135/140/141	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 110	BM.416.134/135/140/141	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 110	BM.416		P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 120	BM.425			4017	A	310x175x3,8	41x45x ev	22
				4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 125	BM.416.162/163			2402	B 14	310x175x4,0	26x32x4	10
U 125	BM.416	Chass. 000562 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 000562 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 125 - U 150	BM.425			4017	A	310x175x3,8	41x45x ev	22
				4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 140	BM.418.217/237		Optional	6070	B 23	330x185x4	28x35x4	10
U 411			52	0168	ELI	228x150x3,3	26x32x4	10
				4269	B21 - CX	Ø 225 4+4 pads 37x67x3,5	26x32x4	10
U 416				4336	B14 - CX	Ø 280 6+6 pads 57x64x3,5	26x32x4	10
U 600	BM.407.100/200	Chass. -> 166588		2247	ELI	250x165x3,5	26x32x4	10
U 600	BM.421.124/125/128/129/132/133/140/141			2247	ELI	250x165x3,5	26x32x4	10
U 600	BM.407.100		P.T.O.	1768	B4 L	225x150x3,5	45x50x ev	24
U 650	BM.407.110/111/210	Chass. -> 166588		2247	ELI	250x165x3,5	26x32x4	10
U 650	BM.407.110/111		P.T.O.	1768	B4 L	225x150x3,5	45x50x ev	24
U 800	BM.403.122/123 - 413.110/111	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 800	BM.403.122/123 - 413.110/111	Chass. -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 800	BM.416	Chass. 000562 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 000562 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 800	BM.403.122/123 - 413.110/111	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 800	BM.417.100/200	Chass. -> 166588		2402	B 14	310x175x4,0	26x32x4	10
U 800	BM.403.122/123 - 413.110/111	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 800	BM.416. - 417.100/200		P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 900	BM.406.120/120	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
				2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 900	BM.406.142/143			2402	B 14	310x175x4,0	26x32x4	10
U 900	BM.406.120/121	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 900	BM.417.101/106/201	Chass. -> 166588		2402	B 14	310x175x4,0	26x32x4	10
U 900	BM.406.120/120	Chass. 009059 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 009059 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 900	BM.406.120/120	Chass. 000562 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Chass. 000562 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 900	BM.406.120/120 - 416	Chass. 088737 ->		4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 900	BM.417.101/106/201 - 416			4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
				4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 1000	BM.435		P.T.O.	4017	A	310x175x3,8	41x45x ev	22
			Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1000	BM.424.121/131 - BM.427/100	Chass. -> 166919	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
		Chass. -> 166919	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1000	BM.427/100	Chass. 166920 ->	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
		Chass. 166920 ->	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1000	BM.424.121/131		P.T.O.	4017	A	310x175x3,8	41x45x ev	22
			Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1100	BM.416.134/135/160	Chass. -> 088736		4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
		Chass. -> 088736	Optional	2444	ELI	280x165x3,5	26,0x32,0x4,0	10
U 1100	BM.416.114/117/140/163	Chass. -> 088736		2402	B 14	310x175x4,0	26x32x4	10
U 1100	BM.416.134/135/141/160	Chass. -> 088736		2402	B 14	310x175x4,0	26x32x4	10
U 1100	BM.416.134/135/141/160/162/163	Chass. 088737 ->		2402	B 14	310x175x4,0	26x32x4	10
U 1100	BM.417.000	Chass. -> 166588		2402	B 14	310x175x4,0	26x32x4	10
U 1100	BM.416.114/117/134/135/140/141	Chass. 000562 -> 088736	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Chass. 000562 -> 088736	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 1100	BM.416.114/117/134/135/140/141	Chass. 088737 ->	P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
		Chass. 088737 ->	Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 1100	BM.416.114/117 - BM 417.000		P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 1150	BM.417.110/111/115/116/120/210/211/212/220	Chass. -> 166588		2402	B 14	310x175x4,0	26x32x4	10
U 1150	BM.417.110/111/115/116/120/210/211/212/220		P.T.O.	4274	A - CX	Ø 280 6+6 pads 57x64x4	45x50x ev	24


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			Main clutch	4273	ELI - CX	Ø 280 6+6 pads 57x64x3,5	23x32x4	10
U 1200	BM.424.122/123			6010	B 19	330x195x3,5	36x40x ev	20
U 1200	BM.424.122/123		Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
			P.T.O.	4017	A	310x175x3,8	41x45x ev	22
U 1200	BM.427.000/101			6010	B 19	330x195x3,5	36x40x ev	20
			P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1250	BM.424.126/127			6010	B 19	330x195x3,5	36x40x ev	20
U 1250	BM.424.126/127	Chass. -> 166919	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
		Chass. -> 166919	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
U 1250	BM.424.126/127		P.T.O.	4017	A	310x175x3,8	41x45x ev	22
			Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1250	BM.427.110/111			6010	B 19	330x195x3,5	36x40x ev	20
			P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1300	BM.425.121			6010	B 19	330x195x3,5	36x40x ev	20
U 1300	BM.425.121	Chass. -> 166919	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
		Chass. -> 166919	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
U 1300	BM.425.121		Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
			P.T.O.	4017	A	310x175x3,8	41x45x ev	22
U 1300	BM.435.115			6010	B 19	330x195x3,5	36x40x ev	20
U 1300	BM.435.115/117	Chass. -> 166919	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
		Chass. -> 166919	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
U 1300	BM.435.115/117		P.T.O.	4017	A	310x175x3,8	41x45x ev	22
			Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1350	BM.436.320/321			6010	B 19	330x195x3,5	36x40x ev	20
U 1350	BM.437.110			6010	B 19	330x195x3,5	36x40x ev	20
U 1350	BM.437.110	Chass. ->166919	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
		Chass. ->166919	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
U 1350	BM.437.110	Chass. 172296 ->	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
		Chass. 172296 ->	Main clutch	4270	B14 - CX	Ø 310 6+6 pads 57x64x4	26x32x4	10
U 1350 L		100 kW	88 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1400	BM.427.102			6010	B 19	330x195x3,5	36x40x ev	20
U 1400	BM.427.102		Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
			P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
U 1450	BM.427.112			6010	B 19	330x195x3,5	36x40x ev	20
U 1450	BM.427.112		P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1450	BM.427.112		P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1500	BM.425.131/141			6010	B 19	330x195x3,5	36x40x ev	20
U 1500	BM.425.131/141	Chass. -> 166919	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
		Chass. -> 166919	Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1500	BM.425.131/141		Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
			P.T.O.	4017	A	310x175x3,8	41x45x ev	22
U 1550	BM.424.126/127			6010	B 19	330x195x3,5	36x40x ev	20
U 1550	BM.424.126/127	Chass. -> 166919		4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
		Chass. -> 166919	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
U 1550	BM.424.126/127		Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
			P.T.O.	4017	A	310x175x3,8	41x45x ev	22
U 1550	BM.437.123/141			2038	B 16	345x191x4,0	36x40x ev	20
U 1550	BM.437.111/120			2038	B 16	345x191x4,0	36x40x ev	20
U 1550	BM.437.111/116/120/125		P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1550 L		100-114-115-125-150-157-177- Kw	88 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1600	BM.427.105			2038	B 16	345x191x4,0	36x40x ev	20


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
U 1600	BM.427.107		P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1600 L				4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1650	BM.427.115/118			2038	B 16	345x191x4,0	36x40x ev	20
			P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1650	BM.427.117/118		P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
			Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1650 L		115-150-157-177 kW	88 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1700	BM.435.110/111/113			6010	B 19	330x195x3,5	36x40x ev	20
U 1700	BM.435.110/111/113/115		Main clutch	4271	B 19 - CX	Ø 330 6+6 pads 69x77x4	36x40x ev	20
			P.T.O.	4017	A	310x175x3,8	41x45x ev	22
U 1700	BM.436.340/341/342/343			2038	B 16	345x191x4,0	36x40x ev	20
U 1700	BM.437.000/100		P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
				2038	B 16	345x191x4,0	36x40x ev	20
			Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1700 L - U 1700 T		122 - 125 kW	88 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1750	BM.437.112/113/116/130/131		Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
				2038	B 16	345x191x4,0	36x40x ev	20
			P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
U 1750 L - U 1750 T		122 - 125 kW	88 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1800	BM.437.002/102		Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
				2038	B 16	345x191x4,0	36x40x ev	20
			P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
U 1800 T				4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 1850	BM.437.114/115/133		Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
			P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
U 1850 L / 38				4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 2100	BM.437.105		Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
			P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
U 2100 T		155 - 157 kW	89 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 2150	BM.437.117/118/135/136		Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
			P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
U 2150 L		155 - 157 kW	89 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 2400 - 2450	BM.437.182		Main clutch	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
			P.T.O.	4355	A - CX	Ø 330 6+6 pads 57x64x4	45x50x ev	24
U 2400 TG		177 kW	93 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
U 2450 L		177 kW	91 ->	4533	BL8 - CX	Ø 350 8+8 pads 69x77x4	36x40x ev	20
MERLO								
Autobetoniera				3761	A	250x155x4	31x38x6	10
DBM 1200 - 1500				0402	B 2	216x152x3,2	18x22x3,5	10
DBM 1400 - 1700				0308	A	250x155x3,5	29x35x5,5	10
DBM 200				3641	A	279x171x3,5	29x35x5,5	10
MERONI								
EROM				0174	A	187x130x4	18x22x5	6
MIAG								
AD 22 22HB				4312	ALI	225x150x3,5	26x32x5	10
DFG 2,5 - 3,2				3705	A	310x176x4	32x40x4	10
KM 3				3118	A	200x130x3,5	26x32x5	10
LDK 7				3124	A	280x165x3,5	32x40x4	10
LDM 2,5 D - 3,5 D				3705	A	310x176x4	32x40x4	10
LM 1 EEX - 1 SEEX 1 2 - 1 2 EEX				3123	A	250x155x3,5	26x32x4	10
LM 1 EX - 1,5 EX - 1 D - 1,5 D				3122	A	250x155x3,5	26x32x4	10
LM 2,5 - 2,5 D - 2,5 EX				3125	A	280x165x3,5	32x40x4	10
LM 20 D - 20 DX Turbo				3119	A	225x150x3,5	23x29x4,5	10
LM 20 DY Turbo				3120	A	250x155x3,5	23x29x4,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
MSK 4 - KM 6 - MSK 6			3121	A	250x155x3,5	26x32x5	10
MSK 4 HG			3704	A	250x155x3,5	32x40x4	10
MSK 35			4312	ALI	225x150x3,5	26x32x5	10
MOGURTS							
Dump Truck DR 500	Reinforced		1265	BL 8	352x216x4,8	33,5x41,5x6,5	10
MONTI							
Trattore	40 - 45 - 50 - 60 HP		1098	A	280x165x3,3	29x35x5,5	10
Trattore	40 - 50 - 60 HP	Main clutch	1258	A	280x165x3,5	21x26x4	10
Trattore	40 - 50 - 60 HP	P.T.O.	1259	A	302x191x3,5	39x45x ev	16
MOXI DUMPERS							
2020 - 2025 - 2030			0989	A	228x150x3,3	21x26x4	10
MUIR HILL							
111 - 121 - 141	Dual power		3877	BL 8	352x216x4,8	38x45x7	10
MWM							
A							
AKD 112 E	WHF 8.5		0863	A	181x124x3,5	23x29x4	10
AKD 112 Z	WHF 8.5		0822	ALI	200x130x3,5	23x29x4	10
D							
D 208-4 / 225-3 / 226-3			4311	ALI	250x155x3,5	26x32x4	10
D 301-2			0863	A	181x124x3,5	23x29x4	10
D 308-4 / 325-3 / 327-3			4311	ALI	250x155x3,5	26x32x4	10
K							
KD 12 E	WHF 8.5		0863	A	181x124x3,5	23x29x4	10
KD 12 Z	WHF 8.5		0822	ALI	200x130x3,5	23x29x4	10
KD 211 Z	WHF 8.5		0863	A	181x124x3,5	23x29x4	10
KDW 415 E - Z			4312	ALI	225x150x3,5	26x32x5	10
NAPOLIONE							
T 3500 - 4000			1089	A	216x152x3,2	21x26x4	10
T 3500 - 4000			1327	B 2	216x152x3,2	21x26x4	10
T 6000			0934	A	250x155x3,5	23x29x4,5	10
NEWAGE LYON							
1.5 Litre Industrial	Diesel		0106	BL 7	232x156x3,5	23x29x4,5	10
2.2 Litre Industrial	Diesel	65 ->	0142	BL 1	232x156x3,5	21x25,4x4	10
2.2 Litre	Petrol		0466	BL 2	250x171x3,8	26x32x5	10
3.4 Litre			0225	BL 2	278x172x3,5	29x35x5,5	10
3.8 Litre	Diesel		0225	BL 2	278x172x3,5	29x35x5,5	10
4.0 Litre	Petrol		0225	BL 2	278x172x3,5	29x35x5,5	10
5.1 Litre	Diesel		0408	BL 8	302x191x3,5	29x35x5,5	10
5.7 Litre	Diesel		0463	BL 8	325x200x3,6	31x38x6	10
NEWAGE LYON Marine							
BMC / Newage Marine Commander	2.2 Litre Diesel		0292	BL 2	250x171x3,5	23x29x4,5	10
Commander - Commodorew	3.4 Litre Diesel		0225	BL 2	278x172x3,5	29x35x5,5	10
Sea Lord 5.1			0408	BL 8	302x191x3,5	29x35x5,5	10
NIBBI BRUNO							
225 LDT - 230 LDT - 335 LDT - 340 LDT			3892	B 4	216x152x3,2	21x25x ev	15
344		Double disc	4189	A	216x152x3,5	31x35x ev	18
DL 160	Motofalciatrice	Motor-mower	4043	A	128x86x2,5	20x24,5x ev	15


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Figaro C	Motofalciatrice	Motor-mower	4094	A	178x130x2,5	21,5x24,5x ev	15
G 119 - G 219 - G 520 - G 521			1439	A	184x127x2,8	21x25x ev	15
G 119 S - G 219 S			3892	B 4	216x152x3,2	21x25x ev	15
G 419			3644	A	216x152x3,2	21x25x ev	15
Motofalciatrice		Motor-mower	5016	A	178x133x2	21x25x ev	15
Trattorino			3398	A	132x95x2	21x25x ev	15
NIBBI DECIMO							
Grifo Argo			3586	A	120x78x2,5	14x17x ev	9
Major			3645	A	110x58x1	14x17x ev	9
Major			3019	A	110x58x1	12x15x ev	8
Motocoltivatori	10 CV	Motocultivator	3929	A	100x63x2	20x24,5 ev	15
Motocoltivatori	12 - 14 CV	Motocultivator	3930	A	140x91x2,2	20x24,5 ev	15
Motozappa			3585	A	144x102x3	21x26x3	10
NORDTRAK - NORDDEUTSCHE							
Stier 241			0822	ALI	200x130x3,5	23x29x4	10
NORMAG							
F							
F 12b - 16 - 22			0828	ALI	225x150x3,5	23x29x4	10
F I	11 kW		0828	ALI	225x150x3,5	23x29x4	10
F II	16 kW		0828	ALI	225x150x3,5	23x29x4	10
F III - F Faktor	21 kW		0828	ALI	225x150x3,5	23x29x4	10
NG							
NG 23 KL	25 PS		4101	A	225x155x3,5	26x32x4	10
NG 35	35 PS		4311	ALI	250x155x3,5	26x32x4	10
NUFFIELD TRACTORS - Leyland							
3/45 - 4/65	3.8 Litre Diesel	67 -> 69	0850	AL	279x171x3,5	29x35x5,5	10
	3.8 Litre Diesel Optional	67 -> 69	1060	A	325x191x5,5	29x35x5,5	10
		67 -> 69	3577	A - CX	Ø 330 6+6 pads 57x64x3,5	29x35x5,5	10
		67 -> 69	0859	A	280x165x3,5	36x45x7	10
	Main clutch	67 -> 69	3897	AL	275x171x3,5	23x29x4,5	10
		67 -> 69	1011	A	280x165x3,5	23x29x4,5	10
'4/25	Diesel - Petrol	67 -> 69	0989	A	228x150x3,3	21x26x4	10
			0850	AL	279x171x3,5	29x35x5,5	10
		67 -> 69	3577	A - CX	Ø 330 6+6 pads 57x64x3,5	29x35x5,5	10
		P.T.O.	0859	A	280x165x3,5	36x45x7	10
		Main clutch	3897	AL	275x171x3,5	23x29x4,5	10
			1011	A	280x165x3,5	23x29x4,5	10
		67 -> 69	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
4/65 Optional 10/42 - 10/60	Main clutch	67 -> 69	1011	A	280x165x3,5	23x29x4,5	10
	P.T.O.	67 -> 69	0859	A	280x165x3,5	36x45x7	10
10/42 - 10/60			0859	A	280x165x3,5	36x45x7	10
		Main clutch	3897	AL	275x171x3,5	23x29x4,5	10
			1011	A	280x165x3,5	23x29x4,5	10
		64 -> 67	3935	BL 2 - CX	Ø 280 5+5 pads 37x67x3,5	23x29x4,5	10
70 A			4040	A	275x170x3,5	31x38x6	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Tractor	Diesel 3 Cyl.	48 -> 62	0850	AL	279x171x3,5	29x35x5,5	10
Tractor	Chass. 77647 ->	Main clutch	0850	AL	279x171x3,5	29x35x5,5	10
	Chass. 77647 ->	P.T.O.	0859	A	280x165x3,5	36x45x7	10
Tractor	80 HP		0408	BL 8	302x191x3,5	29x35x5,5	10
Universal Tractor	Main clutch	56 -> 60	1011	A	280x165x3,5	23x29x4,5	10
	P.T.O. - 3 Cyl. Diesel	56 -> 60	0859	A	280x165x3,5	36x45x7	10
Universal Tractor	Main clutch	56 -> 60	1011	A	280x165x3,5	23x29x4,5	10
	P.T.O. - 4 Cyl. Diesel	56 -> 60	0859	A	280x165x3,5	36x45x7	10
SKID UNIT							
Mk. I - Mk. II		69 -> 72	1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
Mk. II		73 ->	3577	A - CX	Ø 330 6+6 pads 57x64x3,5	29x35x5,5	10
LEYLAND							
272 Syncro			3468	A - CX	Ø 280 6+6 pads 57x64x3,5	36x45x7	10
3/45 - 4/65 - 344 - 384 - 460	Optional	67 -> 69	1060	A	325x191x5,5	29x35x5,5	10
NUBMÜLLER							
Combitrac 1503		Main clutch - Rigid version	4049	A	225x150x3,5	31x35x ev	18
		Main clutch	4133	B 7	228x155x3,2	31x35x ev	18
		P.T.O.	4124	B 18	225x150x3,5	21,5x25x ev	13
		P.T.O. - Rigid version	3736	A	225x150x3,5	19x22,5x ev	13
Combitrac 1903		Main clutch	4173	B 14	250x155x3,8	31x35x ev	18
		P.T.O.	3750	B 18	250x155x3,5	21,5x25x ev	13
OLYMPIA							
Olympia	Motocoltivatore	Motocultivator	1413	A	140x96x2,5	26x21x4	10
O.M. CARRELLI ELEVATORI							
Carrello Sollevatore			3406	BL 2 - CX	Ø 280 12+12 pads 52x36x3,5	29x35x5,5	10
CO 2D / 55		66	0225	BL 2	278x172x3,5	29x35x5,5	10
DIM 10 - DIM 12	1 - 1/2 Ton.		0309	B 8	250x155x3,5	29x35x4,5	10
DIM 12 - DIM 15		64	0309	B 8	250x155x3,5	29x35x4,5	10
DIM 20		67	0309	B 8	250x155x3,5	29x35x4,5	10
DIM 30		57 -> 58	0309	B 8	250x155x3,5	29x35x4,5	10
DIM 30 - DIM 35		71	0309	B 8	250x155x3,5	29x35x4,5	10
DIM 30 - DIM 35		66	0225	BL 2	278x172x3,5	29x35x5,5	10
DIM 30 B	Forklift Truck	74	0473	BL 8	302x191x4	29x35x5,5	10
DIM 30 B - DIM 35 B	Forklift Truck	71	3082	BL 2	268x172x4	29x35x5,5	10
DIM 30 B - DIM B	Heavy Duty	74	1278	AL	302x191x3,5	29x35x5,5	10
DM 12 - DM 15	Forklift Truck	64	0309	B 8	250x155x3,5	29x35x4,5	10
ORENSTEIN - KOPPEL							
AS 100			0788	A	160x110x2,5	16x20x3,5	10
AS 100 S8			3137	A	180x124x3,5	18x23x3	10
AS 600 - RY 12A			0271	BL 8	380x200x4	36x45x5	10
DFG 1200 - 1500 - 2000	Deutz F1L612	DB - OM 636	4034	ALI	250x155x3,5	26x32x4	10
DFG 1200 - 1500 - 2000	Deutz A4L514		4034	ALI	250x155x3,5	26x32x4	10
EH 361	Deutz A4L514		3136	A	350x196x3,5	36x42x7	8
K 300S			4101	A	225x155x3,5	26x32x4	10
K 301 S			0828	ALI	225x150x3,5	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
K S 18			0828	ALI	225x150x3,5	23x29x4	10
K S 2	Deutz F2L612		0873	A	280x165x4	32x40x5	10
L 101 - L 102 - L 201			1006	A	310x175x3,5	32x40x5	10
L 151	KHD A 3L 514		0873	A	280x165x4	32x40x5	10
L 151a			1035	A	310x175x4	32x40x5	10
L 201 Escavator			1035	A	310x175x4	32x40x5	10
LS 041			4311	ALI	250x155x3,5	26x32x4	10
M3			1209	A	200x130x3,2	26x32x4	10
S 10			0824	A	181x124x3,5	18x23x3	10
S 18			0828	ALI	225x150x3,5	23x29x4	10
T 18 A			0828	ALI	225x150x3,5	23x29x4	10
ORIA							
DVI 400			1028	A	155x114x3,5	18x22x3,5	10
DVI 500			1028	A	155x114x3,5	18x22x3,5	10
DVI 550 - 700			0812	A	184x127x3,3	18x22x3,5	10
DVI 700			1028	A	155x114x3,5	18x22x3,5	10
DV2 1100 - 1400			0812	A	184x127x3,3	18x22x3,5	10
ORMI							
Autobetoniera			0200	B 2	184x127x3,2	18x22,5x3,5	10
Autobetoniera			0308	A	250x155x3,5	29x35x5,5	10
Autobetoniera			0948	A	250x155x3,5	21x26x4	10
B 1500	1° Serie - 2° Serie		0402	B 2	216x152x3,2	18x22x3,5	10
B 2700	1° Serie - 2° Serie		0402	B 2	216x152x3,2	18x22x3,5	10
ORMIG							
12			0473	BL 8	302x191x4	29x35x5,5	10
	12 HP		3407	BL8 - CX	Ø 300 15+15 pads 52x36x3,5	29x35x5,5	10
40			0309	B 8	250x155x3,5	29x35x4,5	10
75 M			0309	B 8	250x155x3,5	29x35x4,5	10
			0308	A	250x155x3,5	29x35x5,5	10
75		75 Q.li ->	3640	A	280x165x3,5	29x35x5,5	10
200			3640	A	280x165x3,5	29x35x5,5	10
250			0576	BL 8	325x200x4	31x38x6	10
OSTNER							
Rex			3673	ALI	250x155x3,5	23x29x4,5	10
Rex 4			1323	ALI	225x150x3,5	23x29x4,5	10
PALMIERI							
NDV 450 - 600			0812	A	184x127x3,3	18x22x3,5	10
PDA 625 - 1250			0812	A	184x127x3,3	18x22x3,5	10
PDA 625 - 1250			0402	B 2	216x152x3,2	18x22x3,5	10
PASQUALI							
904			1033	A	160x110x2,5	23x29x4	10
906 - 910	LOA 90		1079	A	181x124x3,5	24x29,5x4,5	10
910 - 931 - 937	LOA 90 1° Serie		0864	A	181x124x3,5	23x29x4	10
917 - 923 - 924 - 933	Diesel		1030	A	160x110x2,5	18x22x4	10
921 - 922 - 934	Petrol		1030	A	160x110x2,5	18x22x4	10
940 - 941 - 944 - 945 - 946 - 946T - 947	LOA 90 1° Serie		0864	A	181x124x3,5	23x29x4	10
945		69 ->	0980	A	181x124x3,5	23x29x4	10
950 - 955	21 - 30 CV		1139	A	190x130x3,5	23x29x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	21 - 30 CV		3781	B 5	190x130x4	23x29x4	10
956 - 957 - 958 - 990 - 991 - 993 - 996 - 997			3781	B 5	190x130x4	23x29x4	10
			1139	A	190x130x3,5	23x29x4	10
985	LOA 90 2° Serie	18 CV	1079	A	181x124x3,5	24x29,5x4,5	10
988T	LOA 90 1° Serie		0864	A	181x124x3,5	23x29x4	10
Coupling		Giunto	4365	B 14	Ø 225	27x30x ev	16
MD 23 - 24			0864	A	181x124x3,5	23x29x4	10
Motocoltivatore - Motocultivator		Brake Disc	3966	DF	75x38x4	29x35x4	10
Several types							
Trattore			4133	B 7	228x155x3,2	31x35x ev	18
Trattore			5370	A	216x152x3,2	23x29x4	10
Trattore			4217	B 7	279x171x3,5	31x35x ev	18
Trattore			4297	B 7	228x155x3,2	28x32x ev	17
Vari modelli - Several types			4134	B 5	190x136x2,8	28x32x ev	17
Vari modelli - Several types			5019	A	181x127x3,5	23x29,5x4,08	10
PELLEGRINI							
AT 100 - 600			3640	A	280x165x3,5	29x35x5,5	10
AT 300 - 450 - 600 - 1000			3640	A	280x165x3,5	29x35x5,5	10
PERKINS							
L 4 - P 4 - P 6	Industrial	65 ->	0323	A	350x210x5	31x38x6	10
L 4	Industrial	56 -> 59	0789	A	302x191x4	29x35x5,5	10
P 3			0999	A	228x150x3,5	29x35x5,5	10
P 3 (TA)		65 ->	0854	A	228x150x3,5	23x29x4,5	10
P 3 Friguglietti			0802	AL	232x156x3,5	29x35x5,5	10
P 3 Standard		55 -> 56	0852	BL 2	250x171x3,5	26x32x5	10
P 4		57 -> 59	0249	BL 1	232x156x3,5	26x32x5	10
P 4 - L 4 Industrial		64	0323	A	350x210x5	31x38x6	10
P 4 - P 6		50 -> 56	0789	A	302x191x4	29x35x5,5	10
P 4 Forklift Truck		53 -> 54	0323	A	350x210x5	31x38x6	10
P 4 Guy Wolf			1125	BL 2	280x171x3,5	29x35x5,5	10
P 4 Industrial		55 -> 56	0852	BL 2	250x171x3,5	26x32x5	10
P 4 Tractor		51 -> 53	0801	A	280x165x3,5	31x38x6	10
P 6V - Industrial		50 -> 60	1109	A	302x191x3,5	31x38x6	10
R 6		57 -> 59	0463	BL 8	325x200x3,6	31x38x6	10
R 6		57 -> 59	0823	A	325x200x4	31x38x6	10
Sapphire Crane	6.364	71 ->	0463	BL 8	325x200x3,6	31x38x6	10
Sapphire Crane	6.364	71 ->	0823	A	325x200x4	31x38x6	10
PERLINI							
202 - T20 N - 205 - T 25	Long Hub	69 -> 71	1468	A	352x216x4,8	36x45x7	10
202 - T20 N - 205 - T 25	Short hub	69 -> 71	1416	A	352x216x4,8	36x45x7	10
202 S - 217 S			1548	B 17	420x220x4	36x45x7	10
5 - 20 Dump Truck Cummins	NH 220 C.I. / ZF	69 ->	1164	A	350x185x4	36x45x7	10
GH 8V	Long Hub	71 ->	3423	A	386x226x3,8	36x45x7	10
GH 8V	Short hub	71 ->	3402	A	386x226x5,8	36x45x7	10
T15 - T15 S - T20 - T20 S			1548	B 17	420x220x4	36x45x7	10
PETTERS							
A 41 Power Pack		65 ->	0085	AL	160x110x3,2	18x22,5x3,5	10
PJ 2 Marine		65 ->	0106	BL 7	232x156x3,5	23x29x4,5	10
PJ 3 - PJ 4 Marine		65 ->	0292	BL 2	250x171x3,5	23x29x4,5	10
P.G.S.							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
1696 - 2078 - 2590		Tractor	0812	A	184x127x3,3	18x22x3,5	10
2096 - 3078 Dumper		Tractor	0812	A	184x127x3,3	18x22x3,5	10
ATTILA - ATTILA Super		Motocultivator	0812	A	184x127x3,3	18x22x3,5	10
ATTILA tipo 11 Serie SMERALDO		Motocultivator	1064	A	155x114x3,9	16x19x3	10
D 1200 S - D 1500 S			0209	A	216x152x3,2	18x22x3,5	10
D 2000 S - D 3000 S Overland - 2500			0308	A	250x155x3,5	29x35x5,5	10
F 10		Motocultivator	1030	A	160x110x2,5	18x22x4	10
F 13 - F 14 - F 16 - L 15		Motocultivator	0812	A	184x127x3,3	18x22x3,5	10
ROMA - 38		Tractor	0812	A	184x127x3,3	18x22x3,5	10
ROMA 500 - TA 5000 - R 55		Tractor	0209	A	216x152x3,2	18x22x3,5	10
Transporter TP 4500			0209	A	216x152x3,2	18x22x3,5	10
PICCINI							
Dumper			1064	A	155x114x3,9	16x19x3	10
Dumper 800/16 - B4			0812	A	184x127x3,3	18x22x3,5	10
US/330 - UD/300		Brake Disc	1393	DF	140x96x4	18x22x5	6
PINZA							
Grillino			1346	A	140x96x3,2	13x16x3,5	6
Grillo			4072	A	184x127x3	18x22x5	6
Grillo			1345	A	155x114x3,9	13x16x3,5	6
Grillo			3568	A	184x127x3,2	18x23x3	10
Grillo		Motocultivator	3836	A	155x114x4	15x17x ev	20
Grillo 2° Serie		Motocultivator	1345	A	155x114x3,9	13x16x3,5	6
Grillo 131		Motocultivator	3835	A	160x110x3	13x16x3,5	6
Grillo GN 10/I		Motocultivator	1346	A	140x96x3,2	13x16x3,5	6
Motozappa 9000 - 9000 R			1346	A	140x96x3,2	13x16x3,5	6
Trattore 40 HP			3634	A	216x152x3,2	18x22x3,5	10
POCLAIN							
LY 80 Pelles - TY 60 Pelles - LY 90			3139	A - CX	Ø 310 6+6 pads 57x64x3,5	36x45x5	10
Pelles			3782	A - CX	Ø 280 6+6 pads 57x64x3,5	29x35x4	10
Pelles TY - TUA Pelles TY 45 - Pelles 608			1422	A - CX	Ø 250 6+6 pads 37x67x3,5	29x35x4	10
Pelles TY 60 - TYS Pelles LY 80 - 90 P			3707	A	310x175x3,5	36x45x5	10
			3708	A	310x175x3,5	36x45x5	10
R 45 - 2 P - FY 30 - TY 45			1422	A - CX	Ø 250 6+6 pads 37x67x3,5	29x35x4	10
R 45 - FY 30 - TY 45 - Type 45/2			3138	A	250x155x3,5	28x35x4	10
Several types							
Poclain			4121	A - CX	Ø 280 6+6 pads 57x64x3,5	28x35x4	10
Poclain			4122	A	280x165x3,5	29x35x4	10
Poclain			4124	B 18	225x150x3,5	21,5x25x ev	13
Poclain			4125	B 18	225x150x3,5	26x32x5	10
Poclain			5039	A - CX	Ø 250 6+6 pads 37x67x3,5	29x35x4	10
Tractor		Main clutch	3808	A - CX	Ø 325 6+6 pads 57x64x3,5	36x45x7	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Tractor		Main clutch	3809	A	328x196x3,5	36x45x7	10
Tractor		P.T.O.	3811	A - CX	Ø 325 6+6 pads 57x64x3,5	36x45x7	10
Tractor		P.T.O.	3810	A	325x197x3,5	36x45x7	10
PORSCHE							
108			4311	ALI	250x155x3,5	26x32x4	10
108 Junior	14 PS	58	0863	A	181x124x3,5	23x29x4	10
217 Standard T			1009	ALI	200x130x3,5	21x26x3	10
218 Standard H	25 PS		0822	ALI	200x130x3,5	23x29x4	10
238 Standard Star	26 PS		1009	ALI	200x130x3,5	21x26x3	10
308 A - B Super			4311	ALI	250x155x3,5	26x32x4	10
312		52 ->	4311	ALI	250x155x3,5	26x32x4	10
329			3140	A	225x150x3,5	21x26x4	10
428			0826	A	250x155x3,5	26x32x4	10
A							
A 1A - A 1C - A 111		52 ->	0863	A	181x124x3,5	23x29x4	10
A 3A - A 133			4311	ALI	250x155x3,5	26x32x4	10
A 208			0822	ALI	200x130x3,5	23x29x4	10
A 40Z - A 144			3143	A	280x165x3,5	26x32x5	10
A 408	4 Cyl.		3141	A	280x165x3,5	26x32x4	10
AP 16 - 17 - 22			0822	ALI	200x130x3,5	23x29x4	10
L							
L 308 Super		Main clutch	3144	A	250x155x3,5	26x32x4	10
		P.T.O.	3685	A	228x150x3,5	46x50x9	8
L 310 Super - 318 - 319 Super		Main clutch	1004	A	250x155x3,5	23x29x4	10
		Main clutch	4314	AL	250x155x3,5	23x29x4	10
		P.T.O.	3685	A	228x150x3,5	46x50x9	8
L 408			3142	A	280x165x3,5	28x35x4	10
L 419		Main clutch	0839	A	280x165x3,5	23x29x4	10
		P.T.O.	3687	A	250x155x3,5	46x50x9	8
N							
N 308 - N 309			4311	ALI	250x155x3,5	26x32x4	10
N 408			3142	A	280x165x3,5	28x35x4	10
N 408 - L 408		Main clutch	3145	A	280x165x3,5	28x35x4	10
		P.T.O.	3687	A	250x155x3,5	46x50x9	8
N 418		Main clutch	0839	A	280x165x3,5	23x29x4	10
		P.T.O.	3687	A	250x155x3,5	46x50x9	8
N 428 - N 429			4311	ALI	250x155x3,5	26x32x4	10
P							
P 111		58	0863	A	181x124x3,5	23x29x4	10
R							
R 18 - R 22			0822	ALI	200x130x3,5	23x29x4	10
S							
S 309			4311	ALI	250x155x3,5	26x32x4	10
V							
V 309 - V 429			4311	ALI	250x155x3,5	26x32x4	10
POTRAZ							
800 - 801 - 1000 D			0863	A	181x124x3,5	23x29x4	10
1001 D - 1400 K			1209	A	200x130x3,2	26x32x4	10
PRIESTMAN EXCAVATORS							


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Beaver Excavator			67	0847	A	302x191x4	29x35x5,5	10
PRIMUS								
P 3		30 PS		4311	ALI	250x155x3,5	26x32x4	10
P 3		36 PS		4311	ALI	250x155x3,5	26x32x4	10
PD 1 Z		10 kW		0863	A	181x124x3,5	23x29x4	10
PD 2		20 PS		4312	ALI	225x150x3,5	26x32x5	10
PD 2 - U 22		15 - 18 kW		4312	ALI	225x150x3,5	26x32x5	10
PD 2 L		18 kW		0822	ALI	200x130x3,5	23x29x4	10
PD 3		22 - 26 kW		4034	ALI	250x155x3,5	26x32x4	10
RANDI								
2500 - S. - 3000 - 3500 - 4000 - 6000 J.			Motocultivator	1064	A	155x114x3,9	16x19x3	10
3600			Motocultivator	0857	A	184x127x3,2	15,5x19x3	10
R/RM - R/LM - R/SM			Motocultivator	1064	A	155x114x3,9	16x19x3	10
R421 - R424			Tractor	0857	A	184x127x3,2	15,5x19x3	10
RANSOME SIMS & JEFFRIES								
Junior motor triple glass				3149	B 10	165x114x3	18x22x3,5	10
RAPID								
505 - 606		Mäher		2229	A	160x110x3	18x20x ev	18
505 - 606		Mäher	Sachs version	4490	A	160x110x2,7	18x20x ev	18
REFORMWERKE								
M 12		Mäher		3970	A	160x110x2,5	18x23x3	10
Metrac 2002				0824	A	181x124x3,5	18x23x3	10
Metrac 3000				0822	ALI	200x130x3,5	23x29x4	10
Metrac 3003 - Muli 30 / 40				1521	B 4	215x145x3,8	23x29x4	10
RENAULT								
CERES								
65 R 3311/12 - 3411/12		70/X R 3321/22						
			Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
75/X R 3331/32 - 3421/22			Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
			P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
75/X R 3421 - 3422			Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
			P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
75/X R 3322 - 3341 - R 3342 - 3421 - 3422		Chass. -> F0143	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
		Chass. -> F0508	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
85/X R 3341 - 3442			Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
			P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
85/X R 3341 - 3342 - R 3441 - 3442		Chass. -> F0218	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. -> F1183	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
85/X R 3441 - 3442		Chass. F0219 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
85/X R 3441 - 3442		Chass. F1184 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
95/X R 3371 - 3372 - 3471 - 3472		Chass. -> F2201	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
95/X R 3371 - 3372 - 3471 - 3472			Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
			P.T.O.	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
310 R 3411 - 3412			Main clutch	4158	B 18	280x165x3,5	40x45x ev	16


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
320/X	R 3421 - 3422		Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
			P.T.O.	4257	A - CX	Ø 280 6+6 pads 57x64x4	21,5x25 ev	14
325 - 335 - 345 - 355				4356	A	310x191x3,8	22,5x25x ev	13
330/X	R 3441 - 3442		P.T.O.	4357	A - CX	Ø 310 6+6 pads 57x64x4	22,5x25x ev	13
340/X	R 3471 - 3472		Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
			P.T.O.	4257	A - CX	Ø 280 6+6 pads 57x64x4	21,5x25 ev	14
CERGOS								
330	M 3512	Chass. -> G0316	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. -> G0316	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
330	M 3512	Chass. G0317 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. G0317 ->	P.T.O.	4257	A - CX	Ø 280 6+6 pads 57x64x4	21,5x25 ev	14
330 - 340 - 350 M 3512 - 3522 - 3532				4356	A	310x191x3,8	22,5x25x ev	13
335 - 345 - 355				4356	A	310x191x3,8	22,5x25x ev	13
340	M 3522	Chass. -> G0428	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Chass. -> G0428	P.T.O.	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
340	M 3522	Chass. G0429 ->	P.T.O.	4357	A - CX	Ø 310 6+6 pads 57x64x4	22,5x25x ev	13
350	M 3532	Chass. -> G0647	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Chass. -> G0647	P.T.O.	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
350	M 3532	Chass. G0648 ->	P.T.O.	4357	A - CX	Ø 310 6+6 pads 57x64x4	22,5x25x ev	13
DIONIS								
110	R 3235 - 3237		Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
120	R 3285 - 3287		Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
130	R 3255 - 3257		Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
140	R 3275 - 3277		Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
ERGOS								
85	T 3541 - 3542		Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
			P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
			Optional	4257	A - CX	Ø 280 6+6 pads 57x64x4	21,5x25 ev	14
85	T 3541 - 3542			4356	A	310x191x3,8	22,5x25x ev	13
90 - 100 - 110				4356	A	310x191x3,8	22,5x25x ev	13
95	T 3571 - 3572			4356	A	310x191x3,8	22,5x25x ev	13


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
95	T 3571 - T 3572	Chass. G0143 -> G0198	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Chass. G0219 -> G0306	P.T.O.	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
95	T 3571 - T 3572	Chass. G0199 ->	P.T.O.	4357	A - CX	Ø 310 6+6 pads 57x64x4	22,5x25x ev	13
		Chass. G0307 ->	P.T.O.	4357	A - CX	Ø 310 6+6 pads 57x64x4	22,5x25x ev	13
105	T 3571 - 3572			4356	A	310x191x3,8	22,5x25x ev	13
105	T 3581 - T 3582	Chass. G9999 -> G0061	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Chass. G0125 -> G0155	P.T.O.	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
105	T 3581 - T 3582	Chass. G0062 ->	P.T.O.	4357	A - CX	Ø 310 6+6 pads 57x64x4	22,5x25x ev	13
		Chass. G0156 ->	P.T.O.	4357	A - CX	Ø 310 6+6 pads 57x64x4	22,5x25x ev	13
FRUCTUS								
110	R 3246		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
120	R 3286 - 3288		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
130	R 3266 - 3268		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
140	R 3276 - 3278		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
PALES GROUNDSMAN								
210	R 3221		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
230	R 3242		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
240	R 3272		P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
SUPER								
2 D	R 7201		P.T.O.	0869	A	250x155x3,2	39x45x5	10
3 D	R 7052		-> 67	0696	B 8	250x155x3,2	28x35x4	10
4 D	R 7056		67 ->	4093	B 8	250x155x3,5	34x36,7x ev	33
5 D - 4x4	R 7054 - 7154		P.T.O.	0869	A	250x155x3,2	39x45x5	10
6 D	R 7050 - 7150		-> 67	0696	B 8	250x155x3,2	28x35x4	10
7 D	R 7055		67 ->	4093	B 8	250x155x3,5	34x36,7x ev	33
7 E	R 3051		P.T.O.	0869	A	250x155x3,2	39x45x5	10
			-> 67	0696	B 8	250x155x3,2	28x35x4	10
			67 ->	4093	B 8	250x155x3,5	34x36,7x ev	33
TEMIS								
550			Main clutch	4358	A	310x191x3,8	45x50x ev	18
			P.T.O.	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
550 X	H 3912		P.T.O.	2193	A	350x196x3,5	50x50x ev	26
610			P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
610 X / Z	H 3922		P.T.O.	2193	A	350x196x3,5	50x50x ev	26
630			P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
630 X / Z	H 3932		P.T.O.	2193	A	350x196x3,5	50x50x ev	26


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
630 - 650 X / Z				4520	A - CX	Ø 327 6+6 pads 57x64x3,5	45x50x ev	16
				4522	B14 - CX	Ø 350 8+8 pads 69x77x4	27x30,2x ev	16
650 X / Z	H 3942		P.T.O.	2193	A	350x196x3,5	50x50x ev	26
30.. Herdsman								
32-50 F/SV/V	R 7376 - 7365 - 7375		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
32-55 V	R 7365		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
32-60 F/V	R 7386 - 7385		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
34-60 V	R 7387		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
40..								
42-70 V	R 7396 - 7395		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
44-70 F	R 7398		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
50								
S	R 7365		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
R	R 7213			0869	A	250x155x3,2	39x45x5	10
			-> 67	0696	B 8	250x155x3,2	28x35x4	10
			67 ->	4093	B 8	250x155x3,5	34x36,7x ev	33
50-12 LB	R 3201	Herdsman	Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
50-12 V	R 3215	Herdsman	P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
50-12 LB	R 3201-3215	Herdsman	P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
51								
R	R 7256			0869	A	250x155x3,2	39x45x5	10
			-> 67	0696	B 8	250x155x3,2	28x35x4	10
			67 ->	4093	B 8	250x155x3,5	34x36,7x ev	33
53 - 55 - 57								
R 53	R 7256			0869	A	250x155x3,2	39x45x5	10
R 55	R 7231		-> 67	0696	B 8	250x155x3,2	28x35x4	10
R 57	R 7241		67 ->	4093	B 8	250x155x3,5	34x36,7x ev	33
55								
55-12 F	R 3246	Herdsman	P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
55-12 F	R 3246	Herdsman	Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
		Herdsman	P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
55-12 LB	R 3221		Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
55-12 LB / V	R 3221 - 3235	Herdsman	P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
55-12 V	R 3246		Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
55-14 LB	R 3222		Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
55-14 LB / V	R 3222 - 3237	Herdsman	P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
55-14 V	R 3237		Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
58								
R	R 7291			0869	A	250x155x3,2	39x45x5	10
			-> 67	0696	B 8	250x155x3,2	28x35x4	10
			67 ->	4093	B 8	250x155x3,5	34x36,7x ev	33
58-12 LS R 3111 - 58-14 LS R 3112			Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
			P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
			Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
58-32 R 3111 - 58-34 R 3112 MA/ME/MS/MX	Main clutch	-> 89	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
	P.T.O.	-> 89	4356	A	310x191x3,8	22,5x25x ev	13	
58-32 R 3111 - 58-34 R 3112 MA/ME/MS/MX	Main clutch	89 ->	4158	B 18	280x165x3,5	40x45x ev	16	
	P.T.O.	89 ->	4260	A	280x165x3,5	21,5x25x ev	13	
	Main clutch	89 ->	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
60..								
S	R 7375		P.T.O.	4048	B 18	250x155x3,5	27x30x ev	16
R	R 7254			4184	BL 2	280x172x3,8	34,2x36,7x ev	33
				4092	A	280x172x3,8	34x36,7x ev	33
61-12 RA/RS R 7711 - 61-14 RA/RS R 7712	Main clutch		4158	B 18	280x165x3,5	40x45x ev	16	
	P.T.O.		4260	A	280x165x3,5	21,5x25x ev	13	
	Main clutch		4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
65-12 LS/R 3121 - 65-14 LS/R 3122 - 65-32 R 3121 MA/ME/MS/MX	Main clutch		4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
	Main clutch		4158	B 18	280x165x3,5	40x45x ev	16	
	P.T.O.		4260	A	280x165x3,5	21,5x25x ev	13	
65-34 MA/ME/MS/MX R 3122			4158	B 18	280x165x3,5	40x45x ev	16	
			4260	A	280x165x3,5	21,5x25x ev	13	
			4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
68-12 TS/RS/RA R 7721 - 68-14 TS/RS/RA R 7722			P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
	Chass. -> 70592	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
	Chass. -> 70753	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
68-12 RA/RS R 7721 - 68-14 RA/RS R 7722	Chass. 70593 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
	Chass. 70754->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
		Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
70..								
70	R 7252		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
70/S	R 7376		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
70-12 F R 3266 70-12 LB R 3241		Herdsmen	Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
70-12 V R 3255 70-14 F R 3268			Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
70-14 LB R 3242 70-14 V R 3257			Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
70-12 SP R 3131 70-14 SP R 3132 70-32 PA/PE/PS/PX R 3131			Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
			Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
			P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
70-34 PA/PE/PS/PX R 3132 75-12 LS R 3141 75-14 LS R 3142			Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
			Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
			P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
75-12 TS/RS/RA R 7731 - 75-14 TS/RS/RA R 7732			P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Chass. -> 71192	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. -> 72783	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
75-12 LS R 3141 - 75-14 LS R 3142			Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
			P.T.O.	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
75-12 RA/RS/TS R 7731 75-14 RA/RS/TS R 7732			Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
		Chass. 71193 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
		Chass. 72784 ->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
75-32 MA/ME/MS/MX R 3141 75-34 MA/ME/MS/MX R 3142			Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
		Chass. C1232 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
		Chass. C2614 ->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
75-32 MA/ME/MS/MX R 3141		Chass. C1233 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. C1233 ->	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
		Chass. C1233 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
75-34 MA/ME/MS/MX R 3142		Chass. C2615 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. C2615 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
75-32 TX R 7721 - 75-34 TX R 7722		Chass. -> 71309	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
		Chass. -> 71976	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
			Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
75-32 TX R 7721 - 75-34 TX R 7722			P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
		Chass. 71310 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. 71997 ->	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
77-12 TS R 7721 - 77-14 TS R 7722		Chass. -> 70592	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. -> 70753	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
77-12 TS R 7721 - 77-14 TS R 7722			P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
		Chass. 70593 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
		Chass. 70754 ->	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
R 78		P.T.O.	76 ->	1021	AL	279x171x3,5	36x45x7	10
			76 ->	1197	A	280x165x3,5	23x29x4,5	10
80								
S Vineyard R 7385			Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
80-12 F R 3276		Herdsman	Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
		Herdsman	P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
80-12 V R 3275			Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
80-14 F R 3278			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
80-14 LB R 3272			Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
80-14 V R 3277			P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
80-12 SP R 3151		Chass. -> C0054	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
		Chass. -> C0054	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
		Chass. -> C0054	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
80-12 SP R 3151	Chass. C0055 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
	Chass. C0055 ->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
	Chass. C0055 ->	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
80-12 TX R 7731 - 80-12 TX R 7761		P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
	Chass. -> 71192	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
	Chass. -> 70236	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
80-12 TX R 7731 - 80-12 TX R 7761	Chass. 71193 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
	Chass. 70237 ->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
		Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
80-14 SP R 3152	Chass. -> C0230	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
	Chass. -> C0230	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
	Chass. -> C0230	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
80-14 SP R 3152	Chass. C0231 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
	Chass. C0231 ->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
	Chass. C0231 ->	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
80-14 TX R 7732 - 80-14 TX R 7762		P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
	Chass. -> 72783	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
	Chass. -> 70940	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
80-14 TX R 7732 - 80-14 TX R 7762	Chass. 72784 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
	Chass. 70941 ->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
		Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
80-34 PA/PE/PS/PX R 3151 80-34 PA/PE/PS/PX R 3152	Chass. -> C0660	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
		P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
	Chass. -> C0306	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
80-34 PA/PE/PS/PX R 3151 80-34 PA/PE/PS/PX R 3152	Chass. C0661 ->	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
		P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
	Chass. C0307 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
85								
85-12 LS R 3161		P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
	Chass. -> 61C249	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
	Chass. 61C714 ->	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
85-12 LS R 3161	Chass. 61C250 -> 713	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
	Chass. 61C250 -> 713	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
	Chass. 61C250 -> 713	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
85-12 TS/TX R 3161	Chass. -> 70236	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
	Chass. -> 70236	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z	
		Chass. -> 70236	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
85-12 TS/TX	R 3161	Chass. 70237 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
		Chass. 70237 ->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
		Chass. 70237 ->	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
85-14 LS	R 3162 - R 3171 - 3172	Chass. -> 62C680 - 62C689 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
		Chass. -> 62C680 - 62C689 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
		Chass. -> 62C680 - 62C689 ->	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
85-14 LS	R 3162	Chass. 61C681 -> 688	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
		Chass. 61C681 -> 688	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
		Chass. 61C681 -> 688	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
85-14 TS/TX	R 3161	Chass. -> 70940	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
		Chass. -> 70940	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
		Chass. -> 70940	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
85-14 TS/TX	R 3161	Chass. 70941 ->	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16	
		Chass. 70941 ->	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13	
		Chass. 70941 ->	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16	
85-32 MA/ME/MS/MX	R 3161	85-34 MA/ME/MS/MX R 3162	Chass. -> C1688	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
				P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
			Chass. -> C0713	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
85-32 MA/ME/MS/MX	R 3161	Chass. C0714 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
		Chass. C0714 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
85-34 MA/ME/MS/MX	R 3162	Chass. C1689 ->	Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
		Chass. C1689 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
85-32 TX	R 7761	85-34 TX R 7762		P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
			Chass. -> 70603	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
			Chass. -> 71969	Main clutch	4262	B 18 - CX	Ø 280 6+6 pads 57x64x3,5	40x45x ev	16
85-32 TX	R 7761	Chass. 70604 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
		Chass. 70604 ->	Main clutch	4116	A	310x191x3	28x32x ev	11	
		Chass. 70604 ->	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
85-34 TX	R 7762	Chass. 71970 ->	Main clutch	4116	A	310x191x3	28x32x ev	11	
		Chass. 71970 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
85-34 TX	R 9034		P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
			Main clutch	4116	A	310x191x3	28x32x ev	11	
			Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16	
90..									
90-S Orchard	R 7396		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16	
90-32 MA/ME/MS/MX	R 3171	90-34	Chass. -> C2954	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
MA/ME/MS/MX/FT	R 3172								


			Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
				P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
			Chass. -> C0095	Main clutch	4116	A	310x191x3	28x32x ev	11
90-32 MA/ME/MS/MX R 3171			Chass. C0096 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
90-34 MA/ME/MS/MX/FT R 3172			Chass. C2955 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
90-32 TX R 7771			Chass. -> 70052	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
			Chass. -> 70052	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
90-32 TX R 7771			Chass. 70053 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
90-34 TX R 7772			Chass. -> 71510	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
			Chass. -> 71510	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
90-34 TX R 7772			Chass. 71511 ->	P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
92 R 7601 - R 7614 - 94 R 7611				Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
			Industrial	Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
				P.T.O.	4145	B 18	280x165x3,5	27x30x ev	16
95-12 RE/RS/TS R 7811 - 95-14 R 7812				P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
				Main clutch	4156	B 14	310x191x4	27x30x ev	16
				Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
95-14 TX16 R 7812				P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
				Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
96 R 7631 - 98 R 7651				P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16
				Main clutch	4156	B 14	310x191x4	27x30x ev	16
				Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
98 R 7456				P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
				Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
				Main clutch	4145	B 18	280x165x3,5	27x30x ev	16
100..									
103-12 RE/RS/TS R 7821 103-14				P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
RE/RS/TS R 7822				Main clutch	4156	B 14	310x191x4	27x30x ev	16
				Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
103-52 TE/TA/TS/TX R 7821 103				P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
54 TE/TA/TS/TX R 7822 106-14				Main clutch	4156	B 14	310x191x4	27x30x ev	16
SP R 3161			Chass. -> 51178	Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
106-14 SP R 3161 - 106-54 TL/TS2 R 7842			Chass. 51179 ->	P.T.O.	4322	A	330x200x3	45x50x ev	18
				Main clutch	4324	B14 - CX	Ø 328 6+6 pads 69x77x3,5	26,7x30,5x ev	16


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			Optional	4323	B 14	328x196x4,2	27x30x ev	16
110..								
110-14 RE/ME/TE/TA/TS/TX R 7912	110-		Main clutch	4324	B14 - CX	Ø 328 6+6 pads 69x77x3,5	26,7x30,5x ev	16
54 TE/TA/TS/TZ/TX R 7912			P.T.O.	4322	A	330x200x3	45x50x ev	18
			Optional	4323	B 14	328x196x4,2	27x30x ev	16
113-12 RE/TS/TX R 7921	113-		Main clutch	4324	B14 - CX	Ø 328 6+6 pads 69x77x3,5	26,7x30,5x ev	16
14 RE/TS/TX R 7922			P.T.O.	4322	A	330x200x3	45x50x ev	18
			Optional	4323	B 14	328x196x4,2	27x30x ev	16
120.. - 130.. - 140.. - 170..								
120-14 RE/ME/TE/TA/TS/TX/TZ R 7922	120-		Main clutch	4324	B14 - CX	Ø 328 6+6 pads 69x77x3,5	26,7x30,5x ev	16
54 TE/TA/TS/TX/TZ R 7922			P.T.O.	4322	A	330x200x3	45x50x ev	18
			Optional	4323	B 14	328x196x4,2	27x30x ev	16
133-14 RE/ME/TE/TA/TS/TX/TZ R 7932	133-		Main clutch	4324	B14 - CX	Ø 328 6+6 pads 69x77x3,5	26,7x30,5x ev	16
54 TE/TA/TS/TX/TZ R 7932			P.T.O.	4322	A	330x200x3	45x50x ev	18
			Optional	4323	B 14	328x196x4,2	27x30x ev	16
145				4520	A - CX	Ø 327 6+6 pads 57x64x3,5	45x50x ev	16
				4522	B14 - CX	Ø 350 8+8 pads 69x77x4	27x30,2x ev	16
175-74 TZ R 3852				3946	A - CX	Ø 350 6+6 pads 57x64x4	28x35x4	10
200..								
210 - 230 - 240		Herdsman	Main clutch	4462	A	280x165x3,5	34,2x40x ev	12
		Herdsman	P.T.O.	4461	A	280x165x3,5	19,2x22,3x ev	13
300..								
301 R 7411			Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
351 M R 7411		Chass. 1120701 ->	Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
361 R 7421			Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
400..								
421 R 7431			Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
421 M R 7421		Chass. 2121951 ->	Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
460 R 7257			Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
460 S R 7377			Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
461 M R 7431		Chass. 3128601 ->	Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
461 S R 7441			Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
461 R 7441			P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
			Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
			Optional	4145	B 18	280x165x3,5	27x30x ev	16
462 R 7442		Chass. -> 22277	P.T.O.	4147	A	280x165x4	40x45x ev	16
		Chass. -> 22277	Main clutch	4145	B 18	280x165x3,5	27x30x ev	16
462 R 7446		Chass. 22278 ->	P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
		Chass. 22278 ->	Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
		Chass. 22278 ->	Optional	4145	B 18	280x165x3,5	27x30x ev	16


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
466 S	R 7446		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
480 S	R 7386 - 7387		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
490 S	R 7398		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
496	R 7635 - 498 R 7655		P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16
			Main clutch	4156	B 14	310x191x4	27x30x ev	16
			Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
498	R 7466		P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
			Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
			Optional	4145	B 18	280x165x3,5	27x30x ev	16
500..								
501 - 4		Narrow truck	Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
521 S	R 7449		Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
551 S	R 7451	551 - 4S	Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
			P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
			Optional	4145	B 18	280x165x3,5	27x30x ev	16
551 - Special	R 7451 - 551 - 4 R 7454	R 7451	P.T.O.	4147	A	280x165x4	40x45x ev	16
			Main clutch	4145	B 18	280x165x3,5	27x30x ev	16
551	R 7451		P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
			Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
556	R 7456	Narrow truck	Main clutch	4048	B 18	250x155x3,5	27x30x ev	16
556 S	R 7456		Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
			P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
			Optional	4145	B 18	280x165x3,5	27x30x ev	16
581			P.T.O.	4145	B 18	280x165x3,5	27x30x ev	16
			Main clutch	4147	A	280x165x4	40x45x ev	16
600..								
601 - 4	R 7461	601 S	Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
			P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
			Optional	4145	B 18	280x165x3,5	27x30x ev	16
650 MI	R 3123	Industrial	Main clutch	4158	B 18	280x165x3,5	40x45x ev	16
		Industrial	P.T.O.	4260	A	280x165x3,5	21,5x25x ev	13
652	R 7462	Chass. -> 22786	P.T.O.	4147	A	280x165x4	40x45x ev	16
		Chass. -> 22786	Main clutch	4145	B 18	280x165x3,5	27x30x ev	16
652	R 7462	Chass. 22787 ->	P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
		Chass. 22787 ->	Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
			Optional	4145	B 18	280x165x3,5	27x30x ev	16
656 S		Narrow truck		4048	B 18	250x155x3,5	27x30x ev	16
656 S	R 7466		P.T.O.	4158	B 18	280x165x3,5	40x45x ev	16
			Main clutch	4263	B 18 - CX	Ø 280 6+6 pads 57x64x4	27x30x ev	16
			Optional	4145	B 18	280x165x3,5	27x30x ev	16


			Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
681 S R 7494	R 7491	681 - 4S		Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
				P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16
				Main clutch	4156	B 14	310x191x4	27x30x ev	16
700..									
751 S R 7504	R 7501	751 - 4S		Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
				Optional	4146	A	310x191x3,5	40x45x ev	16
				Main clutch	4156	B 14	310x191x4	27x30x ev	16
700/704/720/724 M 750/754 MI	R 7751 - 7762 R3143 - 3144 - 3163 - 3164		Industrial	Main clutch	4261	B 18 - CX	Ø 310 6+6 pads 57x64x3,5	40x45x ev	16
				P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13
				Main clutch	4185	B 18	310x191x3,2	40x45x ev	16
751 - 4	R 7624	- 751 R 7621		P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16
			Chass. -> 86014	Main clutch	4156	B 14	310x191x4	27x30x ev	16
			Chass. -> 83074	Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
751	R 7621	- 751 - 4 R 7624	Chass. 86015 ->	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
			Chass. 83075 ->	Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
752	R 7622	- 752 - 4 R 7624		P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16
			Chass. -> 80492	Main clutch	4156	B 14	310x191x4	27x30x ev	16
			Chass. -> 83074	Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
752	R 7622	- 752 - 4 R 7624	Chass. 80493 ->	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
			Chass. 83075 ->	Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
781 S	R 7591	- 781 - 4S R 7594		P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16
			Chass. -> 61690	Main clutch	4156	B 14	310x191x4	27x30x ev	16
			Chass. -> 61183	Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
781 S	R 7591	- 781 - 4S R 7594	Chass. 61691 ->	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
			Chass. 61184 ->	Optional	4156	B 14	310x191x4	27x30x ev	16
				Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
782	R 7622	- 782 - 4 R 7624		P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16
			Chass. -> 80492	Main clutch	4156	B 14	310x191x4	27x30x ev	16
			Chass. -> 83074	Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
782	R 7622	- 782 - 4 R 7624	Chass. 80493 ->	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18
			Chass. 83075 ->	Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16
800..									


				Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
800 / 804 M	R 3143 - 3144	850 /	Industrial	Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
854 MI	R 3143 - 3144			P.T.O.	4356	A	310x191x3,8	22,5x25x ev	13	
				Main clutch	4185	B 18	310x191x3,2	40x45x ev	16	
851 S	R 7661 - 851 - 4	R 7664	Chass. -> 81743	Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
				P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16	
			Chass. -> 80989	Main clutch	4156	B 14	310x191x4	27x30x ev	16	
851 S	R 7661 - 851 - 4	R 7664	Chass. 80999 ->	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18	
			Chass. 81744 ->	Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
851 S				Main clutch	4156	B 14	310x191x4	27x30x ev	16	
				P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18	
891	R 7681 - 891 - 4S	R 7684		P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16	
			Chass. -> 80250	Main clutch	4156	B 14	310x191x4	27x30x ev	16	
			Chass. -> 80951	Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
891	R 7681 - 7341 - 891 - 4S	R 7684	Chass. 80251 ->	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18	
			Chass. 80952 ->	Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
900..										
921	R 7641 - 921 - 4	R 7644		P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18	
				Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
950 / 954 MI			Industrial	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18	
				Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
951	R 7641 - 951 - 4	R 7644	Chass. -> 81343	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18	
			Chass. -> 82229	Main clutch	4156	B 14	310x191x4	27x30x ev	16	
				Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
951	R 7641 - 951 - 4	R 7644	Chass. 81344 ->	P.T.O.	4322	A	330x200x3	45x50x ev	18	
			Chass. 82230 ->	Main clutch	4324	B14 - CX	Ø 328 6+6 pads 69x77x3,5	26,7x30,5x ev	16	
				Optional	4323	B 14	328x196x4,2	27x30x ev	16	
981	R 7681		Chass. -> 80250	P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16	
				Main clutch	4156	B 14	310x191x4	27x30x ev	16	
				Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
981 R 7681 - 981 - 4S R 7644	Chass. 80251 ->	P.T.O.	4117	AL - CX	Ø 310 8+8 pads 57x64x4	45x50x ev	18	
	Chass. -> 82292	Main clutch	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
981 S R 7641 - 981 - 4S R 7644		P.T.O.	4185	B 18	310x191x3,2	40x45x ev	16	
	Chass. -> 81343	Main clutch	4156	B 14	310x191x4	27x30x ev	16	
	Chass. 82292 ->	Optional	4264	B14 - CX	Ø 310 6+6 pads 57x64x3,5	27x30x ev	16	
981 S R 7641 - 981 - 4S R 7644	Chass. 81344 ->	P.T.O.	4322	A	330x200x3	45x50x ev	18	
	Chass. 82293 ->	Main clutch	4324	B14 - CX	Ø 328 6+6 pads 69x77x3,5	26,7x30,5x ev	16	
		Optional	4323	B 14	328x196x4,2	27x30x ev	16	
1000..								
1151 - 4 R 7674 - 1181 - 4S R 7674		P.T.O.	4322	A	330x200x3	45x50x ev	18	
		Main clutch	4324	B14 - CX	Ø 328 6+6 pads 69x77x3,5	26,7x30,5x ev	16	
		Optional	4323	B 14	328x196x4,2	27x30x ev	16	
U.S.A.								
7314 / 7316			4184	BL 2	280x172x3,8	34,2x36,7x ev	33	
			4092	A	280x172x3,8	34x36,7x ev	33	
DISCO FRENO - BRAKE DISC								
Disco Freno - Brake Disc			4083	DF	165x89x4,7	38,5x41x ev	37	
Disco Freno - Brake Disc			4082	DF	152x79x4,7	38,5x41x ev	37	
Disco Freno - Brake Disc			4174	DF	178x102x4,7	38,5x41x ev	37	
Disco Freno - Brake Disc			4205	DF	178x102x4,7	48x50x ev	46	
REPOSSI								
Motoranghinatore			4452	A	155x114x3,9	14x17x4	6	
RICHIER								
M 535 B			1297	A	405x220x4	36x45x5	10	
Oleopelle	8 HP		3709	A - CX	Ø 250 6+6 pads 37x67x3,5	28x35x4	10	
Oleopelle	11 HP		3710	A	280x165x4	32x40x4	10	
Oleopelle	15 HP		3711	A	310x176x3,5	32x40x4	10	
Profileur N 62 - N 520	50 - 60 CV		3148	A - CX	Ø 310 6+6 pads 57x64x3,5	36x45x5	10	
Profileur N 64 - N 530	80 - 90 CV		3712	A - CX	Ø 352 6+6 pads 57x64x3,5	36x45x5	10	
Rouleau R 12 - 30T			1296	A	276x165x3,5	29x35x4	10	
Rouleau V5 RE			3713	A	276x165x3,5	28x35x4	10	
Rouleau Vibrant V 685			3714	A	181x124x3,2	23x29x4	10	
Rouleau VR - 12A			1296	A	276x165x3,5	29x35x4	10	
Rouleau VR - 9H			1296	A	276x165x3,5	29x35x4	10	
RT8 - 7 Ton.			3715	A	250x155x3,2	23x28x6	6	
Several types			3716	A - CX	Ø 250 6+6 pads 37x67x3,5	28x35x4	10	
			3717	A - CX	Ø 250 6+6 pads 37x67x3,5	28x35x4	10	


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
RITSCHER							
320 - 515/54 - 538/20 - 528			4101	A	225x155x3,5	26x32x4	10
			1036	ALI	228x150x3,5	26x32x5	10
524 L - 524 W			1248	ALI	200x130x3,5	26x32x4	10
536 L - 536 W			4311	ALI	250x155x3,5	26x32x4	10
Multitrack	Gearbox 512		0863	A	181x124x3,5	23x29x4	10
ROADLESS TRACTION							
Ploughmaster 65	Ford Diesel	65 ->	0923	AL	325x200x4	38x41,5x ev	25
Ploughmaster 90	Ford 590 D	65 ->	0923	AL	325x200x4	38x41,5x ev	25
ROAD MACHINES DRAYTON							
15 Cwt Drayton Dumper		59	0249	BL 1	232x156x3,5	26x32x5	10
15 Cwt Dumper RM 1/60		60 -> 62	0870	A	200x130x3,2	21x26x4	10
V8/510		66 ->	1290	BL 8	352x216x4,8	33,5x41,5x6,5	10
Shappire Crane	Perkins 6.354	71 ->	0463	BL 8	325x200x3,6	31x38x6	10
S 6 Industrial Series		65	3150	A	406x229x7,9	33,5x41,5x6,5	10
ROSENLEW							
25 - 35			3695	ALI	200x130x3,5	26x32x4	10
40 - 410			1437	AL	181x127x3,2	23x29x4	10
ROSSI							
Pallatrice - Scavatrice		Mozzo Lungo - Long Hub	3847	A	280x165x3,5	29x35x5,5	10
Pallatrice - Scavatrice		Mozzo Corto - Short Hub	3848	A	280x165x3,5	29x35x5,5	10
ROSSI - COGEMA							
Cavabietole	Lombardini LDA834		1455	A - CX	Ø 280 16+16 pads 52x36x3,5	29x35x5,5	10
Cavabietole	VM 1053-1054 -1055		1455	A - CX	Ø 280 16+16 pads 52x36x3,5	29x35x5,5	10
Pala	Raimondi		0234	BL 2	280x165x3,5	28x35x5,5	10
Pala 30 - 35 - 40 - 40 SA			3640	A	280x165x3,5	29x35x5,5	10
ROTHENBURGER-METALLWERKE							
Industrial Schlepper I			4359	AL	200x130x5,5	22x25x ev	14
RUGGERINI							
CDR							
CDR 95 - 100 - 951			0812	A	184x127x3,3	18x22x3,5	10
P							
P 101/2			0812	A	184x127x3,3	18x22x3,5	10
RD							
RD 85 - 95/2 - 100/2 - 850			0812	A	184x127x3,3	18x22x3,5	10
RD 900 - 901 - 920 - 951/2			0812	A	184x127x3,3	18x22x3,5	10
Vari modelli - Several types			1421	B 2	180x124x3,5	23x29x4	10
RUSTON & HORNSBY							
19 RB Excavator	6 YCN	55 -> 58	1206	A	352x216x4,8	33,5x41,5x6,5	10
22 RB Excavator	6 YDAN	58 ->	1206	A	352x216x4,8	33,5x41,5x6,5	10
Ruston 22			3932	BL 8	406x230x7,9	41x50,8x7,9	10
Excavator		59 -> 60	3147	A	403x225x5	41x51x8	10
Ruston & Hornsby	6 RVH - 4 YEM		3147	A	403x225x5	41x51x8	10
Ruston & Hornsby	3 VRO	37 -> 39	0832	A	300x170x4	31x38x6	10
Ruston & Hornsby	4 VROHN	57	1206	A	352x216x4,8	33,5x41,5x6,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
SCHAT DAVITS							
Marine Davit			0803	A	250x155x3,5	29x35x5,5	10
Marine application		64 -> 65	0249	BL 1	232x156x3,5	26x32x5	10
SACMA							
CASTORO C 600 R - C 1000			0200	B 2	184x127x3,2	18x22,5x3,5	10
SALEV							
B 25 Elevateur 2			0856	A	280x165x3,5	28x35x4	10
B 30 - B 40 Elevateur	3 T - 4T		0856	A	280x165x3,5	28x35x4	10
C 15 - D 15 Elevateur 1	5 T		0913	A	250x155x3,5	28x35x4	10
	5 T		3718	A - CX	Ø 250 6+6 pads 37x67x3,5	28x35x4	10
C 20 - D 20 Elevateur	2 T		3718	A - CX	Ø 250 6+6 pads 37x67x3,5	28x35x4	10
C 25 - D 25 Elevateur 2	5 T		0913	A	250x155x3,5	28x35x4	10
	5 T		3718	A - CX	Ø 250 6+6 pads 37x67x3,5	28x35x4	10
C 50 - C 60 Elevateur			3151	A - CX	Ø 310 6+6 pads 57x64x3,5	28x35x4	10
Elevateur	Peugeot		3876	A	200x130x3,2	26x30x ev	10
Vari - Several types			3719	A - CX	Ø 182 6+6 pads 37x67x3,5	22x25x4	10
			3720	A - CX	Ø 215 8+8 pads 57x64x3,5	18x23x3	10
			3721	A - CX	Ø 250 6+6 pads 37x67x3,5	28x35x4	10
SAME							
25 DT Serie A			0883	A	212x152x4	23x29x4	10
25 DT Serie B			0894	A	230x155x4	23x29x4	10
4 R 10 - 4 R 20 Petrolio			0880	A	187x130x4	18x22x5	6
954 V - 1004 V		Industrial	1120	A	300x200x5	29x35x4	10
984 - 1054			3470	A	320x203x3,7	27x30x ev	16
Giunto - Coupling			4425	BT	Ø 323	50x55x ev	26
Modello 754		Main clutch	3592	A	280x165x3,5	36x40x ev	20
Motori industriali - Industrial engines			3470	A	320x203x3,7	27x30x ev	16
SAME 115			4113	B 19 - CX	328x196x4	41x45,3x ev	21
Samecar TORO			0503	A	300x200x5	36x45x5	10
Vari modelli		Brake Disc	4071	DF	102x51x4,3	28,4x31x ev	23
CINGOLATI - CATERPILLAR TR.							
Explorer 65 C - 70 C - 75 C		Main clutch	4053	A	279x171x3,5	36,5x41x ev	24
			4063	A	302x191x3,3	36,5x41x ev	24
Explorer 90			4246	AL - CX	Ø 310 8+8 pads 57x64x3,5	36,5x41x ev	24
Fox 35		Main clutch	3851	A	225x156x3,5	26x32x5	10
Fox 45 - 55		Main clutch	3857	ALI	280x172x3,2	26x32x5	10
Leopard C		Main clutch	3825	A	310x175x3,5	36x40x ev	20
	Valeo version	P.T.O.	3829	A	310x175x3,5	22x25x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	3855	A	310x175x3,5	36x40x ev	20
		P.T.O.	3853	A	310x175x3,5	22x25x ev	14
Solar 55 C - 60 C		Main clutch	4046	ALI	280x172x3,2	36x40x ev	20
			4201	AL	280x165x4,8	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
Agrolux							
70e		P.T.O.	4559	A - CX	Ø 280 4+4 pads 57x64x3,2	22x25x ev	14
Antares							
10		Main clutch	4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
100			4166	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	36,5x41x ev	24
			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
100 - 110 II	Chass. -> 4243		4162	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	41x45,3x ev	21
127			4162	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	41x45,3x ev	21
130	Chass. -> 2026		4162	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	41x45,3x ev	21
	Chass. 2027 ->		4138	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	41x45,3x ev	21
130 II - 130 V			4138	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	41x45,3x ev	21
135			4328	BL 8	352x216x3,5	41x45x ev	21
Ariete							
Agricolo - Industriale		P.T.O.	3008	A	352x216x6,5	45x50x ev	24
		Main clutch	1144	B 20	352x216x4	32x40x5	10
Argon							
50 - 60 - 70			4376	AL	250x171x3,5	22x25x ev	14
60 - 70			4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
Aster							
60 - 70		Main clutch	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4202	AL	280x165x3,2	22x25x ev	14
	Valeo version	P.T.O.	4042	A	250x155x3,2	22x25x ev	14
		Main clutch	3738	A - CX	Ø 280 6+6 pads 57x64x3,5	36x40x ev	20
Atlanta							
42 CV		Main clutch	0900	A	280x185x4	23x29x4	10
45 CV		P.T.O.	1122	A	254x155x3,5	36x40x ev	20
		Main clutch	3400	A	280x165x4	23x29x4	10
Aurora							
35 - 45		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
		P.T.O.	1344	A	230x160x3,3	35x40x ev	14
		Main clutch	1343	B 18	250x150x4	20,8x25x4	10
Buffalo							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
120		Main clutch	1452	A - CX	Ø 350 6+6 pads 57x64x4	45x50x ev	24
	P.T.O.	-> 76	0915	A	352x216x4	28x32x ev	17
	Main clutch	-> 76	1042	BL 8	352x216x4,8	45x50x ev	24
130 Export		Main clutch	1452	A - CX	Ø 350 6+6 pads 57x64x4	45x50x ev	24
Centauro							
55 - 60 - 65 - 70 Export		Main clutch	1299	A	289x145x4	23x29x4	10
		P.T.O.	1051	A	250x155x3,5	41x45x ev	22
Centurion							
75		P.T.O.	1051	A	250x155x3,5	41x45x ev	22
		Main clutch	3469	A	325x191x4	23x29x4	10
			3408	B 20 - CX	Ø 320 10+10 pads 57x64x3,5	23x29x4	10
		Brake Disc	3605	DF	178x102x4,7	38x45x ev	13
Condor							
55 Condor		P.T.O.	3461	A	250x155x3,5	36x40x ev	20
		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
		P.T.O.	3852	A	250x171x5	36x40x ev	20
		Main clutch	3858	B 18	280x165x4	22x25x ev	14
		Brake Disc	3605	DF	178x102x4,7	38x45x ev	13
Corsaro							
70 Corsaro			1050	A	289x170x4	23x29x4	10
70 S Corsaro		P.T.O.	3461	A	250x155x3,5	36x40x ev	20
		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
		P.T.O.	3852	A	250x171x5	36x40x ev	20
		Main clutch	3858	B 18	280x165x4	22x25x ev	14
		Brake Disc	3605	DF	178x102x4,7	38x45x ev	13
DA							
DA 12		1° Serie	0881	A	212x152x4	18x22x5	6
		2° Serie	0882	A	212x152x4	18x23x3	10
DA 30			0885	A	230x155x4	23x29x4	10
		Universale A	0899	A	262x185x4	23x29x4	10
		Universale B	0890	A	220x158x4	36x42x7	8
DA 38 - DA 38 DT - DA 47			0886	A	254x170x5	28x35x4	10
DA 55 - DA 67			0888	A	276x165x5	28x35x4	10
DA 240			0893	A	241x156x4	23x29x4	10
		Universale A	0899	A	262x185x4	23x29x4	10
		Universale B	0890	A	220x158x4	36x42x7	8
DA 250		P.T.O.	0795	A	220x158x4	36x42x7	8
		Main clutch	0900	A	280x185x4	23x29x4	10
DA 360		Industrial	3805	A - CX	Ø 300 6+6 pads 57x64x5	29x35x4	10
		Industrial	0892	A	300x170x5	23x35x4	10
			0891	A	300x200x5	29x35x4	10
DA 360 C		Main clutch	1301	A	300x200x5	29x35x4	10
DA 360 Universale		P.T.O.	1076	A	300x200x5	29x35x4	10
		Main clutch	0896	A	300x200x5	29x35x4	10
		P.T.O.	0898	A	262x195x4	42x48x8	8
DA 480			0892	A	300x170x5	23x35x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Industrial	3805	A - CX	Ø 300 6+6 pads 57x64x5	29x35x4	10
Delfino							
32 - 35		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
		Main clutch	0978	A	212x152x4	18x23x3	10
		P.T.O.	1298	A	200x152x4	34x38x ev	19
Dorado							
60 DT - 70 DT			4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
70 DT			4000	BL 2	279x171x3,5	36x41x ev	24
Drago							
100 - 120		P.T.O.	0915	A	352x216x4	28x32x ev	17
		Main clutch	1042	BL 8	352x216x4,8	45x50x ev	24
		Optional	4256	A - CX	Ø 350 6+6 pads 69x77x3,5	45x50x ev	24
		Main clutch	1452	A - CX	Ø 350 6+6 pads 57x64x4	45x50x ev	24
Explorer							
55 - 60 - 65	6 flywheel bolts	Main clutch	4000	BL 2	279x171x3,5	36x41x ev	24
	8 flywheel bolts	Main clutch	4000	BL 2	279x171x3,5	36x41x ev	24
70 - 75 - 80 - 90	Delphi B&B Version	Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
70 - 75 - 80	Valeo Version	Main clutch	4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
70 II DT	Chass. -> 22091	Main clutch	4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
70 Special		Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
		Main clutch	4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
70 II Special	Chass. 15583 ->	Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
		Main clutch	4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
70 II Special basso	Chass. 15583 ->	Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
80 II LP		Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
80	Chass. -> 15592		4165	B 19	330x196x4,2	36,5x41x ev	24
80 - 80 II LP			4165	B 19	330x196x4,2	36,5x41x ev	24
80 II DT		Main clutch	4165	B 19	330x196x4,2	36,5x41x ev	24
80 II DT - 90 DT		Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
80 II Special basso		Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
		Main clutch	4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
90	Chass. -> 2974		4165	B 19	330x196x4,2	36,5x41x ev	24
90 DT		Main clutch	4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
90 LP	Chass. -> 1075		4165	B 19	330x196x4,2	36,5x41x ev	24
90 II Top		Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
		Main clutch	4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
			4165	B 19	330x196x4,2	36,5x41x ev	24


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Falcon							
Falcon - 50		Main clutch	3461	A	250x155x3,5	36x40x ev	20
		P.T.O.	3462	B 18	280x165x3,5	22x25x ev	14
	Valeo Version	Main clutch	3852	A	250x171x5	36x40x ev	20
	Valeo Version	P.T.O.	3858	B 18	280x165x4	22x25x ev	14
Formula							
115 - 135			4162	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	41x45,3x ev	21
135			4138	BL8 - CX	Ø 350 6+6 pads 69x77x3,5	41x45,3x ev	21
			4328	BL 8	352x216x3,5	41x45x ev	21
Frutteto							
60		Main clutch	3461	A	250x155x3,5	36x40x ev	20
		P.T.O.	3462	B 18	280x165x3,5	22x25x ev	14
	Valeo Version	Main clutch	3852	A	250x171x5	36x40x ev	20
	Valeo Version	P.T.O.	3858	B 18	280x165x4	22x25x ev	14
85 II			4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14
Galaxi							
150 - 170 Turbo		Main clutch	4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
Golden							
Compatto 75 - 85 DT		Main clutch	4100	B 14	310x191x3,8	36,5x41x ev	24
Hercules							
160			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
Italia							
Italia 30		P.T.O.	0770	A	187x130x4	36x40x ev	20
		Main clutch	1119	A	212x152x4	23x29x4	10
Italia 35		P.T.O.	0962	A	200x135x4	41x45x ev	22
		Main clutch	0951	A	225x130x4	29x23x4	10
Jaguar							
95	Reinforced	Main clutch	3473	BL 8	325x200x4	45x50x ev	24
		Main clutch	3996	A	350x196x4	45x50x ev	24
100		Main clutch	4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
		Main clutch	3996	A	350x196x4	45x50x ev	24
Krypton							
100			4544	B14 - CX	Ø 325 5+5 pads 69x77x4	36x41x ev	24
Laser							
90 - 100 - 110			4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
			3996	A	350x196x4	45x50x ev	24
			4396	AL - CX	Ø 350 6+6 pads 69x77x4	45x50x ev	24
130 - 150			4397	AL - CX	Ø 350 7+7 pads 69x77x4	45x50x ev	24


		Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
			N° 10001 ->	4547	BL8 - CX	Ø 350 8+8 pads 69x77x4	45x50x ev	24
				3996	A	350x196x4	45x50x ev	24
Leone								
70			P.T.O.	1051	A	250x155x3,5	41x45x ev	22
			Main clutch	3408	B 20 - CX	Ø 320 10+10 pads 57x64x3,5	23x29x4	10
			Main clutch	3469	A	325x191x4	23x29x4	10
			Brake Disc	3605	DF	178x102x4,7	38x45x ev	13
Leopard								
85 - 90 - 95				3473	BL 8	325x200x4	45x50x ev	24
85 C - Crawler			Main clutch	3825	A	310x175x3,5	36x40x ev	20
			P.T.O.	3830	A - CX	Ø 310 6+6 pads 57x64x3,5	36x40x ev	20
90 T	Chass. -> 20174			3473	BL 8	325x200x4	45x50x ev	24
90 T	Chass. 20175 ->		Main clutch	3996	A	350x196x4	45x50x ev	24
			Optional	4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
Mercury								
85			Main clutch	0991	B 20	320x203x3,7	23x29x4	10
			P.T.O.	1081	A	262x156x3,5	41x45x ev	22
			Optional	3408	B 20 - CX	Ø 320 10+10 pads 57x64x3,5	23x29x4	10
Minicondor								
Minicondor			Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
Minitaurus								
50 - 55			P.T.O.	3461	A	250x155x3,5	36x40x ev	20
			Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
			Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
60			P.T.O.	3461	A	250x155x3,5	36x40x ev	20
			Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
			Brake Disc	3605	DF	178x102x4,7	38x45x ev	13
Panther								
Panther			-> 75	1368	B 20	320x203x3,7	44x48x ev	23
90			Main clutch	3891	B 20 - CX	Ø 320 10+10 pads 57x64x3,5	45x50x ev	24
95				3473	BL 8	325x200x4	45x50x ev	24
Puledro								
250 Samecar agricolo			P.T.O.	0766	A	220x158x4	36x40x ev	20
			Main clutch	0900	A	280x185x4	23x29x4	10
Normale				0793	A	230x155x4	23x29x4	10
Universale			P.T.O.	0795	A	220x158x4	36x42x7	8
			Main clutch	0794	A	262x185x4	29x23x4	10
Ranger								
45 - 45 Frutteto			Main clutch	1343	B 18	250x150x4	20,8x25x4	10
			P.T.O.	1344	A	230x160x3,3	35x40x ev	14
Rock								
55 - 60 - 70				4540	A - CX	Ø 280 4+4 pads 57x64x3,5	22x21x ev	14


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Row Crop							
90	65 kW		4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
90 DT	Chass. -> 1357		4141	B 19 - CX	Ø 310 6+6 pads 57x64x4	36,5x41x ev	24
	Chass. 1358 ->		4166	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	36,5x41x ev	24
Same							
65	6 flywheel bolts	Main clutch	4000	BL 2	279x171x3,5	36x41x ev	24
	8 flywheel bolts	Main clutch	4000	BL 2	279x171x3,5	36x41x ev	24
Sametto							
Sametto 120			0796	A	187x130x4	36x42x7	8
Sametto DA 17			0882	A	212x152x4	18x23x3	10
Sametto V			1119	A	212x152x4	23x29x4	10
Saturn							
80 Synchro		P.T.O.	1051	A	250x155x3,5	41x45x ev	22
		Main clutch	3408	B 20 - CX	Ø 320 10+10 pads 57x64x3,5	23x29x4	10
		Brake Disc	3605	DF	178x102x4,7	38x45x ev	13
		Main clutch	3469	A	325x191x4	23x29x4	10
Silver							
80	Chass. -> 2073		4165	B 19	330x196x4,2	36,5x41x ev	24
90	Chass. -> 2963		4165	B 19	330x196x4,2	36,5x41x ev	24
100.4	Chass. -> 1874		4165	B 19	330x196x4,2	36,5x41x ev	24
100.6	Chass. -> 3222		4166	B 19 - CX	Ø 330 6+6 pads 69x77x3,5	36,5x41x ev	24
80 - 90 - 100.4 - 100.6			4542	B14 - CX	Ø 325 6+6 pads 69x77x4	36x41x ev	24
Sirenetta							
Sirenetta		P.T.O.	1298	A	200x152x4	34x38x ev	19
		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
		Main clutch	0978	A	212x152x4	18x23x3	10
Solar							
50			3852	A	250x171x5	36x40x ev	20
			4203	AL	228x155x3,5	22x25x ev	14
60		Main clutch	1148	AL	280x165x4	36x40x ev	20
		P.T.O.	4042	A	250x155x3,2	22x25x ev	14
550 - Compact 600 Ergonomic		Main clutch	4046	ALI	280x172x3,2	36x40x ev	20
Solaris							
25 - 35 - 45		Engine side	4393	A	184x127x3,2	17x20x ev	12
		Gearbox side	4394	A	181x127x3,2	34x38x ev	19
350 - 350 A - 450			4519	A	215x145x4	34x38x ev	19
Super Drago							
120		P.T.O.	0915	A	352x216x4	28x32x ev	17
		Main clutch	1452	A - CX	Ø 350 6+6 pads 57x64x4	45x50x ev	24
Super Elefante							
Super Elefante			0504	A	300x200x5	36x45x5	10
Super Panther							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Super Panther			3815	A	352x216x4	45x50x ev	24
Taurus							
60		Brake Disc	3605	DF	178x102x4,7	38x45x ev	13
		P.T.O.	3461	A	250x155x3,5	36x40x ev	20
		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
60	Valeo Version	Main clutch	3852	A	250x171x5	36x40x ev	20
	Valeo Version	P.T.O.	3858	B 18	280x165x4	22x25x ev	14
100 E			4000	BL 2	279x171x3,5	36x41x ev	24
			3996	A	350x196x4	45x50x ev	24
Tiger							
100 - SIX 105		Optional	4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
		Main clutch	3996	A	350x196x4	45x50x ev	24
105 Synchro			4000	BL 2	279x171x3,5	36x41x ev	24
Trident							
130		Optional	4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
		Main clutch	3996	A	350x196x4	45x50x ev	24
Titan							
130 Export		Main clutch	4103	AL - CX	Ø 350 7+7 pads 69x77x3,5	45x50x ev	24
Vigneron							
35 - 40		Brake Disc	1134	DF	102x51x4,3	28,5x31x ev	23
		Main clutch	0978	A	212x152x4	18x23x3	10
		P.T.O.	1298	A	200x152x4	34x38x ev	19
50		Main clutch	1343	B 18	250x150x4	20,8x25x4	10
		P.T.O.	1344	A	230x160x3,3	35x40x ev	14
60		Main clutch	1340	B 18	280x165x4	22x25x ev	14
		P.T.O.	1122	A	254x155x3,5	36x40x ev	20
60 - 62		Brake Disc	3605	DF	178x102x4,7	38x45x ev	13
		Main clutch	3462	B 18	280x165x3,5	22x25x ev	14
		P.T.O.	3461	A	250x155x3,5	36x40x ev	20
75		Main clutch	1148	AL	280x165x4	36x40x ev	20
			1121	A	280x165x4	22x25x ev	14
SAURER							
5 DF - DF	6x4 - 8x4		1931	B 16	420x220x3,5	36x45x7°	10
290 - 330	6x4 - 8x4		1931	B 16	420x220x3,5	36x45x7°	10
SCHANZLIN							
300 / B			1323	ALI	225x150x3,5	23x29x4,5	10
350 - 450	DB 44 - 50 kW	P.T.O.	3687	A	250x155x3,5	46x50x9	8
		Main clutch	1330	A	250x155x3,5	23x29x4,5	10
Gigant 600	DB 60 - 68 PS	P.T.O.	3685	A	228x150x3,5	46x50x9	8
		Main clutch	1330	A	250x155x3,5	23x29x4,5	10
Golfrac 35 - 2			2785	B 10	190x136x3,2	18,3x20,7x ev	24
SCHEID							
50.0 - 51.0 - 51.1	Chass. -> 49		1209	A	200x130x3,2	26x32x4	10
	Chass. 50 ->		4101	A	225x155x3,5	26x32x4	10
90.0 - 90.1			1209	A	200x130x3,2	26x32x4	10
SCHLECHT							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
IE			4101	A	225x155x3,5	26x32x4	10
II - III	Hartz 6 PS		1250	A	181x124x3,5	26x32x4	10
SCHLÜTER							
AS							
AS 15			0822	ALI	200x130x3,5	23x29x4	10
AS 18 - 22			4312	ALI	225x150x3,5	26x32x5	10
AS 45		P.T.O.	3687	A	250x155x3,5	46x50x9	8
		Main clutch	0839	A	280x165x3,5	23x29x4	10
AS 261			4312	ALI	225x150x3,5	26x32x5	10
ASF							
ASF 180 - 181			0828	ALI	225x150x3,5	23x29x4	10
ASF 216	26 PS		1036	ALI	228x150x3,5	26x32x5	10
ASF 240	26 PS		1036	ALI	228x150x3,5	26x32x5	10
ASF 350		P.T.O.	3687	A	250x155x3,5	46x50x9	8
		Main clutch	3145	A	280x165x3,5	28x35x4	10
ASFL							
ASFL 130 - ASFL 141			0863	A	181x124x3,5	23x29x4	10
ASFL 160 - ASFL 161			0822	ALI	200x130x3,5	23x29x4	10
ASL							
ASL 180			0828	ALI	225x150x3,5	23x29x4	10
	18 PS		4101	A	225x155x3,5	26x32x4	10
AV / A							
AV / A 127			0863	A	181x124x3,5	23x29x4	10
BA							
BA 5808-10			0863	A	181x124x3,5	23x29x4	10
COMPACT							
550 - 550 V		P.T.O.	3687	A	250x155x3,5	46x50x9	8
		Main clutch	0839	A	280x165x3,5	23x29x4	10
750 - 750 V	Chass. 700002 -> 700059		3672	A	310x175x4	25x28x ev	15
750 - 750 V Mod. SF 3700/3701	Chass. 701001 -> 701055	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
		P.T.O.	3793	A	310x175x3,5	27x30x ev	16
750 - 750 V Mod. SF 3700/702	Chass. 702001 -> 702021	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
		P.T.O.	3793	A	310x175x3,5	27x30x ev	16
750 - 750 V Mod. SF 3700/702	Chass. 702022 ->	Main clutch	4276	AL - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
		P.T.O.	3793	A	310x175x3,5	27x30x ev	16
850 - 850 V	Chass. 800002 -> 800418		3672	A	310x175x4	25x28x ev	15
850 - 850 V Mod. SF 4800/800-801	Chass. 800419 -> 800454	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
	Chass. -> 801001 -> 801653	P.T.O.	3793	A	310x175x3,5	27x30x ev	16
850 - 850 V Mod. SF 4800/802	Chass. 802002 -> 802340	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
	Except 802287	P.T.O.	3793	A	310x175x3,5	27x30x ev	16
850 - 850 V Mod. SF 4800/802	Chass. 802287, 802001, 802341 ->	Main clutch	4276	AL - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
		P.T.O.	3793	A	310x175x3,5	27x30x ev	16
950 - T - TV Mod. SF 4900/V	Chass. 901001 -> 901032		3672	A	310x175x4	25x28x ev	15

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
950 - T - TV Mod. SF 4900/902	Chass. 902001 -> 902018	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
	Chass. 902001 -> 902018	P.T.O.	3793	A	310x175x3,5	27x30x ev	16
950 V 6		Main clutch	4276	AL - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
		P.T.O.	3793	A	310x175x3,5	27x30x ev	16
1050 T - TV Mod. SF 4900/1001-1002	Chass. 1001001 -> 1001055	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
	Chass. 1002001 -> 1002050	P.T.O.	3793	A	310x175x3,5	27x30x ev	16
1050 TV Mod. SF 4900/1002	Chass. 1002051 ->	Main clutch	4276	AL - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
		P.T.O.	3793	A	310x175x3,5	27x30x ev	16
1050 V 6 - 1150 TV 6 - 1250 TV 6		Main clutch	4276	AL - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
		P.T.O.	3793	A	310x175x3,5	27x30x ev	16
1250 TV6 - 1350 TV6	P.T.O.	92 ->	3987	B 17 - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
1350			4242	AL - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
			4243	A - CX	Ø 350 9+9 pads 57x64x4	27x30x ev	16
D							
DF 15 - 25	15 PS		4312	ALI	225x150x3,5	26x32x5	10
DF 25 - 28	17 - 30 PS		3153	A	250x155x3,5	26x32x5	10
DS 15 - 25 B	17 PS		4312	ALI	225x150x3,5	26x32x5	10
DSU 25	17 PS		4312	ALI	225x150x3,5	26x32x5	10
EUROTRAC							
1300 - 1600 - 1900		92 ->	3987	B 17 - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
GF							
GF 50			3156	A	280x165x3,5	32x40x4	10
S							
S 15			0863	A	181x124x3,5	23x29x4	10
S 20			1036	ALI	228x150x3,5	26x32x5	10
S 25			1036	ALI	228x150x3,5	26x32x5	10
S 30		P.T.O.	0839	A	280x165x3,5	23x29x4	10
		Main clutch	3687	A	250x155x3,5	46x50x9	8
S 35			3154	A	250x155x3,5	26x32x5	10
S 40	35 PS	P.T.O.	3685	A	228x150x3,5	46x50x9	8
			4314	AL	250x155x3,5	23x29x4	10
	35 PS	Main clutch	1004	A	250x155x3,5	23x29x4	10
S 45			3155	A	280x165x3,5	26x32x4	10
SF							
SF 10676		Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
		P.T.O.	3793	A	310x175x3,5	27x30x ev	16
SUPER							
350 - 350 V - 450 - 450 V		P.T.O.	3685	A	228x150x3,5	46x50x9	8


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		Main clutch	4314	AL	250x155x3,5	23x29x4	10
		Main clutch	1004	A	250x155x3,5	23x29x4	10
500	Chass. 45936 ->		3687	A	250x155x3,5	46x50x9	8
	Chass. 45936 ->		0839	A	280x165x3,5	23x29x4	10
500 S - V Mod. SF 4510/550/S/V			3687	A	250x155x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
600 V Mod. SF 6600/650/V			3687	A	250x155x3,5	46x50x9	8
			0839	A	280x165x3,5	23x29x4	10
750 - 750 V			3672	A	310x175x4	25x28x ev	15
850 - 850 V Mod. SF 6810/750/V			3672	A	310x175x4	25x28x ev	15
850 - 850 V Mod. SF 6810/850/V			3672	A	310x175x4	25x28x ev	15
850 - 850 V Mod. SF 6810/852	Chass. 852001 -> 852083	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
	Chass. 852001 -> 852083	P.T.O.	3793	A	310x175x3,5	27x30x ev	16
950 - 950 V Mod. SF 6900/950/V			3672	A	310x175x4	25x28x ev	15
1050 - 1050 V Mod. SF 6810/1050-1051	Chass. 1050001 -> 1050300	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
	Chass. 1051001 -> 1051151	P.T.O.	3793	A	310x175x3,5	27x30x ev	16
1050 - 1050 V Mod. SF 6810/1052	Chass. 1052002 -> 1052101	Main clutch	4275	B 19 - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
	Chass. 1052002 -> 1052101	P.T.O.	3793	A	310x175x3,5	27x30x ev	16
1050 - 1050 V Mod. SF 6810/1052	Chass. 1052102 ->	Main clutch	4276	AL - CX	Ø 310 6+6 pads 57x64x3,5	44,5x48,5x ev	23
	Chass. 1052102 ->	P.T.O.	3793	A	310x175x3,5	27x30x ev	16
1250 VL	Main clutch	82 ->	4242	AL - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
	P.T.O.	82 ->	4243	A - CX	Ø 350 9+9 pads 57x64x4	27x30x ev	16
1500			3987	B 17 - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
			4022	A	352x216x4	27x30x ev	16
1500 - T - TV Mod. SF 6950/V			3435	A - CX	Ø 325 8+8 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
1500 - TV Mod. SF 6950/1503/1505/1507/1509			3807	B 18 - CX	Ø 330 8+8 pads 57x64x3,5	44x48x ev	23
			3635	A	330x200x3,5	27x30x ev	16
1500 TVL Mod. SF 6950L			3435	A - CX	Ø 325 8+8 pads 57x64x3,5	44x48x ev	23
			3424	A	310x175x4	27x30x ev	16
1500 - TVL Mod. SF 6950/1504/1506/1508/1510			3807	B 18 - CX	Ø 330 8+8 pads 57x64x3,5	44x48x ev	23
			3635	A	330x200x3,5	27x30x ev	16
1500 TVL - 1600 - 1800	Main clutch	82 ->	4242	AL - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
	P.T.O.	82 ->	4243	A - CX	Ø 350 9+9 pads 57x64x4	27x30x ev	16


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
1600			3987	B 17 - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
			4022	A	352x216x4	27x30x ev	16
1800			3987	B 17 - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
			4022	A	352x216x4	27x30x ev	16
2000			3987	B 17 - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
			4022	A	352x216x4	27x30x ev	16
2000 - TVL Mod. SF 8160/2001/2002/2003			3807	B 18 - CX	Ø 330 8+8 pads 57x64x3,5	44x48x ev	23
			3635	A	330x200x3,5	27x30x ev	16
2000 TVL	Main clutch	82 ->	4242	AL - CX	Ø 350 8+8 pads 57x64x4	44x48x ev	23
	P.T.O.	82 ->	4243	A - CX	Ø 350 9+9 pads 57x64x4	27x30x ev	16
SCHMOTZER							
Kombi	12 PS		1248	ALI	200x130x3,5	26x32x4	10
Kombi	14 PS		1250	A	181x124x3,5	26x32x4	10
Kombi	17 - 20 PS		0863	A	181x124x3,5	23x29x4	10
Kombi	18 PS		4507	A	181x127x3,2	23x29x4	10
SCHULTEISS A.							
S 12	12 PS		0863	A	181x124x3,5	23x29x4	10
S 15			4507	A	181x127x3,2	23x29x4	10
T 5	10 PS		1248	ALI	200x130x3,5	26x32x4	10
SIMIT							
4 FL 5000 Forklift	Uster	80	3959	A	302x190x3,5	28x35x5,5	10
4/60 - 4/80 - 5/60	4WD Dumper	77	3959	A	302x190x3,5	28x35x5,5	10
SLATER - SR 70	Fiat		3884	BL 8	307x190x3,5	36x45x5	10
SLANZI MOTORI							
DVA 460			1064	A	155x114x3,9	16x19x3	10
			0199	A	140x96x3,2	14x17x4	6
DVA 500 T			0812	A	184x127x3,3	18x22x3,5	10
DVA 680			1064	A	155x114x3,9	16x19x3	10
			0402	B 2	216x152x3,2	18x22x3,5	10
DVA 680 Trattore - Tractor			0812	A	184x127x3,3	18x22x3,5	10
DVA 1000 T - 1300 T			0812	A	184x127x3,3	18x22x3,5	10
			0402	B 2	216x152x3,2	18x22x3,5	10
			1303	A	250x155x3,5	29x35x5,5	10
DVA 2000 - 2600			1303	A	250x155x3,5	29x35x5,5	10
			1302	A	279x171x3,5	29x35x5,5	10
SLATER							
15 Cwt Congrieve Dumper		60	0870	A	200x130x3,2	21x26x4	10
SO.GE.MA.							
ANSANDO - FBR a pale			1304	BL 8	352x216x4,8	33,5x41,5x6,5	10
Dumper 800/1700			0200	B 2	184x127x3,2	18x22,5x3,5	10
MA 12/18			0200	B 2	184x127x3,2	18x22,5x3,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
STEINBOCK							
2 C - 2 X - 2,5 - 2,5 X - 3 - 3,5			3724	B 14	280x165x4	26x32x4	10
DF2 B			3723	B 14	250x155x4	26x32x4	10
DFG 1,5 - 2			3722	A	225x155x4	26x32x4	10
DFG 4			3725	B 14	310x175x4	28x35x4	10
BFG - DFG - TFG							
1,25 - 1,6 DA - 2C - 2,5R - 3 A	OM 636 - M136		4311	ALI	250x155x3,5	26x32x4	10
2 C - 3 - 3,5			1760	B 14	280x180x3,5	26x32x4	10
STEYR DAIMLER PUCH							
7 GA - 7 GA 1 F/KL - 7 GA 1 F			3849	A	350x195x4	32x40x5	10
7 GF - 7 GF/Z - 7 GV1 F - 7 GV 1 F LL			3849	A	350x195x4	32x40x5	10
50			4313	AL	250x155x3,8	23x29x4	10
50 / 292			3974	A	280x165x3,5	23x29x4	10
60			2231	A	310x175x3,5	28x35x4	10
			4427	AL	310x175x4	28x35x4	10
80 2°			0875	ALI	225x160x3,5	21x26x4	10
80 - 80 S	113 - 15 PS - 1 Cyl.		0870	A	200x130x3,2	21x26x4	10
90			3726	A	350x196x4	41x45x ev	22
180 A	2 Cyl.		0876	B 18	280x165x3,5	28x35x4	10
	30 PS - 2 Cyl.	WD 231a	0872	ALI	228x150x3,5	28x35x4	10
	P.T.O.	55 ->	3685	A	228x150x3,5	46x50x9	8
	Main clutch	55 ->	0988	A	250x155x3,5	28x35x4	10
180 N	P.T.O.	59 ->	3685	A	228x150x3,5	46x50x9	8
	Main clutch	59 ->	0988	A	250x155x3,5	28x35x4	10
182	P.T.O.	58 ->	3685	A	228x150x3,5	46x50x9	8
	Main clutch	58 ->	0988	A	250x155x3,5	28x35x4	10
182 - 182 A	36 PS - 2 Cyl.	WD 231c	0876	B 18	280x165x3,5	28x35x4	10
185	Diesel 45HP 3 Cyl.	P.T.O.	3687	A	250x155x3,5	46x50x9	8
	Diesel 45HP 3 Cyl.	Main clutch	3145	A	280x165x3,5	28x35x4	10
185 - 185 A	55 PS - 3 Cyl.	WD 313a	0372	ELI	280x165x3,5	28x35x4	10
185 A	3 Cyl.	P.T.O.	3687	A	250x155x3,5	46x50x9	8
	3 Cyl.	Main clutch	3145	A	280x165x3,5	28x35x4	10
188			0828	ALI	225x150x3,5	23x29x4	10
190	Chass. -> 11611		1140	B4 L	225x150x3,5	23x29x4	10
210 SLH			3728	BL 2	380x200x4	36x45x5	10
280	4 Cyl.	P.T.O.	3770	A	280x165x3,5	46x50x9	8
	4 Cyl.		0874	A	280x165x4	32x40x5	10
280 A	68 PS - 4 Cyl.	WD 413v	0372	ELI	280x165x3,5	28x35x4	10
	4 Cyl.	P.T.O.	3770	A	280x165x3,5	46x50x9	8
	4 Cyl.	Main clutch	2231	A	310x175x3,5	28x35x4	10
290		P.T.O.	3687	A	250x155x3,5	46x50x9	8
		Main clutch	1004	A	250x155x3,5	23x29x4	10
295			2231	A	310x175x3,5	28x35x4	10
			4427	AL	310x175x4	28x35x4	10
380			0876	B 18	280x165x3,5	28x35x4	10
430 - 430 B / N	WD210 - WD210.40		0828	ALI	225x150x3,5	23x29x4	10
480			0876	B 18	280x165x3,5	28x35x4	10
545			4135	ELI	280x165x3,5	28x35x4	10
580			0876	B 18	280x165x3,5	28x35x4	10
586			1872	B 14	310x175x4,0	28x35x4	10
591	WD612.01		1872	B 14	310x175x4,0	28x35x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
650		P.T.O.	3687	A	250x155x3,5	46x50x9	8
		Main clutch	4314	AL	250x155x3,5	23x29x4	10
		Main clutch	1004	A	250x155x3,5	23x29x4	10
658			2231	A	310x175x3,5	28x35x4	10
			4427	AL	310x175x4	28x35x4	10
680	WD612.01		1872	B 14	310x175x4,0	28x35x4	10
690	WD612.18		1872	B 14	310x175x4,0	28x35x4	10
691	WD612.01		1872	B 14	310x175x4,0	28x35x4	10
760 - 768			2231	A	310x175x3,5	28x35x4	10
			4427	AL	310x175x4	28x35x4	10
780	WD612.01		1872	B 14	310x175x4,0	28x35x4	10
780 E	WD609.60/610.70		1872	B 14	310x175x4,0	28x35x4	10
790 - 890			1872	B 14	310x175x4,0	28x35x4	10
			4427	AL	310x175x4	28x35x4	10
990 - 1290			2143	B 17	380x200x3,5	42x52x6	10
1400 A	WD61240		3946	A - CX	Ø 350 6+6 pads 57x64x4	28x35x4	10
1490	WD614.01/20	With NMV 80/3	2143	B 17	380x200x3,5	42x52x6	10
1600 - 1650 - 1700			4152	AL	280x164x4	45x50x ev	24
			4151	ALI	295x172x3,3	28x32x ev	17
8055 A - AP - AS - P - S	Chass. -> 10791 and 11004 -> 11106	Main clutch	4152	AL	280x164x4	45x50x ev	24
8055	Chass. 10792 -> 11003 ; 11107 ->	Main clutch	4152	AL	280x164x4	45x50x ev	24
8060 - 8060 A	WD311.40/41	P.T.O.	4152	AL	280x164x4	45x50x ev	24
8060 - 8070		Narrow truck	4152	AL	280x164x4	45x50x ev	24
8065		P.T.O.	4152	AL	280x164x4	45x50x ev	24
8070 - 8070 A	WD411.41/2/3/4	P.T.O.	4152	AL	280x164x4	45x50x ev	24
			4170	AL	280x172x4	28x32x ev	17
8075	WD411.47	P.T.O.	4152	AL	280x164x4	45x50x ev	24
8075 - 8075 A	WD411.45/46	P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Main clutch	4151	ALI	295x172x3,3	28x32x ev	17
8085 - 8085 A		P.T.O.	4152	AL	280x164x4	45x50x ev	24
		Main clutch	4151	ALI	295x172x3,3	28x32x ev	17
8080 - 8080 A - 8090 - 8090 A		Main clutch	4171	A	310x191x3,8	45x50x ev	24
		P.T.O.	4169	AL	310x191x3,8	28x32x ev	17
8100 A			4525	ALI	350x196x3,5	41x45x ev	21
8140 - 8140 A - 8150 - 8150 A			3947	A	350x196x4	28x35x4	10
8160 A - 8170 A - 8180 A		91 ->	3946	A - CX	Ø 350 6+6 pads 57x64x4	28x35x4	10
8200 A			4525	ALI	350x196x3,5	41x45x ev	21
9078 - 9083 - 9086 - 9094 / A	Chass. DBD0055001 ->	Main clutch	4309	B14 - CX	Ø 330 7+7 pads 57x64x4	28x32x ev	17
	Chass. DBD0055001 ->	P.T.O.	4354	A - CX	Ø 310 6+6 pads 57x64x4	45x50x ev	24
9078 - 9083 - 9086 - 9094 / A	Chass. -> 04517		4287	B 14 L	310x191x3,8	28x32x ev	17
9083 - 9086 / A		94 -> 99	4310	B 14	310x196x4,5	28x32x ev	17
9094 / A		96 -> 04	4310	B 14	310x196x4,5	28x32x ev	17
Kompact							
360 - 370 - 375	43 - 53 - 55 kW	03 ->	4545	A - CX	Ø 280 3+3 pads 57x64x3,2	22x25 ev	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
DFG 102			0168	ELI	228x150x3,3	26x32x4	10
DFG 1001V - 1201V			0828	ALI	225x150x3,5	23x29x4	10
DFG 1002 - 1202			3648	A	225x150x3,5	26x32x4	10
DFG 1202L - 1502L - 1502V - 1604L/V			4311	ALI	250x155x3,5	26x32x4	10
STOLBERGER							
II/20 - II/25K - II/RL			4311	ALI	250x155x3,5	26x32x4	10
SULTZER							
415E			0828	ALI	225x150x3,5	23x29x4	10
S11L - S12W			0863	A	181x124x3,5	23x29x4	10
S15L	Deutz F1L514		0822	ALI	200x130x3,5	23x29x4	10
S15W			1036	ALI	228x150x3,5	26x32x5	10
S15W	MWM		0828	ALI	225x150x3,5	23x29x4	10
S17W	MWM		0863	A	181x124x3,5	23x29x4	10
S18L - LD			0822	ALI	200x130x3,5	23x29x4	10
S20X - S22W			1036	ALI	228x150x3,5	26x32x5	10
S24L	MWM		0822	ALI	200x130x3,5	23x29x4	10
S25W	Deutz FMS 414		1036	ALI	228x150x3,5	26x32x5	10
S28W - WA			1036	ALI	228x150x3,5	26x32x5	10
S30L - LA			0838	A	250x155x3,5	26x32x5	10
S30W	MWM		1036	ALI	228x150x3,5	26x32x5	10
SW15W - SX15W			0828	ALI	225x150x3,5	23x29x4	10
TABANELLI							
AMOG			1310	A	300x190x3,5	29x35x5,5	10
AMOG 500 C Agricolo			3640	A	280x165x3,5	29x35x5,5	10
AMOG 500 C Industriale			3640	A	280x165x3,5	29x35x5,5	10
AMOG 500 C Pala			3640	A	280x165x3,5	29x35x5,5	10
Trattori - Tractors			0308	A	250x155x3,5	29x35x5,5	10
Trattori - Tractors			0209	A	216x152x3,2	18x22x3,5	10
TEB							
BWS 10			0209	A	216x152x3,2	18x22x3,5	10
BWS 15 - BWS 20			0948	A	250x155x3,5	21x26x4	10
BWS 15 IIS - BWS 20 - BWS 30			0931	A	280x165x3,5	29x35x5,5	10
SB - S 10			0812	A	184x127x3,3	18x22x3,5	10
THWAITES							
8000	3 - 5 ton.		3956	BL 8	325x200x3,5	28x35x5,5	10
All Dig compact			0989	A	228x150x3,3	21x26x4	10
All Drive 3 Ton. Dumper		66 ->	1244	AL	279x171x3,5	29x35x5,5	10
All Drive 4000	Petters PH 2	-> 85	0870	A	200x130x3,2	21x26x4	10
All Drive 4000 - 6000	Petters PH 2	85 ->	0989	A	228x150x3,3	21x26x4	10
All Drive 6000	Perkins 103.15	90 ->	0402	B 2	216x152x3,2	18x22x3,5	10
All Drive 7000			0989	A	228x150x3,3	21x26x4	10
All Drive 9000		87 -> 88	0803	A	250x155x3,5	29x35x5,5	10
All Drive Giant	3-5 Ton.	80 ->	3955	BL 8	325x200x3,5	28x35x5,5	10
All Drive Giant	5 Ton.	70 ->	3956	BL 8	325x200x3,5	28x35x5,5	10
All Drive Giant Dump Truck	5 ton.	70	3955	BL 8	325x200x3,5	28x35x5,5	10
All Drive Giant Dumpers		80	3956	BL 8	325x200x3,5	28x35x5,5	10
Builders Dump Truck			0870	A	200x130x3,2	21x26x4	10
Nimline 2000	Petters PH 1		0870	A	200x130x3,2	21x26x4	10
Orline 2500	Petters PH 1		0870	A	200x130x3,2	21x26x4	10
Tuline 3000	Petters PH 1		0870	A	200x130x3,2	21x26x4	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Two Drive 4000	Petters PH 2	-> 85	0870	A	200x130x3,2	21x26x4	10
	Petters PH 2	85 ->	0989	A	228x150x3,3	21x26x4	10
TINAGLI							
Motozappa 7HP Special			0199	A	140x96x3,2	14x17x4	6
Motozappa TM 200			1097	A	155x114x3	14x17x4	6
TRANSPORT THORNYCROFT							
Motocart		63 ->	0999	A	228x150x3,5	29x35x5,5	10
TRUCO							
AY 4050 / 84 / 86			1548	B 17	420x220x4	36x45x7	10
HTF 1644 - 2666			1548	B 17	420x220x4	36x45x7	10
2530 / 84 - L / 86			1548	B 17	420x220x4	36x45x7	10
3040 / 84 - 86			1549	B 17	420x220x4	36x45x5	10
UNIMAC							
Autocaricante MAC 30/50			0812	A	184x127x3,3	18x22x3,5	10
UNIPOWER							
Invader 4x4	Perkins V8 - 510	71 ->	1312	BL 8	352x216x4,8	33,5x41,5x6,5	10
UNIVERSAL							
453 - 453 DT - 530 / DT - 532L / DT - 533 - 603		P.T.O.	4095	A	280x165x3	22x25x ev	10
640 /DT - 642L /DT - 703 /DT - 704 /DT - 723 /DT - 853		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
SD							
530 - 640 - 750		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
		P.T.O.	4095	A	280x165x3	22x25x ev	10
U							
533 /DT - 603 /DT - 643 - 723 /DT		P.T.O.	4095	A	280x165x3	22x25x ev	10
		Main clutch	4070	BL9 - CX	Ø 280 5+5 pads 57x64x4	35x40 ev	14
850 - 1010 /DT			4330	A	330x200x3,8	24x28x ev	10
OLD APPLICATION							
Old Application			4379	A	340x195x4	30x35x5,5	10
URSUS							
32	MWM KDW 415Z		3970	A	160x110x2,5	18x23x3	10
385			1232	ALI	200x130x3,5	23x29x4,5	10
415 Z - 751 Z			1036	ALI	228x150x3,5	26x32x5	10
42/21 - 105/1			1036	ALI	228x150x3,5	26x32x5	10
B 28 - 32			4312	ALI	225x150x3,5	26x32x5	10
C 10 BAMBI	Sachs Diesel 500		3970	A	160x110x2,5	18x23x3	10
C 385 - C 385A		Brake Disc	3582	DF	228x152x4,5	60x65x ev	24
SCHLEPPER		49 ->	1232	ALI	200x130x3,5	23x29x4,5	10
TC 10			3970	A	160x110x2,5	18x23x3	10
UTB							
Romanian Tractor	65 HP		4395	A	330x185x4	28x35x5,5	10
Romanian Tractor			4390	B 14	340x175x4	30,5x35x5,1	10
VALMET EUROPA							
MEGA / MEZZO							


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
6000 - 6100 - 6200 - 6300 - 6400 - 6600 - 6800 - 6900			5134	BL 8	330x196x4,5	41x45x ev	22
8200 - 8400		Optional	4348	ALI	328x196x4	41x45x ev	22
8000 - 8100 - 8200 - 8400			5134	BL 8	330x196x4,5	41x45x ev	22
400..							
409 D		67 ->	0832	A	300x170x4	31x38x6	10
505			5135	BL 8	310x191x4,5	41x45x ev	22
			5221	BL8 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	22
565		66	0850	AL	279x171x3,5	29x35x5,5	10
605			5135	BL 8	310x191x4,5	41x45x ev	22
		Optional	5221	BL8 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	22
605			5134	BL 8	330x196x4,5	41x45x ev	22
700 - 702		Main clutch	5135	BL 8	310x191x4,5	41x45x ev	22
		P.T.O.	4136	A	310x175x4	23x29x4,5	10
702 - 703		Main clutch	5221	BL8 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	22
		P.T.O.	4136	A	310x175x4	23x29x4,5	10
705		Optional	5221	BL8 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	22
			5135	BL 8	310x191x4,5	41x45x ev	22
705 - 755 - 805			4348	ALI	328x196x4	41x45x ev	22
805		Main clutch	5221	BL8 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	22
		P.T.O.	4136	A	310x175x4	23x29x4,5	10
855			4348	ALI	328x196x4	41x45x ev	22
866 Industrial		67 ->	0832	A	300x170x4	31x38x6	10
867 Terra Forest Model	Main clutch	66 ->	1011	A	280x165x3,5	23x29x4,5	10
	P.T.O.	66 ->	0859	A	280x165x3,5	36x45x7	10
880 - 885			0832	A	300x170x4	31x38x6	10
900 - 900 4WD - 903			5221	BL8 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	22
			4136	A	310x175x4	23x29x4,5	10
905			5134	BL 8	330x196x4,5	41x45x ev	22
980 4WD Turbo - 985 PCR			0832	A	300x170x4	31x38x6	10
1100 - 1102 - 1103 - 1203		Main clutch	5221	BL8 - CX	Ø 310 6+6 pads 57x64x4	41x45x ev	22
		P.T.O.	4136	A	310x175x4	23x29x4,5	10
8050 - 8150 - 8450 - 8550 - 8750	4WD		4361	BL 8	352x216x4	41x45x ev	22
VALPADANA							
404		Tractor	4144	A	184x127x3,2	31x35x ev	18
Motocoltivatori	10 CV	Motocultivator	3850	A	184x127x3,2	18x22x3,5	10
Padano D12 - D 14		Motocultivator	0812	A	184x127x3,3	18x22x3,5	10
Super Valpadana			3752	A	178x133x2	26x21x3	10
Superpadano		Motocultivator	0812	A	184x127x3,3	18x22x3,5	10
Trattorino 4 RM 20			0812	A	184x127x3,3	18x22x3,5	10
Trattorino 4 RM 350 / 450			0209	A	216x152x3,2	18x22x3,5	10
Trattorino 4 RM 6000			4189	A	216x152x3,5	31x35x ev	18


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
		P.T.O.	4408	A	216x152x3,2	31x35x ev	10
VMC 12		Motocultivator	3019	A	110x58x1	12x15x ev	8
VMC 14		67 ->	0155	A	155x114x3,9	14x17x4	6
VMC 160		Motocultivator	3019	A	110x58x1	12x15x ev	8
VMC 18		Motocultivator	0812	A	184x127x3,3	18x22x3,5	10
VENDEUVRE							
BL 25	25 HP		0828	ALI	225x150x3,5	23x29x4	10
BL 30	30 CV		3660	A	225x155x3,5	23x29x4	10
	30 CV		3669	A	200x130x3,5	46x50x9	8
BL 335	35 CV		3661	A	250x155x3,5	23x29x4	10
	35 CV		3670	A	228x150x3,5	46x50x9	8
FB 4		62 ->	3661	A	250x155x3,5	23x29x4	10
		62 ->	3670	A	228x150x3,5	46x50x9	8
FD 5			3974	A	280x165x3,5	23x29x4	10
VENIERI							
10"		Main clutch	3418	A	250x155x3,5	26x32x5	10
11"		Main clutch	1480	A	280x165x3,5	26x32x5	10
11"		Main clutch	0871	ALI	280x165x3,5	28x35x4	10
14"		Main clutch	3419	A	350x210x5	34x41,5x6,5	10
Motocultivators			1030	A	160x110x2,5	18x22x4	10
Pala 50/60 HP	Ford	Main clutch	1314	A	310x175x3,5	26x32x5	10
Pala VF 5.53			3640	A	280x165x3,5	29x35x5,5	10
Pala VF 5.73			1313	A	310x175x3,5	29x35x5,5	10
			3813	A - CX	Ø 307 3+3 pads 57x64x3,5	29x35x5,5	10
VIGNOLI							
Motocultivators M12			0200	B 2	184x127x3,2	18x22,5x3,5	10
V.M.L.							
Motozappa	Ruggerini		1346	A	140x96x3,2	13x16x3,5	6
Motozappa	Lombardini		1346	A	140x96x3,2	13x16x3,5	6
V.M. MOTORI							
4 DAN - 19 SV - 29 SV			0155	A	155x114x3,9	14x17x4	6
4 DAN 29 SV			1061	A	184x127x3,3	18x23x3,5	10
10 - 15 DAN/SL			1061	A	184x127x3,3	18x23x3,5	10
22 DA/SL			3114	AL	279x171x3,5	28x35x5,5	10
			3395	A - CX	Ø 280 6+6 pads 57x64x3,5	29x35x5,5	10
			0812	A	184x127x3,3	18x22x3,5	10
			1061	A	184x127x3,3	18x23x3,5	10
29 SV			0812	A	184x127x3,3	18x22x3,5	10
			3411	A	184x127x3,3	18x23x3,5	10
50 DA/SL			1315	BL 8	352x216x4,8	33,5x41,5x6,5	10
			3114	AL	279x171x3,5	28x35x5,5	10
			3395	A - CX	Ø 280 6+6 pads 57x64x3,5	29x35x5,5	10
310-50 DA/SL			3114	AL	279x171x3,5	28x35x5,5	10
			3395	A - CX	Ø 280 6+6 pads 57x64x3,5	29x35x5,5	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Several types			3777	A	215x145x3,2	24x29x4,5	10
VM type 1154			1316	A	352x216x4,8	36x45x7	10
VÖGELE							
IVO Traktor	1 Cyl. L Diesel		1323	ALI	225x150x3,5	23x29x4,5	10
Super 80/82 - 140/142	F3L 912		4311	ALI	250x155x3,5	26x32x4	10
Super 200/204			1574	B 17	350x196x4	32x40x5	10
VOLVO							
Marine Drive		64	2977	B 10	200x130x3,2	21x26x4	10
Viking	Miettrebbia	Combine Harvester	0974	A	181x124x3,5	21x26x4	10
B							
B 320D	D3 152		0818	A	280x165x3,5	26x32x5	10
BM							
BM 15			0249	BL 1	232x156x3,5	26x32x5	10
BM 30	1113 - Without P.T.O.		3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
BM 40			0897	A	325x200x5	31x38x6	10
	With P.T.O.		3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
BM 55	Agricultural tractor	57 -> 60	3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	Agricultural tractor	60	0897	A	325x200x5	31x38x6	10
	Agricultural tractor	57	1058	A	352x216x4,8	31x38x6	10
BM 200 - BM 210 - BM 230			0309	B 8	250x155x3,5	29x35x4,5	10
BM 320 Buster	Volvo B18	57 -> 60	0249	BL 1	232x156x3,5	26x32x5	10
BM 350	1113 - Without P.T.O.		4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	1113	59 -> 67	0897	A	325x200x5	31x38x6	10
BM 350 Boxer	1113 - Without P.T.O.		3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	Without P.T.O.		4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
			0897	A	325x200x5	31x38x6	10
BM 350 Loader			3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	1113 - With P.T.O.		0897	A	325x200x5	31x38x6	10
BM 350 Tractor Loader			0897	A	325x200x5	31x38x6	10
	1113 - With P.T.O.		4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
BM 425 AGNG e Road Tractor			0818	A	280x165x3,5	26x32x5	10
BM 425	B 16		0818	A	280x165x3,5	26x32x5	10
	B 16	61	3900	A - CX	Ø 320 6+6 pads 57x64x4	31x38x6	10
BM 470 Bison First Series	Tractor - Loader 1114	57 -> 60	1058	A	352x216x4,8	31x38x6	10
BM 470 Bison	1114 - Tractor - Loader		3900	A - CX	Ø 320 6+6 pads 57x64x4	31x38x6	10
BM 3200	D3 152		0818	A	280x165x3,5	26x32x5	10
BMS							
BMS 470	1114 Dumper		1058	A	352x216x4,8	31x38x6	10


	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
	1114 Dumper		3900	A - CX	Ø 320 6+6 pads 57x64x4	31x38x6	10
DR							
DS 630 Dumper	1113 - With P.T.O.		4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	1113 - With P.T.O.		3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	1113 - With P.T.O.	65 -> 66	0897	A	325x200x5	31x38x6	10
DR 631	1113 Dumper	66 -> 69	0897	A	325x200x5	31x38x6	10
	1113 A - Dumper		4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	Dumper - D 50	66	3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
G							
G 612		Excavator	4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	1113 Excavator	65 -> 68	0897	A	325x200x5	31x38x6	10
LM							
LM 218 Loader		61 -> 70	4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	1113 - Without P.T.O.		3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
			0897	A	325x200x5	31x38x6	10
LM 225	1114 Loader		1058	A	352x216x4,8	31x38x6	10
	1114 Loader		3900	A - CX	Ø 320 6+6 pads 57x64x4	31x38x6	10
R							
R 22/25		51 -> 57	0309	B 8	250x155x3,5	29x35x4,5	10
S							
S 830			3662	A	200x130x4	21x25,4x4	10
S 900		Combine Harvester	0911	AL	250x171x3,5	36x45x7	10
S 950 - S 1000		Combine Harvester	0819	A	275x165x3,5	36x45x7	10
SM							
SM 660 - 661 - 667 Forester			4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
			0897	A	325x200x5	31x38x6	10
ST							
ST 257			0974	A	181x124x3,5	21x26x4	10
T							
T 15		55 -> 57	1319	A	352x216x4,8	41x50,8x7,9	10
			3757	A - CX	Ø 352 11+11 pads 69x77x4,5	41x50,8x7,9	10
T 320		65 ->	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
T 400		P.T.O.	0953	A	228x150x3,5	39x45x7	10
		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
T 430		Main clutch	1034	AL	273x178x3,8	23x29x4,5	10
		65 ->	0953	A	228x150x3,5	39x45x7	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
T 500			4167	B 18	276x165x4	23x29x4,5	10
		Optional	4104	B 18 - CX	Ø 276 4+4 pads 57x64x4	23x29x4,5	10
T 600	1113 - With P.T.O.	67 -> 70	0897	A	325x200x5	31x38x6	10
	1113 - With P.T.O.		3762	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
T 650	Chass. -> 18454		4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
	Chass. 18455 ->		0823	A	325x200x4	31x38x6	10
			0897	A	325x200x5	31x38x6	10
T 675		Excavator	4064	A - CX	Ø 325 6+6 pads 57x64x4	31x38x6	10
		Excavator	0897	A	325x200x5	31x38x6	10
T 700			0823	A	325x200x4	31x38x6	10
T 2200 2WD		79 -> 80	4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
T 2200 2WD		80 ->	3897	AL	275x171x3,5	23x29x4,5	10
T 2204 4WD		79 ->	4098	B 18 - CX	Ø 276 6+6 pads 57x64x4	23x29x4,5	10
VH							
VH 55	Livellatore - Road Grader	55	1319	A	352x216x4,8	41x50,8x7,9	10
	Livellatore - Road Grader	56	1319	A	352x216x4,8	41x50,8x7,9	10
	Livellatore - Road Grader	55 -> 56	3757	A - CX	Ø 352 11+11 pads 69x77x4,5	41x50,8x7,9	10
WAHL							
W 12	9 kW		0863	A	181x124x3,5	23x29x4	10
W 15	11 kW		0828	ALI	225x150x3,5	23x29x4	10
W 17	12 kW		0863	A	181x124x3,5	23x29x4	10
W 22	16 kW		0822	ALI	200x130x3,5	23x29x4	10
W 28	21 kW		4312	ALI	225x150x3,5	26x32x5	10
W 133	18 kW	P.T.O.	4312	ALI	225x150x3,5	26x32x5	10
		Main clutch	3841	A	200x130x3,5	46x50x9	8
WARHALOWSKI Aut							
Agricultural Tractor	1H Diesel BD 144A	68 ->	0966	BL 2	250x171x3,8	23,5x29x4,5	10
WT 25			0863	A	181x124x3,5	23x29x4	10
WT 30			0974	A	181x124x3,5	21x26x4	10
WT 33 - 40			0844	A	228x150x3,5	23x29x4	10
WT 44			4314	AL	250x155x3,5	23x29x4	10
WEHRHAHN							
W 3000			1232	ALI	200x130x3,5	23x29x4,5	10
WELDING Industries							
Machine	Uster	66 ->	3898	BL 1	232x155x3,6	21x26x4	10
Machine	Uster	66 ->	0142	BL 1	232x156x3,5	21x25,4x4	10
Mobile Loading Stating			3898	BL 1	232x155x3,6	21x26x4	10
Mobile Loading/Staking			0142	BL 1	232x156x3,5	21x25,4x4	10
WHITE - ARBOS							
1000 MAYOR			0308	A	250x155x3,5	29x35x5,5	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
Lince - Giaguaro - Pantera - Tigre			3640	A	280x165x3,5	29x35x5,5	10
Rekord 1220			3640	A	280x165x3,5	29x35x5,5	10
WHITLOCK							
Dinkum Digger	Fordson		1060	A	325x191x5,5	29x35x5,5	10
205 Digger		66 ->	1431	B 8	325x191x4	21x25,5x4	10
505 & 605 Digger	Main clutch	66 ->	3872	BL 8	325x191x4,3	38x45x7	10
WICKAM							
Breytby Mk Iib Underground Supplies		65 ->	1321	BL 2	232x155x3,5	23x29x4,5	10
Rail Inspection			0085	AL	160x110x3,2	18x22,5x3,5	10
Salvage vehicle		65 ->	1321	BL 2	232x155x3,5	23x29x4,5	10
WILLIAMS POWER PRODUCTS							
4/604 WHL Drive Dumper			3959	A	302x190x3,5	28x35x5,5	10
Industrial		71 ->	1456	A - CX	Ø 325 10+10 pads 57x64x3,5	29x35x5,5	10
Power pack			0805	A	325x200x4	29x35x5,5	10
WINGET							
Dumpers							
4/25	4 WD	72 -> 73	0870	A	200x130x3,2	21x26x4	10
2 B 1000 - 1500 - 2000	2 WD		0870	A	200x130x3,2	21x26x4	10
2 S - 3 S		65 -> 72	0870	A	200x130x3,2	21x26x4	10
4/45	4 WD	72 -> 73	0870	A	200x130x3,2	21x26x4	10
4/60	4 WD	72 -> 73	0798	AL	302x191x4	29x35x5,5	10
4 A 40	4 WD	77 -> 81	0870	A	200x130x3,2	21x26x4	10
4 A 50	4 WD	77 -> 81	0989	A	228x150x3,3	21x26x4	10
4 A 60 - A 80	4 WD	74 ->	0798	AL	302x191x4	29x35x5,5	10
4 B 40		79 ->	0870	A	200x130x3,2	21x26x4	10
4 B 50		79 ->	0989	A	228x150x3,3	21x26x4	10
4B 2000 - 2500 - 3000 - 4000	4 WD		0989	A	228x150x3,3	21x26x4	10
4 S - 5 S		65 -> 72	0870	A	200x130x3,2	21x26x4	10
Forklift Trucks							
Fork Master 4 FL 5000	4 WD	73 ->	0989	A	228x150x3,3	21x26x4	10
Forklift	Lister HR 3	80 ->	0798	AL	302x191x4	29x35x5,5	10
Forklift	Ford 2711 E	81 ->	3955	BL 8	325x200x3,5	28x35x5,5	10
F 15	Lister ST 3 - 4 WD	81 ->	1175	AL	279x171x3,5	29x35x5,5	10
D 2000 - 2500		84 ->	0989	A	228x150x3,3	21x26x4	10
D 3000		84 ->	1176	A	250x155x3,5	29x35x5,5	10
Synchromesh Wire Drawing Machine		70 ->	0085	AL	160x110x3,2	18x22,5x3,5	10
WORTHINGTON							
Betoniera Autocarraia			3640	A	280x165x3,5	29x35x5,5	10
YANMAR							
Yanmar	1500 cc.		4175	B 10	200x140x3,5	20x22,4x ev	20
Yanmar	1300 cc.		4176	B 5	181x124x3,5	19x22x ev	19
ZETOR							
25A - 25K - 220 - 330 - 440			3445	A - CX	Ø 280 6+6 pads 57x64x3,5	25x27,7x ev	18
1201			3446	A - CX	Ø 325 9+9 pads 57x64x3,5	32x35x ev	22

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
2511			3445	A - CX	Ø 280 6+6 pads 57x64x3,5	25x27,7x ev	18
3011 - 3045 - 3511 - 3545		P.T.O.	3968	A	280x165x3,5	40x45x ev	28
		Main clutch	3444	A - CX	Ø 278 6+6 pads 57x64x3,5	22x24,8x ev	16
		Optional	3161	A	280x166x4	22x24,8x ev	16
3320 - 3321 - 3340 - 3341 - 4320 - 4321 - 4340 - 4341		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Main clutch	4247	A	310x175x4	25x27,7x ev	18
		Optional	4277	A - CX	Ø 310 6+6 pads 57x64x4	25x27,7x ev	18
4511			3445	A - CX	Ø 280 6+6 pads 57x64x3,5	25x27,7x ev	18
4712 - 4718 - 4911 - 5011		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Main clutch	3444	A - CX	Ø 278 6+6 pads 57x64x3,5	22x24,8x ev	16
		Optional	3161	A	280x166x4	22x24,8x ev	16
5011 - 5211 - 5245		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Optional	4277	A - CX	Ø 310 6+6 pads 57x64x4	25x27,7x ev	18
		Main clutch	4247	A	310x175x4	25x27,7x ev	18
5211 - 5213 - 5243 - 5245		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Optional	3967	A	280x165x4	25x28x ev	18
			3445	A - CX	Ø 280 6+6 pads 57x64x3,5	25x27,7x ev	18
5211 - 5213 - 5243 - 5245		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Optional	4277	A - CX	Ø 310 6+6 pads 57x64x4	25x27,7x ev	18
		Main clutch	4247	A	310x175x4	25x27,7x ev	18
5320 - 5321 - 5340 - 5341 Horal		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Optional	4277	A - CX	Ø 310 6+6 pads 57x64x4	25x27,7x ev	18
		Main clutch	4247	A	310x175x4	25x27,7x ev	18
5511 - 5545 - 5711 - 5718 - 5745 - 5748 - 5911 - 5945		Optional	3967	A	280x165x4	25x28x ev	18
		Main clutch	3445	A - CX	Ø 280 6+6 pads 57x64x3,5	25x27,7x ev	18
		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
5511 - 5545 - 5611 - 5645 - 5647 - 5711 - 5718 - 5745 - 5748 - 5911 - 5945		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Optional	4277	A - CX	Ø 310 6+6 pads 57x64x4	25x27,7x ev	18
		Main clutch	4247	A	310x175x4	25x27,7x ev	18
6011 - 6045 - 6211 - 6245		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Optional	3967	A	280x165x4	25x28x ev	18
		Main clutch	3445	A - CX	Ø 280 6+6 pads 57x64x3,5	25x27,7x ev	18
6011 - 6045 - 6211 - 6245 - 6320 - 6321 - 6340 - 6341		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
		Optional	4277	A - CX	Ø 310 6+6 pads 57x64x4	25x27,7x ev	18
		Main clutch	4247	A	310x175x4	25x27,7x ev	18

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
6711 - 6718 - 6745 - 6748 - 6945 - 7011 - 7045 - 7211 - 7245		Main clutch	3445	A - CX	Ø 280 6+6 pads 57x64x3,5	25x27,7x ev	18
		Optional	3967	A	280x165x4	25x28x ev	18
7011 - 7045 - 7211 - 7245 - 7320 T - 7321 - 7340 T - 7341		P.T.O.	3159	A	280x165x4	42x44,7x ev	28
7520 - 7540		Optional	4277	A - CX	Ø 310 6+6 pads 57x64x4	25x27,7x ev	18
7711 - 7745		Main clutch	4247	A	310x175x4	25x27,7x ev	18
7711 - 7745		P.T.O.	4351	AL - CX	Ø 327 7+7 pads 57x64x4	27x30x ev	18
8011 - 8045		Optional	4248	AL	327x200x4,5	27x30x ev	18
8520 - 8540 - 8620 - 8621 - 8640 - 8641 - 9540		Brake Disc	3582	DF	228x152x4,5	60x65x ev	24
8111 - 8145 - 8211 - 8245 - 9111 - 9145 - 9211 - 9245 - 9520 - 9540 - 9620 - 9621 - 9640 - 9641		Optional	4351	AL - CX	Ø 327 7+7 pads 57x64x4	27x30x ev	18
10011 - 10045		Optional	4248	AL	327x200x4,5	27x30x ev	18
10520 - 10540		Optional	4278	A - CX	Ø 350 9+9 pads 57x64x3,5	32x35x ev	22
11245 - 12141 - 12145 - 12211 - 12245 - 14145 - 14245 - 16145 - 16245		Optional	4085	A	350x196x3,5	32x35x ev	22
12011 - 12045 - 12111 - 14111 - 14145 - 16145		Optional	1397	A	325x185x4	22x35x ev	22
ZETTELMAYER		Optional	3446	A - CX	Ø 325 9+9 pads 57x64x3,5	32x35x ev	22
A 2			4311	ALI	250x155x3,5	26x32x4	10
A 4 - A 5			3729	A	280x165x3,5	32x40x5	10
A 6			1006	A	310x175x3,5	32x40x5	10
L 500 - L 501			4311	ALI	250x155x3,5	26x32x4	10
VL 1 - VTL			3730	A	140x96x3	18x22x3	6
VT 7			1209	A	200x130x3,2	26x32x4	10
VTH			3970	A	160x110x2,5	18x23x3	10
Z 1 - Z 2			4101	A	225x155x3,5	26x32x4	10

	Chass. - Engine - Gear.	Year - Note	Code	Type	Facing	Splines	Z
ZF PASSAU							
3 MD 16			0828	ALI	225x150x3,5	23x29x4	10
3 MD 30			3037	A	280x165x3,5	28x35x4	10
ZIEGLER							
TS 8			0366	AL	181x124x3,8	18,3x20,7x ev	24